

THE SCHOOL BOARD OF BROWARD COUNTY, FLORIDA

ENVIRONMENTAL HEALTH & SAFETY DEPARTMENT

TELEPHONE (754) 321-4200

FACSIMILE: (754) 321-4285

July 7, 2016

Signature on File

TO: Trevor Roberts, Principal
Sawgrass Elementary

FROM: Daniel Meyer, Project Manger
Environmental Health & Safety Department

SUBJECT: Indoor Air Quality (IAQ) Assessment

For Custodial Supervisor Use Only

Custodial Issues Addressed

Custodial Issues Not Addressed

On July 6, 2016, I conducted an assessment at **Sawgrass Elementary School**. Attached are findings and recommendations for further assessment, remediation, or corrective actions needed.

The IAQ assessment did identify one or more existing conditions impacting IAQ and has generated appropriate work orders to correct deficiencies in systems and maintenance that could contribute to decreased indoor air quality. At the time of the assessment, these concerns were not an immediate health or safety concern to building occupants. However, due to individual sensitivities and predisposing health factors, it is possible that some building occupants may elicit a health response to agents and / or conditions identified during the evaluation. Therefore, to further improve IAQ, prevent development of future IAQ-related problems, and to reduce the potential for IAQ-related complaints by building occupants, the IAQ Assessment Team recommends appropriate follow up of each item identified and listed in the attached evaluation.

Please ensure that your Head Facilities Serviceperson receives a copy of this correspondence so that the recommendations requiring their attention can be addressed. In an attempt to separate IAQ issues from general maintenance items, the attached assessment may contain direction for site based staff to generate a work order through COMPASS. Within two weeks a representative from the Custodial/Grounds Department will conduct a follow-up visit to ensure that all site based custodial issues have been appropriately addressed.

Should any questions arise, or if the current concerns continue after the attached recommendations have been addressed, please feel free to contact us at 754-321-4200.

DM:smn
Enc.

cc: Shelley Meloni, Director, Pre-Construction
Mark Dorsett, Manager, Zone 1, Physical Plant Operations Division
Broward Teachers Union
Federation of Public Employees
Gerald Devio, Supervisor II Custodial
Benjamin Osborne, Supervisor II Custodial
Rich Volpi, Supervisor II Custodial
Mark Murray, Supervisor II Custodial
Sam Bays, Director, Maintenance Operations
Kurt Wirz, Area Manager Trades

