

Tools for Schools Phase IX - Indoor Air Quality

Follow-up Action Plan for Site



Coconut Creek High

1681

87.3 63.1 365

Walkthrough Date: 5/14/2012

Temp RH Co2
Outside Measurements

Room	Priority	Concern	Response	Recommendation
101G	2	Air supply/return registers are cleaned regularly and free of dust and debris accumulation?	Dust and debris on HVAC supply and/or return grills. <i>Minor dust</i>	Clean HVAC supply and/or return grills with District approved germicidal cleaner
102B	2	X	Dust and debris on HVAC supply and/or return grills.	Clean HVAC supply and/or return grills with District approved germicidal cleaner
114A	2	Classroom is dusted/vacuumed thoroughly and regularly?	General cleanliness Issues were identified at the time of the assessment	Custodial staff to address general cleanliness issues. Dusting, mopping, trash removal, etc.
148	2	Classroom is dusted/vacuumed thoroughly and regularly?	General cleanliness Issues were identified at the time of the assessment	Custodial staff to address general cleanliness issues. Dusting, mopping, trash removal, etc.
148	2	Floor is cleaned on a regular basis?	General cleanliness Issues were identified at the time of the assessment	Custodial staff to address general cleanliness issues. Dusting, mopping, trash removal, etc.
148	3	Activities and/or room conditions are modified to address student allergies?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
148	3	You are informed about the potential allergies of your students?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
164A	2	Classroom is dusted/vacuumed thoroughly and regularly?	General cleanliness Issues were identified at the time of the assessment	Custodial staff to address general cleanliness issues. Dusting, mopping, trash removal, etc.
174	3	Activities and/or room conditions are modified to address student allergies?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
174	3	You are informed about the potential allergies of your students?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
185A	2	Air supply/return registers are cleaned regularly and free of dust and debris accumulation?	Dust and debris on HVAC supply and/or return grills.	Clean HVAC supply and/or return grills with District approved germicidal cleaner

Room	Priority	Concern	Response	Recommendation
185A	2	Ceiling tiles or walls free of leaks and/or discoloration (discoloration may indicate periodic leaks)?	Stained ceiling tiles.	Site based custodial staff to remove and replace stained ceiling tiles. If stain returns, contact COMPASS to generate a work order for Physical Plant Operation to evaluate for cause.
185A	3	You are informed about the potential allergies of your students?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
221	2	Air supply/return registers are cleaned regularly and free of dust and debris accumulation?	Dust and debris on HVAC supply and/or return grills.	Clean HVAC supply and/or return grills with District approved germicidal cleaner
221	3	You are informed about the potential allergies of your students?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
221	3	Activities and/or room conditions are modified to address student allergies?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
231	2	Air supply/return registers are cleaned regularly and free of dust and debris accumulation?	Dust and debris on HVAC supply and/or return grills.	Clean HVAC supply and/or return grills with District approved germicidal cleaner
			Two A/C supply grills were covered. Remove covering.	
232	2	X	Dust and debris on HVAC supply and/or return grills.	Clean HVAC supply and/or return grills with District approved germicidal cleaner
232	3	You are informed about the potential allergies of your students?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
236	2	X	Dust and debris on HVAC supply and/or return grills.	Clean HVAC supply and/or return grills with District approved germicidal cleaner
236	3	Activities and/or room conditions are modified to address student allergies?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
236	3	You are informed about the potential allergies of your students?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.
24	2	Air supply/return registers are cleaned regularly and free of dust and debris accumulation?	Dust and debris on HVAC supply and/or return grills.	Clean HVAC supply and/or return grills with District approved germicidal cleaner
			Minor dust	
24	3	Activities and/or room conditions are modified to address student allergies?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.

Room	Priority	Concern	Response	Recommendation
24	3	You are informed about the potential allergies of your students?	This is a general issue requiring approved communication among all stakeholders.	Site based administration is encouraged to communicate all known student allergies to the appropriate personnel in order to modify classroom activities/conditions when necessary.