

**THE SCHOOL BOARD OF BROWARD COUNTY, FLORIDA**

**ENVIRONMENTAL HEALTH & SAFETY DEPARTMENT**

**TELEPHONE (754) 321-4200**

**FACSIMILE: (754) 321-4285**

January 9, 2017

Signature on File

TO: Alona DiPaolo, Principal  
**Plantation High**

FROM: Daniel Meyer, Project Manger  
Environmental Health & Safety Department

SUBJECT: Indoor Air Quality (IAQ) Assessment

**For Custodial Supervisor Use Only**

Custodial Issues Addressed

Custodial Issues Not Addressed

---

---

On December 23, 2016, I conducted an assessment at **Plantation High School**. Attached are findings and recommendations for further assessment, remediation, or corrective actions needed.

The IAQ assessment did identify one or more existing conditions impacting IAQ and has generated appropriate work orders to correct deficiencies in systems and maintenance that could contribute to decreased indoor air quality. At the time of the assessment, these concerns were not an immediate health or safety concern to building occupants. However, due to individual sensitivities and predisposing health factors, it is possible that some building occupants may elicit a health response to agents and / or conditions identified during the evaluation. Therefore, to further improve IAQ, prevent development of future IAQ-related problems, and to reduce the potential for IAQ-related complaints by building occupants, the IAQ Assessment Team recommends appropriate follow up of each item identified and listed in the attached evaluation.

*Please ensure that your Head Facilities Serviceperson receives a copy of this correspondence so that the recommendations requiring their attention can be addressed. In an attempt to separate IAQ issues from general maintenance items, the attached assessment may contain direction for site based staff to generate a work order through COMPASS. Within two weeks a representative from the Custodial/Grounds Department will conduct a follow-up visit to ensure that all site based custodial issues have been appropriately addressed.*

Should any questions arise, or if the current concerns continue after the attached recommendations have been addressed, please feel free to contact us at 754-321-4200.

DM:smn  
Enc.

cc: Shelley Meloni, Director, Pre-Construction  
Mark Dorsett, Manager, Zone 1, Physical Plant Operations Division  
Broward Teachers Union  
Federation of Public Employees  
Gerald Devio, Supervisor II Custodial  
Benjamin Osborne, Supervisor II Custodial  
Mark Murray, Supervisor II Custodial  
Sam Bays, Director, Maintenance Operations  
Kurt Wirz, Area Manager Trades





# HAZARDOUS MATERIALS DISPOSAL FORM

Send to Environmental Health & Safety Department

Attn : Robert Krickovich

[robert.krickovich@browardschools.com](mailto:robert.krickovich@browardschools.com)

Robert Krickovich Phone 754-321-4200 - FAX 754-321-4285

## Location of Material to be Removed

School: \_\_\_\_\_

FISH Number: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Contact Person Phone Number: \_\_\_\_\_

	Material to be removed	Number of Containers	Quantity of Material	Container Type Drum/Tank/Box	Replacement Drum(s) -
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					

## Signatures

\_\_\_\_\_  
Department Head

\_\_\_\_\_  
Date

\_\_\_\_\_  
Principal

\_\_\_\_\_  
Date