

Tools for Schools - Indoor Air Quality

Follow-up Action Plan for Site

Walter C. Young Middle

83 47% 380

Principal: Ms. Gale Petro

Walkthrough Date: 5/6/2004

Temp RH Co2
Outside Measurements

Assignment Member: Mark Dorsett



Room	Priority	Responsible	Assessment Comments	Recommended Corrective Action
1001C	2	Site	No animals in the classroom. However, termite droppings were found.	Maintenance needs to establish work order to inspect room for pests and implement appropriate corrective action.
1001C	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
1014	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
127	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
201	3	Site	Carpeting is stained.	Clean and sanitize carpeting.
202	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
207	2	Site	Teacher turns unit off and on.	Thermostat needs to be set.
228	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
274CV	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
344VE	2	Site	Painting is needed.	Site to contact District Maintenance.
344VE	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
425	2	Site	Odor coming from floor drains in locker rooms. There are no trap permers in floor drains. Supply water in the drain.	Maintenance to inspect and repair as appropriate.
428	3	Site	Stained ceiling tiles.	Replace ceiling tiles.
428	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
506	3	Site	IAQ information requested.	Contact EPA website www.epa.gov/iaq
507	3	Site	Marker boards need to be installed.	Site to contact District Maintenance.
507	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
513	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.

Room	Priority	Responsible	Assessment Comments	Recommended Corrective Action
516	3	Site	IAQ information requested.	Contact EPA website www.epa.gov/iaq
516	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
615C	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
65N	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
75N	3	Site		Site based administration will provide information to site based staff.
912	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
921	2	Site	There was paint in the room.	Remove paint from room.
921	3	Site	Needs IAQ manual.	Contact EPA website www.epa.gov/iaq
932/932A	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
933	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
954E	2	Site		Custodial staff to use Heppa Filters.
979P	3	Site	Dust accumulation was observed on environmental surfaces. White board needs to be cleaned.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
P-11	2	Site	Smells like mildew after the weekend.	Custodial staff should clean and sanitize the air supply and return registers and replace filters in this classroom.
P-11	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.
P-16	3	Site	Dust accumulation was observed on environmental surfaces.	Custodial staff should thoroughly clean all environmental surfaces within classroom.