## 2017-2018 AED READINESS INVENTORY LOG COMPLETE CHECKLIST EVERY TWO WEEKS (BI-WEEKLY)

Facility Name:														Location:											
Contact Person:												Type of AED:													
												Fish:													
Battery Expiration:				Adult Pads Expiration:								Pedi Pads Expiration:													
Signature	Pı	Print								Date															
Month:			Jul Aı			Aug Sept				Oct Nov				Dec Jan				Mar	Mar April		:1	May		Jun	
Montn:		Jui		Aug		Sept		Oct		TNUV		Dec		Jan		Feb		iviai		три		Iviay		Juli	
Day:																									
Initials:																									
Status Indicator shows a green light Or OK/Battery Function				<u> </u>																					
Storage unit/cabinet intact and clean									_		_						_						_		
AED exterior intact and clean																									
User's Guide Available																									
<u>Lifepak 500 adult pads</u> -Two sealed, undamaged in date																									
Heartstart FRx pads- one sealed, the other																									
one in a plastic case and plugged in to AED,																									
both should be undamaged and in date																									igspace
One set of sealed, undamaged, In date Pedi pads (only for location with this type of																									
pad)																									
One Pedi Key (only applies to Heartstart AEDs)																									
Zipper Kit (mouth barrier device, scissors,																									
Non-latex gloves, hand towel.																									
PLEASE INTIAL AND DATE THE FOLLOWING ONCE YOU HAVE COMPLETED																									
TWO UPDATED	1	Per SE	BBC r	oolicv	5303	Rule	I. A. I	Each	scho	ol and	d disti	rict fa	cility i	is red	uired	to ha	ve a	minir	num d	of two	,				
911 POSTERS INITIATED STICKER individuals trained with current strained with str																									
monitoring form that the principal's send to Health Ed Service The Core forms are due to HES in December of each year										every	scho /	ol ye	<u>ar</u>												
!	i l				The C	ore fo	orms	are d	ue to	HFS	in De	ecemb	her of	f each	vear	-									

\*\*Per Broward School Board policy 5303 each school and district facility shall have a minimum of two individuals with current certification in First Aid and CPR/AED.

\*\*\* (Two people per AED unit) \*\*\*

## Contact Health Service for information on CPR/AED training at 754-321-2274.

\*\*Expired pads and expired or low batteries: Go to the Environmental Health &Safety Department website. There is a form to order those items by email.

\*\*\*Zipper Kits/CPR Kits must be ordered through a vendor.

\*\*NOTE: If you need 911 posters please go to the Environmental Health & Safety Department web site, it will be under Preparedness Materials.

Please print the 911 posters in color, you may also print as many as you like.