

Radon Testing Results
Riverside Elementary

Constructed 1989

Schools constructed, or structurally changed, prior to July 1, 1999 require testing to be conducted in 100% of the first floor habitable rooms. Follow up testing will be conducted in a minimum of 5% of the first floor habitable rooms after five years.



Room	Story	Testing Start Date	Testing End Date	Radon pCi/L	Average Radon pCi/L	Comments
101	1	12/20/89	12/22/89	0.4		
131	1	12/20/89	12/22/89	0.6		
132	1	12/20/89	12/22/89	0.8		
133	1	12/20/89	12/22/89	0.4		
201	1	12/20/89	12/22/89	0.4		
202	1	12/20/89	12/22/89	0.4		
207	1	12/20/89	12/22/89	0.4		
208	1	12/20/89	12/22/89	0.5		
301	1	12/20/89	12/22/89	0.4		
301	1	12/20/89	12/22/89	0.4		
401	1	12/20/89	12/22/89	0.4		
404	1	12/20/89	12/22/89	0.4		
408	1	12/20/89	12/22/89	0.4		
410	1	12/20/89	12/22/89	0.4		
413	1	12/20/89	12/22/89	0.4		
501	1	12/20/89	12/22/89	0.5		
501	1	12/20/89	12/22/89	0.6		
503	1	12/20/89	12/22/89	0.6		
506	1	12/20/89	12/22/89	0.8		
507	1	12/20/89	12/22/89	0.4		
509	1	12/20/89	12/22/89	0.4		
512	1	12/20/89	12/22/89	0.4		
513	1	12/20/89	12/22/89	0.4		
601	1	12/20/89	12/22/89	0.4		
601	1	12/20/89	12/22/89	1.1		
604	1	12/20/89	12/22/89	0.4		
605	1	12/20/89	12/22/89	0.5		
607	1	12/20/89	12/22/89	0.8		
610	1	12/20/89	12/22/89	0.4		
701	1	12/20/89	12/22/89	0.4		
704	1	12/20/89	12/22/89	0.7		
705	1	12/20/89	12/22/89	1.1		
707	1	12/20/89	12/22/89	0.6		
710	1	12/20/89	12/22/89	0.4		
710	1	12/20/89	12/22/89	1.0		
801	1	12/20/89	12/22/89	0.4		

803	1	12/20/89	12/22/89	1.2		
806	1	12/20/89	12/22/89	1.2		
807	1	12/20/89	12/22/89	0.4		
809	1	12/20/89	12/22/89	0.7		
812	1	12/20/89	12/22/89	0.6		
813	1	12/20/89	12/22/89	0.4		
901	1	12/20/89	12/22/89	0.8		
904	1	12/20/89	12/22/89	0.6		
907	1	12/20/89	12/22/89	0.8		
910	1	12/20/89	12/22/89	0.4		
101	1	04/08/96	04/10/96	0.3		
131	1	04/08/96	04/10/96	0.7		
202	1	04/08/96	04/10/96	0.5		
308	1	04/08/96	04/10/96	0.5		
401	1	04/08/96	04/10/96	1.2		
503	1	04/08/96	04/10/96	0.6		
503	1	04/08/96	04/10/96	0.6		
601	1	04/08/96	04/10/96	0.5		
701	1	04/08/96	04/10/96	0.8		
801	1	04/08/96	04/10/96	0.8		
901	1	04/08/96	04/10/96	0.7		
904	1	04/08/96	04/10/96	0.9		