



THE SCHOOL BOARD OF BROWARD COUNTY, FLORIDA

7720 WEST OAKLAND PARK BOULEVARD, SUITE 323, SUNRISE, FLORIDA 33351 • TEL 754-321-0505 • FAX 754-321-0936

PROCUREMENT & WAREHOUSING SERVICES

MARY CATHERINE COKER, DIRECTOR

www.BrowardSchools.com

The School Board of
Broward County, Florida

Nora Rupert, Chair
Heather P. Brinkworth, Vice Chair

Robin Bartleman
Abby M. Freedman
Patricia Good
Donna P. Korn
Laurie Rich Levinson
Ann Murray
Dr. Rosalind Osgood

Robert W. Runcie
Superintendent of Schools

September 11, 2019

ADDENDUM 2 BID No. FY20-026 CAFETERIA EQUIPMENT

TO: ALL BIDDERS

This Addendum amends the above-referenced Bid in the following particulars only:

1. As a reminder, the due date for this ITB is September 19, 2019 at 2:00 p.m. ET.
2. Before submitting your bid response, please refer to **SECTION 2 – Submittal Requirements** to ensure that all required forms and documents are included.
3. Please substitute the bid pages indicated below and attached:

DELETE: Page 8 of 134 Pages
(Special Condition 4 was revised)

INSERT: Page 8 of 134 Pages – **REVISED** –

DELETE: Page 32 of 134 Pages
(Model number and width for Bid Item 15A have been corrected)

INSERT: Page 32 of 134 Pages – **REVISED** –

DELETE: Page 33 of 134 Pages
(Model number and width for Bid Item 15B have been corrected)

INSERT: Page 33 of 134 Pages – **REVISED** –

DELETE: Page 36 of 134 Pages
(Some information for Bid Item 18A and 18B has been corrected)

INSERT: Page 36 of 134 Pages – **REVISED** –

REPLACE ADDENDUM 1 BID SUMMARY SHEET with ADDENDUM 2 BID SUMMARY SHEET

(The **ADDENDUM 2 BID SUMMARY SHEET IS A REVISION** that **MUST** be submitted with the bid, in time for bid opening to be considered for award) The PDF attached is for reference, bidders are strongly encouraged to use the Excel version that will be available for download from DemandStar.

This Addendum is for informational purposes only and need not be returned with your bid. By virtue of signing the "Invitation to Bid", Page 1 of Bid FY20-026, Bidder certifies acceptance of this addendum.

Sincerely,

Larissa Seda

Larissa Seda

Purchasing Agent

SECTION 4, SPECIAL CONDITIONS

1. **INTRODUCTION AND SCOPE:** The School Board of Broward County, Florida (hereinafter referred to as "SBBC") desires bids on **CAFETERIA EQUIPMENT** as specified herein. The scope of requirements includes, but is not limited to, **CAFETERIA EQUIPMENT**. The Awardee(s) shall receive individual Purchase Orders specifying the name and ship to address of the various schools, departments and centers.
2. **BID SUBMITTAL:** Bidders must submit the following with their bid, in time for Bid opening:
 - a. One (1) original, clearly marked, signed hard-copy of the ITB including the electronic Bid Summary Worksheet. All signatures must be in original.
 - b. One (1) identical electronic version of the bid, in PDF Format on a flash drive. (Please no CDs).
 - c. Bid Summary Sheet, in an Excel (.xls) format on the flash drive.

If there is a discrepancy between the hard copy and the electronic copy, the original hard copy shall govern. All materials submitted with bids need to be clearly marked with the Bidder's Name, Bid number and Bid Title and sent in time for bid opening to:

**Larissa Seda, Procurement & Warehousing Services Department
7720 West Oakland Park Blvd – Suite 323
Sunrise, FL 33351.
REF: ITB FY20-026 –Cafeteria Equipment**

Bidders are encouraged to use the mailing label provided on Attachment 7, Mailing Label, at the end of this document. No faxed or emailed bids will be accepted.

3. **TERM:** The award of this bid shall establish a contract for the period **beginning from January 1, 2020 and continuing through September 30, 2022**, or as specified by the School Board. Bids shall not be considered for a shorter period of time. All prices quoted must be firm for the period as stated in **Special Condition 21 – Price Adjustments**. Items shall be ordered on an as-needed basis. If only one bid is received, the term of the contract may be reduced to one year or adjusted as specified by the School Board.
4. **AWARD:** In order to meet the needs of SBBC, each GROUP or ITEM shall be awarded to the lowest responsive and responsible Bidders meeting specifications, terms and conditions.

Unit prices must be stated in the space provided on the electronic Bid Summary Sheet. Total extended prices by group or item will be used to determine the lowest bid. Bids for **individual items (not in groups)** must meet specifications in order to be considered for award. For **items in groups**, it is necessary to bid on every item in the group, and all items in the group must meet specifications in order to be considered for award. In the event that any item in the group does not meet the specifications, the entire group shall be disqualified. SBBC may need to order an individual component within a group. All items within a group must have an individual cost. Failure to state the individual cost for any item within a group shall result in disqualification of the group. Bidder should carefully consider each item for conformance to specifications.

Please refer to Section 8 – Supplier Diversity Outreach Program (SDOP) for information about the Affirmative Procurement Initiatives that will apply to the award of this solicitation.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 15 – TO BE AWARDED AS A GROUP

Item #

15A SAP Number: 6000813

Item Name: REFRIGERATOR, TWO-DOOR, TWO SECTION

Description: Construction to be stainless steel exterior door, front, sides, & interior floor. Aluminum interior side walls and back. 20 gauge stainless steel door & door interior. Foamed-in-Place Polyurethane Insulation throughout. Front shroud to lift up for easy access to clean condenser coil. Refrigeration to be R-134a or R290. Top mount refrigeration system. All-in-one SIMPLE controller with maximum of 4 parameters that is pre-programmed from the factory. Four sensors on front controller to include temp setting, manual defrost, and lockout. Exterior digital temperature display; automatic LED lighting with door switch. Durable removable snap-in magnetic gasket. Self-closing door with stay open feature. Lifetime guarantee on ergonomic door handle and cam-lift door hinges. Heavy duty cylinder or bolt locks with lifetime warranty. One door to have three (3) heavy-duty, epoxy coated or chrome shelves. One door complete with a minimum of 9 sets of universal tray/pan slides on 4" centers to accept bottom support 18" x 26" pans. All condensate water is disposed of automatically by the energy efficient, non-electric condensate evaporator. Condenser coil to be out of food zone. If expansion valve system Compressor to have high-pressure cut-off switch. If a capillary tube system then system must be oversized and balanced for quick recovery and pull down. Maintains temperatures of 33 degrees – 38 degrees. Inside storage capacity to be a minimum of 46 useable cubic feet. Heavy-duty 5" polyurethane plate casters, two with brakes. Size: Maximum height 84-1/4" on wheels, width 52" – 57". 115V/60Hz/1 phase, amp draw not to exceed 11.0 with 9' or 10' Nema 5-15P cord/cap. NSF and UL approved.

Warranty: Three year manufacturer's warranty, all parts and labor, five years for compressor must be included in the unit price.

Price to include uncrate, set in place, removal of cartons, installation of shelves and clips, pan slides and casters, plug in and make ready for use.

Must ship from factory within 4 weeks of receipt of purchase order.

Approved Brand: Victory Model RSA-2D-S1, TRUE STA2R-2S-HC with 1 each kit #1 and 1each kit #4, Continental D2RENSA ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 15 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

15B SAP Number: 6000814

Item Name: REFRIGERATOR, THREE-DOOR, THREE SECTION

Description: Construction to be stainless steel exterior door, front, sides, & interior floor. Aluminum interior side walls and back. 20 gauge stainless steel door & door interior liner. Front shroud to lift up for easy access to clean condenser coil. Refrigeration to be R-134a or R290, foamed-in-place polyurethane insulation throughout. Top mount refrigeration system. All-in-one SIMPLE controller with maximum of 4 parameters that is pre-programmed from the factory. Four sensors on front controller to include temp. setting, manual defrost, and lockout. Exterior digital temperature display; automatic LED interior light with door switch. Durable removable magnetic snap-in gasket with 2 year warranty. Self-closing door with stay open feature. Lifetime guarantee on door handle and cam-lift door hinges. Heavy duty cylinder or bolt locks with lifetime warranty. Two doors to have three (3) heavy-duty, epoxy coated or chrome shelves. One door complete with a minimum of 9 sets of universal tray/pan slides on 4" centers to accept bottom support 18" x 26" pans. All condensate water is disposed of automatically by the energy efficient, non-electric condensate evaporator. Condenser coil to be out of food zone. If expansion valve system, Compressor to have high-pressure cut-off switch. If a capillary tube system, then system must be oversized and balanced for quick recovery and pull down. Inside storage capacity to be a minimum of 70.09 useable cubic feet. Refrigerator to include the following options: heavy-duty 5" polyurethane plate casters, two with brakes, Maximum height 84-1/4" on casters, max. depth 35". **Width 76" - 85.5"**. 115V/60Hz/1 phase, amp draw not to exceed 11.0 with 9' or 10' Nema 5-15P cord/cap. NSF and UL approved.

Warranty: Three year manufacturer's warranty, five years for compressor must be included in the unit price. Warranty on compressor to be completely handled by service company for 5 years.

Price to include uncrate, set in place, removal of plastic and cartons, installation of shelves and clips, plug in, and make ready for use.

Must ship from factory within 4 weeks of receipt of purchase order.

Approved Brands: Victory Model RSA-3D-S1, TRUE STA3R-3S with 2 each kit #4 and 1 each kit #1, **Continental DL3RE-SA ONLY**

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item # (TO BE AWARDED AS A GROUP)
18A **SAP Number:** **6000810**
Item Name: **FREEZER, REACH-IN, SELF-CONTAINED, THREE DOOR**
Description: Cabinet to be 78" wide x 35 1/2" deep x 83 1/4 high. Max. height 83 -1/4" with full length doors. 304 Stainless Steel interior and exterior, including case top, bottom and rear. Breaker strips to have 304 stainless steel breaker covers. Floor to be reinforced with heavy duty leg channels and plates, to withstand extra heavy loads. Doors to be self-closing with built in locks and heavy duty hinges, and replaceable magnetic gaskets. Interior lighting to be controlled by opening and closing of doors. Adjustable 6" stainless steel legs. Interior to be equipped with four heavy duty **chrome** shelves per section, (eight total), 304 stainless steel floor rack in each section. 3/4 HP, 115V/208/60HZ, Expansion valve option with receiver tank refrigeration system, low pressure control to be mounted on control box. System to have suction access port and high side receiver service port. System to use R-404A refrigerant, and to operate at 0 degrees. Condensate removal to be handled by 304 stainless steel hot gas loop with drain pan. External mounted digital thermometer with hi/low alarm. Unit to be NSF and UL listed or others applicable to US Standards. Include optional 5" heavy duty polyurethane casters, 2 with brakes.
Three year Warranty on Parts and Labor
Five year Warranty on compressor motor

Approved Brand and Model: Continental # DL3F-SS/00DC ONLY

Item # (TO BE AWARDED AS A GROUP)
18B **SAP Number:** **6000811**
Item Name: **FREEZER, TWO SECTION, FULL LENGTH DOORS, TOP MOUNTED, REACH-IN**
Description: Cabinet to be 52" wide x 35 1/2" deep x 83 1/4 high. Max height 83-1/4"
304 Stainless Steel interior and exterior, including case top, bottom and rear. Breaker strips to have 304 stainless steel breaker covers. Floor to be reinforced with heavy duty leg channels and plates, to withstand extra heavy loads. Doors to be self-closing with built in locks and heavy duty hinges, and replaceable magnetic gaskets. Interior lighting to be controlled by opening and closing of doors. Adjustable 6" stainless steel legs. Interior to be equipped with four heavy duty **chrome** shelves per section, (eight total), 304 stainless steel floor rack in each section. 3/4 HP, 115V/60HZ, Expansion valve option with receiver tank refrigeration system, low pressure control to be mounted on control box. System to have suction access port and high side receiver service port. System to use R-404A refrigerant, and to operate at 0 degrees. **Power cord to be NEMA 5-20 with 90 degree plug to be supplied.** Condensate removal to be handled by 304 stainless steel hot gas loop with drain pan. External mounted digital thermometer with hi/low alarm. Include optional 5" heavy duty polyurethane casters, two with brakes. Unit to be NSF and UL listed or others applicable to US Standards.
Three year Warranty on Parts and Labor
Five year Warranty on compressor motor

Approved Brand and Model: Continental # DL2F-SS/00DC ONLY

Item #
19 **SAP Number:** **6002185 – NO LONGER IN USE**

THIS EXCEL SPREADSHEET WILL CALCULATE BID LINE TOTALS FOR EACH ITEM AND GROUP TOTALS IF FILLED OUT ELECTRONICALLY AND SUBMITTED WITH THE BID PACKAGE AS AN EXCEL (XLS) FILE. PLEASE PROVIDE PRICE PER UNIT OF MEASUREMENT INDICATED. IF WRITING IN THE INFORMATION, USE INK AND WRITE CLEARLY; CALCULATIONS WILL BE DONE DURING BID EVALUATION.

SPECIAL INSTRUCTIONS: For items in GROUPS, it is necessary to bid on EVERY ITEM IN THE GROUP and ALL ITEMS IN THE GROUP MUST MEET SPECIFICATIONS to be considered for award. If you are NOT bidding on an item, enter "NO BID" in the appropriate column.

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	1	A	6001225	NON INSULATED SIDEWALL EXTRUDED UTILITY CABINET	Refer to Section 6 - Bid Specifications	Crescor Model 150-1840D, Winholt EC1840-CTLPURC/LC/PEB -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	1	B	6000129	OPEN BAKERS RACK	Refer to Section 6 - Bid Specifications	Crescor Model 207-1820-SD, Win-Holt AL-1820/HD/LC - NO SUBSTITUTIONS					15	each	0.00		\$ -	
	1	C	6001226	RACK, REFRIGERATOR ROLL-IN, OPEN	Refer to Section 6 - Bid Specifications	Crescor Model 273-65-12/1818 Winholt ALREF1118/64E/XB/LC -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	2	A	6000084	RACKS, DUNNAGE 48" W	Refer to Section 6 - Bid Specifications	Cambro Model DRS-480, InterMetro Model HP2248PD, Continental Model 5948 Winholt PLSQ-4-1222 -NO SUBSTITUTIONS.					40	each	0.00		\$ -	
	2	B	6000NEW	RACKS, DUNNAGE 36" W	Refer to Section 6 - Bid Specifications	Cambro Model DRS-360, Continental Model 5936, Winholt PLSQ-3-1222 -NO SUBSTITUTIONS.					25	each	0.00		\$ -	\$ -
	3	A	6001233	SHELF, 21" Wide X 36" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					25	each	0.00		\$ -	
	3	B	6006200	SHELF, 18" Wide x 36" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	3	C	6006201	SHELF, 18" Wide x 42" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	D	6006202	SHELF, 21" Wide x 42" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					30	each	0.00		\$ -	
	3	E	6000136	SHELF, 21" Wide X 48" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					100	each	0.00		\$ -	
	3	F	6006203	SHELF, 18" Wide x 48" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	G	600NEW	SHELF, 21" Wide x 54" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	H	600NEW	SHELF 24" Wide x 36" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	3	I	600NEW	SHELF 24" Wide x 42" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	J	600NEW	SHELF 24" Wide x 48" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	K	600NEW	SHELF 24" Wide x 54" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	L	6000137	POST 63" High	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					100	each	0.00		\$ -	
	3	M	6004820	POST 75"High	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					155	each	0.00		\$ -	\$ -
	4		6001107	STAND, UTILITY	Refer to Section 6 - Bid Specifications	Lakeside Model 518, and Seco Model SS-16-3033-AX -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -
	5	A	6001148	CART, UTILITY - SMALL	Refer to Section 6 - Bid Specifications	InterMetro Model MY1627-34 or other brands meeting bid specifications (Color code may be noted as last character(s) of model number)					4	each	0.00		\$ -	
	5	B	6000113	CART, UTILITY, THREE SHELVES - LARGE	Refer to Section 6 - Bid Specifications	InterMetro Model MY 2636-34 or other brands meeting bid specifications (Color code may be noted as last character(s) of model number)					6	each	0.00		\$ -	
	5	C	6000111	CART, UTILITY, THREE SHELVES - MEDIUM	Refer to Section 6 - Bid Specifications	InterMetro Model MY2030-34 or other brands meeting bid specifications					6	each	0.00		\$ -	\$ -

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	6	A	6000068	TABLE, UTILITY - 5'L X 2.5'W X 3"H	Refer to Section 6 - Bid Specifications	SPG International Model 5-SL-SLS-30 Table with TAC 1-4 casters and TAC 2020-S drawer, Elkay Custom Deluxe Spec-Line Series, Eagle Group Model T3060SE w/casters & drawer, Custom Stainless -NO SUBSTITUTIONS.					24	each	0.00		\$ -	
	6	B	6001110	TABLE, UTILITY - 6'L X 2.5'W X 3"H	Refer to Section 6 - Bid Specifications	SPG International Model 6-SL-SLS-30 Table with TAC 1-4 casters and TAC 2020-S drawer, Elkay Custom Spec Line, Eagle Group Model T3072SE w/casters & drawer, Custom Stainless -NO SUBSTITUTIONS.					24	each	0.00		\$ -	\$ -
	7	A	6006281	TABLE, WORK - STAINLESS STEEL - 60" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2460SE, Gamenza Model T2460, Custom Stainless -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	7	B	6000074	TABLE, WORK - STAINLESS STEEL - 48" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2448SE, Gamenza Model T4824, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	C	6001111	TABLE, WORK - STAINLESS STEEL - 48" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2448SE, Gamenza Model T-4824-C, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	D	6000075	TABLE, WORK - STAINLESS STEEL - 60" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3060SE, Gamenza Model T6030, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	E	6000076	TABLE, WORK - STAINLESS STEEL - 72" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3072SE, Gamenza Model T7230, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	F	6001112	TABLE, WORK - STAINLESS STEEL - 84" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3084SE, Gamenza Model T8430, Custom Stainless -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	7	G	6006181	TABLE, WORK - STAINLESS STEEL - 48" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3048SE, Gamenza Model T-4830-C, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	H	6006182	TABLE, WORK - STAINLESS STEEL - 36" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2436SE, Gamenza Model T-3624-C, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	I	6006160	TABLE, WORK - STAINLESS STEEL - 42" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3042SE, Gamenza Model T-4230-C, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	J	6006161	TABLE, WORK - STAINLESS STEEL - 36" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3036SE, Gamenza Model T-3630-C, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	K	6006210	TABLE, WORK - STAINLESS STEEL - 42" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2442SE, Gamenza Model T-2442, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	L	6000073	TABLE, WORK - STAINLESS STEEL - 60" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2460SE, Gamenza Model T-2460-C, Custom Stainless -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	7	M	6006162	TABLE, WORK - STAINLESS STEEL - 48" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3048SE, Gamenza Model T-3048, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	8		6001106	TABLE FOR BAKER'S SCALE	Refer to Section 6 - Bid Specifications	Winholt ES/MX2424/14GA or other brands meeting bid specifications					4	each	0.00		\$ -	\$ -
	9	A	6001079	OVEN, STACK PIZZA CONVEYOR - 120-208 VOLT	Refer to Section 6 - Bid Specifications	Lincoln Model 1180-FB2E -NO SUBSTITUTIONS 208V/ 3 phase. Easy Order Package. Includes 2 each of: 1132 FASTBAKE Lincoln Ovens, 1120-1 stand with LEGS, 2 each of #1140 12.5" S/S Exit shelves, 4 each crumb trays and 2 each FASTBAKE KIT #KF005					3	unit	0.00		\$ -	
	9	B	6002199	OVEN, STACK PIZZA CONVEYOR - 480 VOLT	Refer to Section 6 - Bid Specifications	1180-FB2E with easy order package as stated above. -NO SUBSTITUTIONS					2	unit	0.00		\$ -	\$ -
	10	A	6001252	COOLER, MILK - 8 CRATES	Refer to Section 6 - Bid Specifications	True Mfg. Model TMC-34-S-SS-HC, Beverage Air Model SMF34HC-1-S -NO SUBSTITUTIONS.					10	each	0.00		\$ -	
	10	B	6001253	COOLER, MILK - 12 CRATES	Refer to Section 6 - Bid Specifications	True Mfg. Model TMC-49-S-SS-HC, Beverage Air Model SMF49HC-1-S -NO SUBSTITUTIONS.					10	each	0.00		\$ -	
	10	C	6001335	COOLER MILK - 16 CRATES	Refer to Section 6 - Bid Specifications	True Mfg. Model TMC-58-S-SS-HC Beverage Air Model SMF58 HC-1-S -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	11	A	6002182	RANGE, EXPANDO COOKING - ELECTRIC - 208 VOLT	Refer to Section 6 - Bid Specifications	Vulcan-Hart Model EV 12-2FP-208 -NO SUBSTITUTIONS					2	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	11	B	6002183	RANGE, EXPANDO COOKING - ELECTRIC - 480 VOLT	Refer to Section 6 - Bid Specifications	Vulcan-Hart Model EV 12-2FP- 480 -NO SUBSTITUTIONS					1	each	0.00		\$ -	\$ -
	12		6001227	RANGE, EXPANDO COOKING - GAS FIRED (LP OR NATURAL)	Refer to Section 6 - Bid Specifications	Garland Model M4S -NO SUBSTITUTIONS					1	each	0.00		\$ -	\$ -
	13	A	6000133	KETTLE, STEAM JACKET - ELECTRIC - 208 VOLT	Refer to Section 6 - Bid Specifications	Groen Model EE40 with T&S model 5PR-1S12 -NO SUBSTITUTIONS					15	each	0.00		\$ -	
	13	B	6001232	KETTLE, STEAM JACKET - ELECTRIC - 480 VOLT	Refer to Section 6 - Bid Specifications	Groen Model EE40 with T&S model 5PR-1S12 -NO SUBSTITUTIONS					15	each	0.00		\$ -	\$ -
	14		6001230	KETTLE, STEAM JACKET - GAS FIRED - (LP OR NATURAL)	Refer to Section 6 - Bid Specifications	Groen Model AH1E-40 with T&S model 5PR-1S12 -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -
	15	A	6000813	REFRIGERATOR, TWO-DOOR, TWO SECTION	Refer to Section 6 - Bid Specifications	Victory Model RSA-2D-S1, TRUE STA2R-2S-HC with 1 each kit #1 and 1each kit #4, Continental D2RENSA -NO SUBSTITUTIONS					15	each	0.00		\$ -	
	15	B	6000814	REFRIGERATOR, THREE-DOOR, THREE SECTION	Refer to Section 6 - Bid Specifications	Victory Model RSA-3D-S1, TRUE STA3R-3S with 2 each kit #4 and 1 each kit #1, Continental DL3RE-SA -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	16		6000069	CABINET, WARMING - ONE DOOR, ROLL THROUGH - 208 VOLT	Refer to Section 6 - Bid Specifications	Victory Model HISA-1D-1-PT , True Model STA1HRT-1S-1S with Rack - Crescor Model 207-1818C or New Age Model 1335 -NO SUBSTITUTIONS					8	each	0.00		\$ -	\$ -
	17		6001334	REFRIGERATOR, TWO DOOR, ROLL-THROUGH WITH FULL DOORS	Refer to Section 6 - Bid Specifications	REFRIGERATOR - Victory Model RISA-2D-S1-PT 7 or TRUE STA2RRT-2S-2S with RACKS - Crescor Model 207-1818C or New Age Model 1335 -NO SUBSTITUTIONS					8	each	0.00		\$ -	\$ -
	18	A	6000810	FREEZER, REACH-IN, SELF-CONTAINED, THREE DOOR	Refer to Section 6 - Bid Specifications	Approved Brand and Model: Continental # DL3F-SS/00DC -NO SUBSTITUTIONS					8	each	0.00		\$ -	
	18	B	6000811	FREEZER, TWO SECTION, FULL LENGTH DOORS, TOP MOUNTED, REACH-IN	Refer to Section 6 - Bid Specifications	Approved Brand and Model: Continental # DL2F-SS/00DC -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	19		6002185	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	\$ -
	20		6002185	WARMER, DISPLAY	Refer to Section 6 - Bid Specifications	American Permanent Ware Model DW-1A, Nemco Model 6000A-2 -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	21		6000020	MERCHANDISER, GLASS DOOR	Refer to Section 6 - Bid Specifications	True Model GDM-23-HC-TSL01 w/ optional barrel lock or other brands meeting bid specifications					20	each	0.00		\$ -	\$ -
	22	A	6001239	SHELF, 18" Wide X 24" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	B	6001238	SHELF, 18" Wide X 30" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					12	each	0.00		\$ -	
	22	C	6001234	SHELF, 18" Wide X 36" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					24	each	0.00		\$ -	
	22	D	6000138	SHELF, 18" Wide X 42" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					36	each	0.00		\$ -	
	22	E	6000139	SHELF, 18" Wide X 48" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					36	each	0.00		\$ -	
	22	F	6001240	SHELF, 18" Wide X 54" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	G	6001236	SHELF, 18" Wide X 60" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	H	6001241	SHELF, 24" Wide X 24" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	22	I	6001242	SHELF, 24" Wide X 30" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					12	each	0.00		\$ -	
	22	J	6001243	SHELF, 24" Wide X 36" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					48	each	0.00		\$ -	
	22	K	6001244	SHELF, 24" Wide X 42" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					8	each	0.00		\$ -	
	22	L	6001245	SHELF, 24" Wide X 48" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					48	each	0.00		\$ -	
	22	M	6001246	SHELF, 24" Wide X 54" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	N	6001247	SHELF, 24" Wide X 60" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	O	6001237	POST, 63" or 64" High (OPE)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					100	each	0.00		\$ -	
	22	P	6000140	POST, 72" or 74" High (OPE)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					100	each	0.00		\$ -	\$ -
	23	A	6000071	WARMER, COOKER - 7 QUART	Refer to Section 6 - Bid Specifications	Nemco Model 6102A-ICL, Vollrath Model 72018 -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	23	B	6000072	WARMER, COOKER - 11 QUART	Refer to Section 6 - Bid Specifications	Nemco Model 6103-ICL, Vollrath Model 72009 -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -
	24		6001076	MERCHANDISER, REFRIGERATED VERTICAL OPEN	Refer to Section 6 - Bid Specifications	Hussman GSVM-5272 & Part 1601835 or True Model TAC-48-TSL01 & Part #80944 & Part #935540-FI -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	25		6000122	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	\$ -
	26	A	6000122	OVEN, DOUBLE CONVECTION - STACK, GAS FIRED (LP/NATURAL)	Refer to Section 6 - Bid Specifications	Blodgett Model DFG-100-ES DBL -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	26	B	6001224	OVEN, CONVECTION - SINGLE SECTION, GAS FIRED - NATURAL OR LP	Refer to Section 6 - Bid Specifications	Blodgett Model DFG-100-ES SGL -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -
	27	A	6000123	OVEN, CONVECTION - SINGLE SECTION, ELECTRIC FIRED	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 SGL -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	27	B	6001221	OVEN, CONVECTION - SINGLE SECTION, ELECTRIC FIRED	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 SGL -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	27	C	6001222	OVEN, CONVECTION DOUBLE STACK - ELECTRIC	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 DBL -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	27	D	6001223	OVEN, CONVECTION DOUBLE STACK - ELECTRIC	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 -NO SUBSTITUTIONS					3	each	0.00		\$ -	
	27	E	6000131	BOILERLESS ONE-COMPARTMENT STEAMER	Refer to Section 6 - Bid Specifications	Accutemp E62083E150SGL -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	27	F	6000134	CONVECTION STEAMER, TWO COMPARTMENT ELECTRIC STEAM GENERATOR. 6 PAN CAPACITY	Refer to Section 6 - Bid Specifications	Groen Hyper Steam Model HY-6E -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	27	G	6000135	STEAMER, CONVECTION, TWO COMPARTMENT - GAS FIRED, NATURAL OR LP	Refer to Section 6 - Bid Specifications	Groen Hyper Steam Model HY-6G -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	28	A	6000097	CART, FOOD - OUTDOOR, SECONDARY	Refer to Section 6 - Bid Specifications	Cambro "Camcruiser" Model CVC724 or other brands meeting bid specifications					4	each	0.00		\$ -	
	28	B	6000098	STAND, CASHIER FOR OUTDOOR FOOD CART	Refer to Section 6 - Bid Specifications	Cambro Model ES28RL or other brands meeting bid specifications					15	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	28	C	6000114	CAMCART FOR FOOD PAN - CAPACITY 12 OR 16 PANS	Refer to Section 6 - Bid Specifications	Cambro Model UPC1200 or other brands meeting bid specifications					3	each	0.00		\$ -	
	28	D	6000115	CAMCART FOR FOOD PAN - CAPACITY 13 PANS	Refer to Section 6 - Bid Specifications	Cambro Model 1826LTC or other brands meeting bid specifications					3	each	0.00		\$ -	
	28	E	6006233	CART, CAMKIOSK, WITH UMBRELLA	Refer to Section 6 - Bid Specifications	Cambro "Camkiosk" Model KVC854C or other brands meeting bid specifications					8	each	0.00		\$ -	
	28	F	6001149	CAMCART FOR FOOD PAN - CAPACITY 6 OR 8 PANS	Refer to Section 6 - Bid Specifications	Cambro Model UPC600 or other brands meeting bid specifications					3	each	0.00		\$ -	
	28	G	6000091	CAMCART FOR FOOD PAN - CAPACITY 16 OR 24 PANS	Refer to Section 6 - Bid Specifications	Cambro Model UPC1600 or other brands meeting bid specifications					1	each	0.00		\$ -	
	28	H	6000120	CADDIE, ICE WITH SLIDING LID (TALL)	Refer to Section 6 - Bid Specifications	Cambro Model ICS175TB or other brands meeting bid specifications					3	each	0.00		\$ -	
	28	I	6001219	CABINET, HOT BULK FOOD HOLDING/TRANSPORT-LOW PROFILE	Refer to Section 6 - Bid Specifications	Cambro Model CMBH1826LF or other brands meeting bid specifications					1	each	0.00		\$ -	\$ -
	29	A	6000085	BAR, SALAD - FOUR PAN CAPACITY	Refer to Section 6 - Bid Specifications	Cambro "Food Bar" Model VBR5 or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	B	6000086	BAR, SALAD - FIVE PAN CAPACITY	Refer to Section 6 - Bid Specifications	Cambro "Food Bar" Model VBR6 or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	C	6000087	BAR, SALAD - TABLE TOP	Refer to Section 6 - Bid Specifications	Cambro "Food Bar" Model 4FBRTT or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	D	6002187	RAIL, ACCESSORY FOR SALAD BAR - FIVE FEET	Refer to Section 6 - Bid Specifications	Cambro Model VBRR5 or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	E	6002188	RAIL, ACCESSORY FOR SALAD BAR - SIX FEET	Refer to Section 6 - Bid Specifications	Cambro Model VBRR6 or other brands meeting bid specifications					5	each	0.00		\$ -	
	29	F	6006234	VERSA CART W/DUAL TRAY RAILS	Refer to Section 6 - Bid Specifications	Cambro Model VCSWRHD or other brands meeting bid specifications					5	each	0.00		\$ -	
	29	G	6006235	VERSA WORK TABLE - FIVE FEET	Refer to Section 6 - Bid Specifications	Cambro Model VBRTHD5 or other brands meeting bid specifications					2	each	0.00		\$ -	\$ -
	30	A	6001143	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 50"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF3-CPA-F or Delfield Model KH-3-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	B	6001114	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 60"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF4-CPA-F, Delfield KH-4-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	C	6000099	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 74"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF5-CPA-F Delfield Model KH-5NU-MB - NO SUBSTITUTIONS					28	each	0.00		\$ -	
	30	D	6006239	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 96"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF4-CPA-F-MOD or Delfield Model KH-5 4 -NU-MB-MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	E	6001117	TABLE, ICE COOLED COLD - OPEN BASE - 30"	Refer to Section 6 - Bid Specifications	Colorpoint Model 36-CFI-MOD Modified to 30" long, Delfield Model KCI-36-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	F	6001118	TABLE, ICE COOLED COLD - OPEN BASE - 36"	Refer to Section 6 - Bid Specifications	Colorpoint Model 36-CFI-F Modified, Delfield Model KCI-36-NU-MB -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	G	6000109	TABLE, ICE COOLED COLD - OPEN BASE - 50-51"	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-CFI-MOD, Delfield Model KCI-50-NU-MB -NO SUBSTITUTIONS					50	each	0.00		\$ -	
	30	H	6006236	TABLE, ICE COOLED COLD - OPEN BASE - 60-61"	Refer to Section 6 - Bid Specifications	Colorpoint Model 60-CFI-F Delfield Model KCI-60-NU-MB -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	30	I	6006237	TABLE, ICE COOLED COLD - OPEN BASE - 66 3/8"	Refer to Section 6 - Bid Specifications	Colorpoint Model 66-CFI-F MOD, Delfield Model KCI-66-NU-MB MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	J	6006238	TABLE, ICE COOLED COLD - OPEN BASE - 74 3/8"	Refer to Section 6 - Bid Specifications	Colorpoint Model 74-CFI-F MOD, Delfield Model KCI-74-NU-MB MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	K	6001122	TABLE, SOLID TOP WITH OPEN BASE - 30" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model 28-ST-MOD Modified, Delfield Model KC-28-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	30	L	6001119	TABLE, SOLID TOP WITH OPEN BASE - 36" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint 36-ST-F, Delfield Model KC-36-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	M	6001146	TABLE, SOLID TOP WITH OPEN BASE - 42" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Approved Brands: Colorpoint Model 36ST-MOD, Delfield Model KC-36-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	N	6000100	TABLE, SOLID TOP WITH OPEN BASE - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-ST-F Delfield Model KC-50-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	O	6001120	TABLE, SOLID TOP WITH OPEN BASE - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model 60-ST-F, Delfield Model KC-60-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	P	6001158	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	Q	6001121	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	R	6000112	SLIDE, SOLID TRAY - 28"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 28", Delfield Model A-28 -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	30	S	6001157	SLIDE, SOLID TRAY - 30"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 30", Delfield Model A-30 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	T	6001124	SLIDE, SOLID TRAY - 36"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 36", Delfield Model A-36 -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	30	U	6001150	SLIDE, SOLID TRAY - 42"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 42", Delfield Model A-42 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	V	6000101	SLIDE, SOLID TRAY - 50"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 50", Delfield Model A-50 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	W	6000102	SLIDE, SOLID TRAY - 60"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 60", Delfield Model A-60 -NO SUBSTITUTIONS					15	each	0.00		\$ -	
	30	X	6001151	SLIDE, SOLID TRAY - 66"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 66", Delfield Model A-66 -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	Y	6000103	SLIDE, SOLID TRAY - 74"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 74", Delfield Model A-74 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	Z	6000116	BOARD, CUTTING - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model Option 8" x 50", Delfield Model E-50 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	AA	6001125	BOARD, CUTTING - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model Option 8" x 60", Delfield Model E-60 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	BB	6001126	BOARD, CUTTING - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model Option 8" x 74", Delfield Model E-74 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	CC	6001152	PROTECTOR, SLOPED FRONT FOOD - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 50", Delfield G-50 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	DD	6001131	PROTECTOR, SLOPED FRONT FOOD - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60", Delfield G-60 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	EE	6001132	PROTECTOR, SLOPED FRONT FOOD - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield G-74 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	FF	6001153	PROTECTOR, SINGLE SERVICE BUFFET, 30" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 30", Delfield KS-28 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	GG	6001154	PROTECTOR, SINGLE SERVICE BUFFET, 36" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 36", Delfield KS-36 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	HH	6001133	PROTECTOR, SINGLE SERVICE BUFFET, 42" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 42", Delfield KS-42 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	II	6001134	PROTECTOR, SINGLE SERVICE BUFFET, 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 50", Delfield KS-50 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	JJ	6001135	PROTECTOR, SINGLE SERVICE BUFFET, 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60" Delfield KS-60 -NO SUBSTITUTIONS					1	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	30	KK	6001155	PROTECTOR, SINGLE SERVICE BUFFET, 66" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 66", Delfield KS-66 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	LL	6001136	PROTECTOR, SINGLE SERVICE BUFFET, 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74" Delfield KS-74 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	MM	6001156	DISPLAY, TWO TIER - 30" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 30", Delfield H-30 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	NN	6001127	DISPLAY, TWO TIER - 36" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 36", Delfield H-36 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	OO	6001147	DISPLAY, TWO TIER - 42" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 42", Delfield H-42 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	PP	6000104	DISPLAY, TWO TIER - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 50", Delfield H-50 -NO SUBSTITUTIONS					50	each	0.00		\$ -	
	30	QQ	6000105	DISPLAY, TWO TIER - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Color Approved Brands: Colorpoint Option 50", Delfield H-50 -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	30	RR	6001159	DISPLAY, TWO TIER - 66" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 66, Delfield H-60 MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	SS	6000106	DISPLAY, TWO TIER - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield H-74 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	TT	6001164	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	UU	6001137	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	V V	6001160	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	W W	6001138	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	XX	6001139	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	YY	6001161	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	ZZ	6001140	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	AAA	6000108	LOCKS, LINE UP - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Option AA, Delfield "F" -NO SUBSTITUTIONS					70	each	0.00		\$ -	
	30	BBB	6001129	OUTLET, CONVENIENCE - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Option DD, Delfield "Q" -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	30	CCC	6001130	SHELF, END DROP - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Option FF, Delfield "U" -NO SUBSTITUTIONS					3	each	0.00		\$ -	
	30	DDD	6001128	STRIP, HEAT LAMP - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60", Delfield M-60 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	EEE	6000107	STRIP, HEAT LAMP - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield M-74 -NO SUBSTITUTIONS					50	each	0.00		\$ -	
	30	FFF	6001162	BULB, HEAT LAMP - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60", Delfield MB-4 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	GGG	6001163	BULB, HEAT LAMP - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield MB-5 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	HHH	6000118	COLOR, CUSTOM UPGRADE - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Model CC-0001, Delfield Model "Custom Color" -NO SUBSTITUTIONS					30	each	0.00		\$ -	
	30	III	6001142	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	30	JJJ	6000110	STAND, CASHIER - SERVING LINE (28" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model K-28-CSE-F, Delfield Model KCS-30 -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	30	KKK	6006240	STAND, CASHIER - SERVING LINE (36" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model K-36-CSE-F, Delfield Model KCS-36 -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	LLL	6006241	STAND, CASHIER - SERVING LINE (42" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-CSE-F-MOD Delfield Model KCS-42 - NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	MMM	6006242	REFRIGERATED COLD TABLE - OPEN BASE - 50-51"	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-CFMX-F, Delfield Model KCSC-50B - NO SUBSTITUTIONS					12	each	0.00		\$ -	
	30	NNN	6006243	REFRIGERATED COLD TABLE - OPEN BASE - 60-61"	Refer to Section 6 - Bid Specifications	Colorpoint Model 60-CFMX-F, Delfield Model KCSC-60 - NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	OOO	600NEW	STAND, CASHIER - SERVING LINE (50" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model K-50-CSE-F, Delfield Model KCS-50 -NO SUBSTITUTIONS					12	each	0.00		\$ -	\$ -
	31	A	6000815	SCALE, DIGITAL DOUGH - HEAVY DUTY SUBMERSIBLE 10# CAPACITY	Refer to Section 6 - Bid Specifications	Edlund "Poseidon" Model WSC-10 with platform -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	31	B	6004408	SCALE, DIGITAL DOUGH - HEAVY DUTY SUBMERSIBLE 20# CAPACITY	Refer to Section 6 - Bid Specifications	Edlund "Poseidon" Model WSC-20OP -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	32		6000818	SCALE, 25 POUND PORTION	Refer to Section 6 - Bid Specifications	Edlund Model RM-25 or other brands meeting bid specifications					5	each	0.00		\$ -	\$ -
	33		6000130	SLICER, TWO SPEED AUTOMATIC 12"-13"	Refer to Section 6 - Bid Specifications	Globe Model S13A and Hobart Model HS7N -NO SUBSTITUTIONS					2	each	0.00		\$ -	\$ -
	34		6007000	FOOD PROCESSOR	Refer to Section 6 - Bid Specifications	BERKEL M3000-7 -NO SUBSTITUTIONS.					4	each	0.00		\$ -	\$ -
	35	A	6001082	MIXER, 30 QUART	Refer to Section 6 - Bid Specifications	Hobart Model HL300, Varimixer W30A -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	B	6001083	BOWL, STAINLESS STEEL FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	C	6001084	BEATER, FLAT "B" FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	D	6001085	HOOK, DOUGH FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	E	6001086	WHIP, "D" WIRE LOOP FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	F	6001087	DOLLY, BOWL TRUCK FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	\$ -
	36	A	6001088	MIXER, 40 QUART	Refer to Section 6 - Bid Specifications	Hobart Model HL400, Varimixer Model W40A, Globe Model SP40 -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	B	6001083	BOWL, STAINLESS STEEL FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	C	6001090	BEATER, FLAT "B" FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	D	6001092	HOOK, DOUGH FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	E	6001091	WHIP, "D" WIRE LOOP FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	F	6004630	DOLLY, BOWL TRUCK FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	\$ -
	37	A	6001094	MIXER, 60 QUART	Refer to Section 6 - Bid Specifications	Hobart Model HL-600, Varimixer Model W60A, Globe Model SP60 -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	B	6001095	BOWL, STAINLESS STEEL FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	37	C	6001096	BEATER, FLAT "B" FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	D	6001097	HOOK, DOUGH FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	E	6001098	WHIP, "D" WIRE LOOP FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	F	6001099	DOLLY, BOWL TRUCK FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	\$ -
	38		6002181	CABINET, NARROW WARMING - DOUBLE COMPARTMENT	Refer to Section 6 - Bid Specifications	Alto-Shaam Model 1000-UP -NO SUBSTITUTIONS					8	each	0.00		\$ -	\$ -
	39		6006180	HEATED HOLDING & HUMIDIFIED CABINET - DUTCH DOORS	Refer to Section 6 - Bid Specifications	FWE MTU-12 with Dutch doors -NO SUBSTITUTIONS.					8	each	0.00		\$ -	\$ -
	40	A	6006220	BOILERLESS COMBI OVER STEAMER - ELECTRIC 208V	Refer to Section 6 - Bid Specifications	Vulcan ABC7E-208 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	40	B	6006221	BOILERLESS COMBI OVEN STEAMER - ELECTRIC 408V	Refer to Section 6 - Bid Specifications	Approved Brands: Vulcan ABC7E-480 -NO SUBSTITUTIONS					15	each	0.00		\$ -	\$ -
	41	A	6000808	AUTOMATIC ICE MAKING MACHINE, 232 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	Scotsman C0322MA-1A, Hoshizaki KM 350MAJ, or Manitowoc IT0450, -NO SUBSTITUTIONS.					30	each	0.00		\$ -	
	41	B	6000805	BIN - 360 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	Scotsman B322S, Hoshizaki B-300SF, Manitowoc D400 -NO SUBSTITUTIONS					30	each	0.00		\$ -	\$ -
	42	A	6000803	AUTOMATIC ICE MAKING MACHINE, 350 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	(Scotsman C0530MA-1A, Manitowac II0500, Ice-O-Matic CIM 0430A -NO SUBSTITUTIONS.					30	each	0.00		\$ -	
	42	B	6000804	BIN, 500 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	Scotsman B530P, Ice-O-Matic B55, Manitowac D570 -NO SUBSTITUTIONS					30	each	0.00		\$ -	\$ -
	43	A	6006204	HOT WELL	Refer to Section 6 - Bid Specifications	Randell Model # RAN HTD-4S, or Delfield SH-4-NU -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	43	B	6006205	UTILITY COUNTER 72" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN UTILITY M-72, or Delfield SC-74-NU -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	43	C	6006206	ICE COLD PAN 60" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN COLD M-60, or Delfield SCI-60-NU -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	43	D	6006207	CASHIER STAND 48" x 34" x 35"	Refer to Section 6 - Bid Specifications	Randell Model # RAN CAM-48, or Delfield SCS-50 -NO SUBSTITUTIONS					3	each	0.00		\$ -	
	43	E	6006208	CASHIER STAND 40" x 34" x 35"	Refer to Section 6 - Bid Specifications	Randell Model # RAN CAM-40, or Delfield SCS-36 -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	43	F	6006980	UTILITY COUNTER 66" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-66, or Delfield SC-74-NU -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	43	G	6006981	UTILITY COUNTER 60" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-60, or Delfield SC-60-NU -NO SUBSTITUTIONS.					5	each	0.00		\$ -	
	43	H	6006982	UTILITY COUNTER 54" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-54, or Delfield SC-50-NU -NO SUBSTITUTIONS					14	each	0.00		\$ -	
	43	I	6006983	ICE COLD PAN 80" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Cold M-80, or Delfield SCI-74-NU -NO SUBSTITUTIONS.					18	each	0.00		\$ -	
	43	J	6006984	CASHIER STAND 36" x 34" x 35"	Refer to Section 6 - Bid Specifications	Randell Model # RAN CAM-36, or Delfield SCS-36 -NO SUBSTITUTIONS.					8	each	0.00		\$ -	
	43	K	6006985	UTILITY COUNTER 50" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-50, or Delfield SCS-50-NU -NO SUBSTITUTIONS.					2	each	0.00		\$ -	\$ -
	44	A	6006183	5' COOK'S TABLE W/POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International, -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	44	B	6006184	6' COOK'S TABLE W/POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International -NO SUBSTITUTIONS					6	each	0.00		\$ -	

		ENTER BIDDER'S NAME HERE														
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	44	C	600NEW#	5' COOK'S TABLE NO POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International, -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	44	D	600NEW	6' COOK'S TABLE NO POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	45		6006261	CONVECTION STEAMER, TWO COMPARTMENT ELECTRIC STEAM GENERATOR. 6 PAN CAPACITY	Refer to Section 6 - Bid Specifications	Groen Hyper Steam Model HY-6E 480V, three phase -NO SUBSTITUTIONS.					10	each	0.00		\$ -	\$ -
	46	A	6006251	COMBITHERM, CTP7-20E, ELECTRIC 208V	Refer to Section 6 - Bid Specifications	Alto-Shaam Model CTP7-20E -NO SUBSTITUTIONS.					6	each	0.00		\$ -	
	46	B	6006252	COMBITHERM, CTP7-20E, ELECTRIC 480V	Refer to Section 6 - Bid Specifications	Alto-Sham Model CTP7-20E -NO SUBSTITUTIONS.					6	each	0.00		\$ -	
	46	C	6006253	COMBITHERM, CTP10-20E, ELECTRIC, FULL SIZE 208V	Refer to Section 6 - Bid Specifications	Alto-Shaam Model CTP10-20E -NO SUBSTITUTIONS.					15	each	0.00		\$ -	
	46	D	6006254	COMBITHERM, CTP10-20E, ELECTRIC, FULL SIZE 480V	Refer to Section 6 - Bid Specifications	Alto-Sham Model CTP10-20E -NO SUBSTITUTIONS.					15	each	0.00		\$ -	\$ -
	47	A	6006255	SLIDING TOP MILK CASE DISPENSER - 10 CASE MIN. CAPACITY	Refer to Section 6 - Bid Specifications	Low Temp Colorpoint Model CPM-1310 or other brands meeting bid specifications.					12	each	0.00		\$ -	
	47	B	6006256	SLIDING TOP MILK CASE DISPENSER-6 CASE MIN. CAPACITY	Refer to Section 6 - Bid Specifications	Low Temp Colorpoint Model CPM-1306 or other brands meeting bid specifications.					2	each	0.00		\$ -	\$ -



THE SCHOOL BOARD OF BROWARD COUNTY, FLORIDA

7720 WEST OAKLAND PARK BOULEVARD, SUITE 323, SUNRISE, FLORIDA 33351 • TEL 754-321-0505 • FAX 754-321-0936

PROCUREMENT & WAREHOUSING SERVICES

MARY CATHERINE COKER, DIRECTOR

www.BrowardSchools.com

The School Board of
Broward County, Florida

Nora Rupert, Chair
Heather P. Brinkworth, Vice Chair

Robin Bartleman
Abby M. Freedman
Patricia Good
Donna P. Korn
Laurie Rich Levinson
Ann Murray
Dr. Rosalind Osgood

Robert W. Runcie
Superintendent of Schools

September 5, 2019

ADDENDUM 1 BID No. FY20-026 CAFETERIA EQUIPMENT

TO: ALL BIDDERS

This Addendum amends the above-referenced Bid in the following particulars only:

1. Attached are the responses to the questions received.
2. As a reminder, the due date for this ITB is September 19, 2019 at 2:00 p.m. ET.
3. Before submitting your bid response, please refer to **SECTION 2 – Submittal Requirements** to ensure that all required forms and documents are included.
4. Please substitute the bid pages indicated below and attached:

DELETE: Page 93 of 134 Pages **INSERT:** Page 93 of 134 Pages – **REVISED** –
(Model number for Bid Item 43A has been corrected)

REPLACE Bid Summary Sheet with ADDENDUM 1 BID SUMMARY SHEET

(The **REVISED Bid Summary Sheet** MUST be submitted with the bid, in time for bid opening to be considered for award) The PDF attached is for reference, bidders are strongly encouraged to use the Excel version that will be available for download from DemandStar.

This Addendum is for informational purposes only and need not be returned with your bid. By virtue of signing the "Invitation to Bid", Page 1 of Bid FY20-026, Bidder certifies acceptance of this addendum.

Sincerely,
Larissa Seda
Larissa Seda
Purchasing Agent



➤ **QUESTION #1:**

Item 6000803, Ice Machine lists Manitowac, Scotsman, and Ice O Matic. Manitowac and Scotsman models are standard 115 volt machines. The Ice O Matic model number specified is standard 208/230 volt. The 115 volt model is CIM0430FA. Should we bid the 115 volt machine?

ANSWER TO QUESTION #1:

Refer to REVISED bid pages and Bid Summary Sheets attached.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 42 – TO BE AWARDED AS A GROUP

Item #

42A **SAP Number:** **6000803**

Item Name: **AUTOMATIC ICE MAKING MACHINE, 350 LBS. MINIMUM**

Description: (330 lbs.) Modular air cooled ice maker, ARI standard minimum of **350 lbs.** at 90° air and 70° water. Medium ice cube size – 7/8" x 7/8" x 7/8". Corrosion-resistant stainless steel exterior. Side or front located air filter. 115/60/1 electric requirements only. 30" wide. Air cooled. Complete with factory approved water filter. **WARRANTY:** 3 year parts and labor on all components; 5-7 year parts & labor on evaporator; 5 year parts on compressor, condenser. **UL and NSF approved**

Note: Unit price shall include installation including hook up to existing plumbing lines so that unit is operational. Price includes freight, inside delivery & set in place, level, removal of packing materials and tape.

MUST BE ENERGY STAR RATED

Approved Brands:

Scotsman C0530MA-1A, Manitowac It0500, Ice-O-Matic CIM 0430A ONLY.

Item #

42B **SAP Number:** **6000804**

Item Name: **BIN, 500 LBS. MINIMUM**

Description: To be compatible with Item A. Holds minimum 500 lbs. Front door and sides of bin to be stainless steel or polyethylene exterior. 6" adjustable legs. Foamed-in-place polyurethane insulation. Non-corrosive polyliner. NSF and UL listed.

WARRANTY: 3 year parts and labor.

Approved Brands:

Scotsman B530P, Ice-O-Matic B55, Manitowac D570 ONLY

THIS EXCEL SPREADSHEET WILL CALCULATE BID LINE TOTALS FOR EACH ITEM AND GROUP TOTALS IF FILLED OUT ELECTRONICALLY AND SUBMITTED WITH THE BID PACKAGE AS AN EXCEL (.XLS) FILE. PLEASE PROVIDE PRICE PER UNIT OF MEASUREMENT INDICATED. IF WRITING IN THE INFORMATION, USE INK AND WRITE CLEARLY; CALCULATIONS WILL BE DONE DURING BID EVALUATION.

SPECIAL INSTRUCTIONS: For items in GROUPS, it is necessary to bid on EVERY ITEM IN THE GROUP and ALL ITEMS IN THE GROUP MUST MEET SPECIFICATIONS to be considered for award. If you are NOT bidding on an item, enter "NO BID" in the appropriate column.

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	1	A	6001225	NON INSULATED SIDEWALL EXTRUDED UTILITY CABINET	Refer to Section 6 - Bid Specifications	Crescor Model 150-1840D, Winholt EC1840-CTLPURC/LC/PEB -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	1	B	6000129	OPEN BAKERS RACK	Refer to Section 6 - Bid Specifications	Crescor Model 207-1820-SD, Win-Holt AL-1820/HD/LC - NO SUBSTITUTIONS					15	each	0.00		\$ -	
	1	C	6001226	RACK, REFRIGERATOR ROLL-IN, OPEN	Refer to Section 6 - Bid Specifications	Crescor Model 273-65-12/1818 Winholt ALREF1118/64E/XB/LC -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	2	A	6000084	RACKS, DUNNAGE 48" W	Refer to Section 6 - Bid Specifications	Cambro Model DRS-480, InterMetro Model HP2248PD, Continental Model 5948 Winholt PLSQ-4-1222 -NO SUBSTITUTIONS.					40	each	0.00		\$ -	
	2	B	6000NEW	RACKS, DUNNAGE 36" W	Refer to Section 6 - Bid Specifications	Cambro Model DRS-360, Continental Model 5936, Winholt PLSQ-3-1222 -NO SUBSTITUTIONS.					25	each	0.00		\$ -	\$ -
	3	A	6001233	SHELF, 21" Wide X 36" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					25	each	0.00		\$ -	
	3	B	6006200	SHELF, 18" Wide x 36" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	3	C	6006201	SHELF, 18" Wide x 42" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	D	6006202	SHELF, 21" Wide x 42" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					30	each	0.00		\$ -	
	3	E	6000136	SHELF, 21" Wide X 48" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					100	each	0.00		\$ -	
	3	F	6006203	SHELF, 18" Wide x 48" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	G	600NEW	SHELF, 21" Wide x 54" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	H	600NEW	SHELF 24" Wide x 36" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	3	I	600NEW	SHELF 24" Wide x 42" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	J	600NEW	SHELF 24" Wide x 48" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	K	600NEW	SHELF 24" Wide x 54" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	L	6000137	POST 63" High	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					100	each	0.00		\$ -	
	3	M	6004820	POST 75"High	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					155	each	0.00		\$ -	\$ -
	4		6001107	STAND, UTILITY	Refer to Section 6 - Bid Specifications	Lakeside Model 518, and Seco Model SS-16-3033-AX -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	5	A	6001148	CART, UTILITY - SMALL	Refer to Section 6 - Bid Specifications	InterMetro Model MY1627-34 or other brands meeting bid specifications (Color code may be noted as last character(s) of model number)					4	each	0.00		\$ -	
	5	B	6000113	CART, UTILITY, THREE SHELVES - LARGE	Refer to Section 6 - Bid Specifications	InterMetro Model MY 2636-34 or other brands meeting bid specifications (Color code may be noted as last character(s) of model number)					6	each	0.00		\$ -	
	5	C	6000111	CART, UTILITY, THREE SHELVES - MEDIUM	Refer to Section 6 - Bid Specifications	InterMetro Model MY2030-34 or other brands meeting bid specifications					6	each	0.00		\$ -	\$ -
	6	A	6000068	TABLE, UTILITY - 5'L X 2.5'W X 3"H	Refer to Section 6 - Bid Specifications	SPG International Model 5-SL-SLS-30 Table with TAC 1-4 casters and TAC 2020-S drawer, Elkay Custom Deluxe Spec-Line Series, Eagle Group Model T3060SE w/casters & drawer, Custom Stainless -NO SUBSTITUTIONS.					24	each	0.00		\$ -	
	6	B	6001110	TABLE, UTILITY - 6'L X 2.5'W X 3"H	Refer to Section 6 - Bid Specifications	SPG International Model 6-SL-SLS-30 Table with TAC 1-4 casters and TAC 2020-S drawer, Elkay Custom Spec Line, Eagle Group Model T3072SE w/casters & drawer, Custom Stainless -NO SUBSTITUTIONS.					24	each	0.00		\$ -	\$ -
	7	A	6006281	TABLE, WORK - STAINLESS STEEL - 60" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2460SE, Gamenza Model T2460, Custom Stainless -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	7	B	6000074	TABLE, WORK - STAINLESS STEEL - 48" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2448SE, Gamenza Model T4824, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	C	6001111	TABLE, WORK - STAINLESS STEEL - 48" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2448SE, Gamenza Model T-4824-C, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	D	6000075	TABLE, WORK - STAINLESS STEEL - 60" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3060SE, Gamenza Model T6030, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	E	6000076	TABLE, WORK - STAINLESS STEEL - 72" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3072SE, Gamenza Model T7230, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	F	6001112	TABLE, WORK - STAINLESS STEEL - 84" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3084SE, Gamenza Model T8430, Custom Stainless -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	7	G	6006181	TABLE, WORK - STAINLESS STEEL - 48" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3048SE, Gamenza Model T-4830-C, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	H	6006182	TABLE, WORK - STAINLESS STEEL - 36" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2436SE, Gamenza Model T-3624-C, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	I	6006160	TABLE, WORK - STAINLESS STEEL - 42" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3042SE, Gamenza Model T-4230-C, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	J	6006161	TABLE, WORK - STAINLESS STEEL - 36" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3036SE, Gamenza Model T-3630-C, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	K	6006210	TABLE, WORK - STAINLESS STEEL - 42" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2442SE, Gamenza Model T-2442, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	L	6000073	TABLE, WORK - STAINLESS STEEL - 60" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2460SE, Gamenza Model T-2460-C, Custom Stainless -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	7	M	6006162	TABLE, WORK - STAINLESS STEEL - 48" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3048SE, Gamenza Model T-3048, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	8		6001106	TABLE FOR BAKER'S SCALE	Refer to Section 6 - Bid Specifications	Winholt ES/MX2424/14GA or other brands meeting bid specifications					4	each	0.00		\$ -	\$ -
	9	A	6001079	OVEN, STACK PIZZA CONVEYOR - 120-208 VOLT	Refer to Section 6 - Bid Specifications	Lincoln Model 1180-FB2E -NO SUBSTITUTIONS 208V/ 3 phase. Easy Order Package. Includes 2 each of: 1132 FASTBAKE Lincoln Ovens, 1120-1 stand with LEGS, 2 each of #1140 12.5" S/S Exit shelves, 4 each crumb trays and 2 each FASTBAKE KIT #KF005					3	unit	0.00		\$ -	
	9	B	6002199	OVEN, STACK PIZZA CONVEYOR - 480 VOLT	Refer to Section 6 - Bid Specifications	1180-FB2E with easy order package as stated above. -NO SUBSTITUTIONS					2	unit	0.00		\$ -	\$ -
	10	A	6001252	COOLER, MILK - 8 CRATES	Refer to Section 6 - Bid Specifications	True Mfg. Model TMC-34-S-SS-HC, Beverage Air Model SMF34HC-1-S -NO SUBSTITUTIONS.					10	each	0.00		\$ -	
	10	B	6001253	COOLER, MILK - 12 CRATES	Refer to Section 6 - Bid Specifications	True Mfg. Model TMC-49-S-SS-HC, Beverage Air Model SMF49HC-1-S -NO SUBSTITUTIONS.					10	each	0.00		\$ -	
	10	C	6001335	COOLER MILK - 16 CRATES	Refer to Section 6 - Bid Specifications	True Mfg. Model TMC-58-S-SS-HC Beverage Air Model SMF58 HC-1-S -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	11	A	6002182	RANGE, EXPANDO COOKING - ELECTRIC - 208 VOLT	Refer to Section 6 - Bid Specifications	Vulcan-Hart Model EV 12-2FP-208 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	11	B	6002183	RANGE, EXPANDO COOKING - ELECTRIC - 480 VOLT	Refer to Section 6 - Bid Specifications	Vulcan-Hart Model EV 12-2FP- 480 -NO SUBSTITUTIONS					1	each	0.00		\$ -	\$ -
	12		6001227	RANGE, EXPANDO COOKING - GAS FIRED (LP OR NATURAL)	Refer to Section 6 - Bid Specifications	Garland Model M4S -NO SUBSTITUTIONS					1	each	0.00		\$ -	\$ -
	13	A	6000133	KETTLE, STEAM JACKET - ELECTRIC - 208 VOLT	Refer to Section 6 - Bid Specifications	Groen Model EE40 with T&S model 5PR-1S12 -NO SUBSTITUTIONS					15	each	0.00		\$ -	
	13	B	6001232	KETTLE, STEAM JACKET - ELECTRIC - 480 VOLT	Refer to Section 6 - Bid Specifications	Groen Model EE40 with T&S model 5PR-1S12 -NO SUBSTITUTIONS					15	each	0.00		\$ -	\$ -
	14		6001230	KETTLE, STEAM JACKET - GAS FIRED - (LP OR NATURAL)	Refer to Section 6 - Bid Specifications	Groen Model AH1E-40 with T&S model 5PR-1S12 -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -
	15	A	6000813	REFRIGERATOR, TWO-DOOR, TWO SECTION	Refer to Section 6 - Bid Specifications	Victory Model RSA-2D-S1, TRUE STA2R-2S-HC with 1 each kit #1 and 1each kit #4, Continental DL2R-SA -NO SUBSTITUTIONS					15	each	0.00		\$ -	
	15	B	6000814	REFRIGERATOR, THREE-DOOR, THREE SECTION	Refer to Section 6 - Bid Specifications	Victory Model RSA-3D-S1, TRUE STA3R-3S with 2 each kit #4 and 1 each kit #1, Continental DL3R-SA -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	16		6000069	CABINET, WARMING - ONE DOOR, ROLL THROUGH - 208 VOLT	Refer to Section 6 - Bid Specifications	Victory Model HISA-1D-1-PT , True Model STA1HRT-1S-1S with Rack - Crescor Model 207-1818C or New Age Model 1335 -NO SUBSTITUTIONS					8	each	0.00		\$ -	\$ -
	17		6001334	REFRIGERATOR, TWO DOOR, ROLL-THROUGH WITH FULL DOORS	Refer to Section 6 - Bid Specifications	REFRIGERATOR - Victory Model RISA-2D-S1-PT 7 or TRUE STA2RRT-2S-2S with RACKS - Crescor Model 207-1818C or New Age Model 1335 -NO SUBSTITUTIONS					8	each	0.00		\$ -	\$ -
	18	A	6000810	FREEZER, REACH-IN, SELF-CONTAINED, THREE DOOR	Refer to Section 6 - Bid Specifications	Approved Brand and Model: Continental # DL3F-SS/00DC -NO SUBSTITUTIONS					8	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	18	B	6000811	FREEZER, TWO SECTION, FULL LENGTH DOORS, TOP MOUNTED, REACH-IN	Refer to Section 6 - Bid Specifications	Approved Brand and Model: Continental # DL2F-SS/00DC -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	19		6002185	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	\$ -
	20		6002185	WARMER, DISPLAY	Refer to Section 6 - Bid Specifications	American Permanent Ware Model DW-1A, Nemco Model 6000A-2 -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	21		6000020	MERCHANDISER, GLASS DOOR	Refer to Section 6 - Bid Specifications	True Model GDM-23-HC-TSL01 w/ optional barrel lock or other brands meeting bid specifications					20	each	0.00		\$ -	\$ -
	22	A	6001239	SHELF, 18" Wide X 24" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	B	6001238	SHELF, 18" Wide X 30" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					12	each	0.00		\$ -	
	22	C	6001234	SHELF, 18" Wide X 36" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					24	each	0.00		\$ -	
	22	D	6000138	SHELF, 18" Wide X 42" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					36	each	0.00		\$ -	
	22	E	6000139	SHELF, 18" Wide X 48" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					36	each	0.00		\$ -	
	22	F	6001240	SHELF, 18" Wide X 54" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	G	6001236	SHELF, 18" Wide X 60" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	H	6001241	SHELF, 24" Wide X 24" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	I	6001242	SHELF, 24" Wide X 30" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					12	each	0.00		\$ -	
	22	J	6001243	SHELF, 24" Wide X 36" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					48	each	0.00		\$ -	
	22	K	6001244	SHELF, 24" Wide X 42" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					8	each	0.00		\$ -	
	22	L	6001245	SHELF, 24" Wide X 48" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					48	each	0.00		\$ -	
	22	M	6001246	SHELF, 24" Wide X 54" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	N	6001247	SHELF, 24" Wide X 60" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	O	6001237	POST, 63" or 64" High (OPE)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					100	each	0.00		\$ -	
	22	P	6000140	POST, 72" or 74" High (OPE)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					100	each	0.00		\$ -	\$ -
	23	A	6000071	WARMER, COOKER - 7 QUART	Refer to Section 6 - Bid Specifications	Nemco Model 6102A-ICL, Vollrath Model 72018 -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	23	B	6000072	WARMER, COOKER - 11 QUART	Refer to Section 6 - Bid Specifications	Nemco Model 6103-ICL, Vollrath Model 72009 -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -

ENTER BIDDER'S NAME HERE																
BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)	
24		6001076	MERCHANDISER, REFRIGERATED VERTICAL OPEN	Refer to Section 6 - Bid Specifications	Hussman GSVM-5272 & Part 1601835 or True Model TAC-48-TSL01 & Part #80944 & Part #935540-F1 -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -	
25		6000122	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	\$ -	
26	A	6000122	OVEN, DOUBLE CONVECTION - STACK, GAS FIRED (LP/NATURAL)	Refer to Section 6 - Bid Specifications	Blodgett Model DFG-100-ES DBL -NO SUBSTITUTIONS					2	each	0.00		\$ -		
26	B	6001224	OVEN, CONVECTION - SINGLE SECTION, GAS FIRED - NATURAL OR LP	Refer to Section 6 - Bid Specifications	Blodgett Model DFG-100-ES SGL -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -	
27	A	6000123	OVEN, CONVECTION - SINGLE SECTION, ELECTRIC FIRED	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 SGL -NO SUBSTITUTIONS					12	each	0.00		\$ -		
27	B	6001221	OVEN, CONVECTION - SINGLE SECTION, ELECTRIC FIRED	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 SGL -NO SUBSTITUTIONS					10	each	0.00		\$ -		
27	C	6001222	OVEN, CONVECTION DOUBLE STACK - ELECTRIC	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 DBL -NO SUBSTITUTIONS					4	each	0.00		\$ -		
27	D	6001223	OVEN, CONVECTION DOUBLE STACK - ELECTRIC	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 -NO SUBSTITUTIONS					3	each	0.00		\$ -		
27	E	6000131	BOILERLESS ONE-COMPARTMENT STEAMER	Refer to Section 6 - Bid Specifications	Accutemp E62083E150SGL -NO SUBSTITUTIONS					2	each	0.00		\$ -		
27	F	6000134	CONVECTION STEAMER, TWO COMPARTMENT ELECTRIC STEAM GENERATOR. 6 PAN CAPACITY	Refer to Section 6 - Bid Specifications	Groen Hyper Steam Model HY-6E -NO SUBSTITUTIONS					24	each	0.00		\$ -		
27	G	6000135	STEAMER, CONVECTION, TWO COMPARTMENT - GAS FIRED, NATURAL OR LP	Refer to Section 6 - Bid Specifications	Groen Hyper Steam Model HY-6G -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -	
28	A	6000097	CART, FOOD - OUTDOOR, SECONDARY	Refer to Section 6 - Bid Specifications	Cambro "Camcruiser" Model CVC724 or other brands meeting bid specifications					4	each	0.00		\$ -		
28	B	6000098	STAND, CASHIER FOR OUTDOOR FOOD CART	Refer to Section 6 - Bid Specifications	Cambro Model ES28RL or other brands meeting bid specifications					15	each	0.00		\$ -		
28	C	6000114	CAMCART FOR FOOD PAN - CAPACITY 12 OR 16 PANS	Refer to Section 6 - Bid Specifications	Cambro Model UPC1200 or other brands meeting bid specifications					3	each	0.00		\$ -		
28	D	6000115	CAMCART FOR FOOD PAN - CAPACITY 13 PANS	Refer to Section 6 - Bid Specifications	Cambro Model 1826LTC or other brands meeting bid specifications					3	each	0.00		\$ -		
28	E	6006233	CART, CAMKIOSK, WITH UMBRELLA	Refer to Section 6 - Bid Specifications	Cambro "Camkiosk" Model KVC854C or other brands meeting bid specifications					8	each	0.00		\$ -		
28	F	6001149	CAMCART FOR FOOD PAN - CAPACITY 6 OR 8 PANS	Refer to Section 6 - Bid Specifications	Cambro Model UPC600 or other brands meeting bid specifications					3	each	0.00		\$ -		
28	G	6000091	CAMCART FOR FOOD PAN - CAPACITY 16 OR 24 PANS	Refer to Section 6 - Bid Specifications	Cambro Model UPC1600 or other brands meeting bid specifications					1	each	0.00		\$ -		
28	H	6000120	CADDIE, ICE WITH SLIDING LID (TALL)	Refer to Section 6 - Bid Specifications	Cambro Model ICS175TB or other brands meeting bid specifications					3	each	0.00		\$ -		
28	I	6001219	CABINET, HOT BULK FOOD HOLDING/TRANSPORT-LOW PROFILE	Refer to Section 6 - Bid Specifications	Cambro Model CMBH1826LF or other brands meeting bid specifications					1	each	0.00		\$ -	\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	29	A	6000085	BAR, SALAD - FOUR PAN CAPACITY	Refer to Section 6 - Bid Specifications	Cambro "Food Bar" Model VBR5 or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	B	6000086	BAR, SALAD - FIVE PAN CAPACITY	Refer to Section 6 - Bid Specifications	Cambro "Food Bar" Model VBR6 or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	C	6000087	BAR, SALAD - TABLE TOP	Refer to Section 6 - Bid Specifications	Cambro "Food Bar" Model 4FBRTT or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	D	6002187	RAIL, ACCESSORY FOR SALAD BAR - FIVE FEET	Refer to Section 6 - Bid Specifications	Cambro Model VBRR5 or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	E	6002188	RAIL, ACCESSORY FOR SALAD BAR - SIX FEET	Refer to Section 6 - Bid Specifications	Cambro Model VBRR6 or other brands meeting bid specifications					5	each	0.00		\$ -	
	29	F	6006234	VERSA CART W/DUAL TRAY RAILS	Refer to Section 6 - Bid Specifications	Cambro Model VCSWRHD or other brands meeting bid specifications					5	each	0.00		\$ -	
	29	G	6006235	VERSA WORK TABLE - FIVE FEET	Refer to Section 6 - Bid Specifications	Cambro Model VBRTHD5 or other brands meeting bid specifications					2	each	0.00		\$ -	\$ -
	30	A	6001143	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 50"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF3-CPA-F or Delfield Model KH-3-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	B	6001114	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 60"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF4-CPA-F, Delfield KH-4-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	C	6000099	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 74"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF5-CPA-F Delfield Model KH-5NU-MB -NO SUBSTITUTIONS					28	each	0.00		\$ -	
	30	D	6006239	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 96"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF4-CPA-F-MOD or Delfield Model KH-5 4 -NU-MB-MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	E	6001117	TABLE, ICE COOLED COLD - OPEN BASE - 30"	Refer to Section 6 - Bid Specifications	Colorpoint Model 36-CFI-MOD Modified to 30" long, Delfield Model KCI-36-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	F	6001118	TABLE, ICE COOLED COLD - OPEN BASE - 36"	Refer to Section 6 - Bid Specifications	Colorpoint Model 36-CFI-F Modified, Delfield Model KCI-36-NU-MB -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	G	6000109	TABLE, ICE COOLED COLD - OPEN BASE - 50-51"	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-CFI-MOD, Delfield Model KCI-50-NU-MB -NO SUBSTITUTIONS					50	each	0.00		\$ -	
	30	H	6006236	TABLE, ICE COOLED COLD - OPEN BASE - 60-61"	Refer to Section 6 - Bid Specifications	Colorpoint Model 60-CFI-F Delfield Model KCI-60-NU-MB -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	30	I	6006237	TABLE, ICE COOLED COLD - OPEN BASE - 66 3/8"	Refer to Section 6 - Bid Specifications	Colorpoint Model 66-CFI-F MOD, Delfield Model KCI-66-NU-MB MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	J	6006238	TABLE, ICE COOLED COLD - OPEN BASE - 74 3/8"	Refer to Section 6 - Bid Specifications	Colorpoint Model 74-CFI-F MOD, Delfield Model KCI-74-NU-MB MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	K	6001122	TABLE, SOLID TOP WITH OPEN BASE - 30" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model 28-ST-MOD Modified, Delfield Model KC-28-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	L	6001119	TABLE, SOLID TOP WITH OPEN BASE - 36" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint 36-ST-F, Delfield Model KC-36-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	M	6001146	TABLE, SOLID TOP WITH OPEN BASE - 42" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Approved Brands: Colorpoint Model 36ST-MOD, Delfield Model KC-36-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	N	6000100	TABLE, SOLID TOP WITH OPEN BASE - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-ST-F Delfield Model KC-50-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	30	O	6001120	TABLE, SOLID TOP WITH OPEN BASE - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model 60-ST-F, Delfield Model KC-60-NU-MB - NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	P	6001158	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	Q	6001121	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	R	6000112	SLIDE, SOLID TRAY - 28"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 28", Delfield Model A-28 -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	30	S	6001157	SLIDE, SOLID TRAY - 30"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 30", Delfield Model A-30 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	T	6001124	SLIDE, SOLID TRAY - 36"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 36", Delfield Model A-36 -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	30	U	6001150	SLIDE, SOLID TRAY - 42"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 42", Delfield Model A-42 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	V	6000101	SLIDE, SOLID TRAY - 50"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 50", Delfield Model A-50 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	W	6000102	SLIDE, SOLID TRAY - 60"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 60", Delfield Model A-60 -NO SUBSTITUTIONS					15	each	0.00		\$ -	
	30	X	6001151	SLIDE, SOLID TRAY - 66"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 66", Delfield Model A-66 -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	Y	6000103	SLIDE, SOLID TRAY - 74"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 74", Delfield Model A-74 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	Z	6000116	BOARD, CUTTING - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model Option 8" x 50", Delfield Model E-50 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	AA	6001125	BOARD, CUTTING - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model Option 8" x 60", Delfield Model E-60 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	BB	6001126	BOARD, CUTTING - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model Option 8" x 74", Delfield Model E-74 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	CC	6001152	PROTECTOR, SLOPED FRONT FOOD - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 50", Delfield G-50 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	DD	6001131	PROTECTOR, SLOPED FRONT FOOD - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60", Delfield G-60 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	EE	6001132	PROTECTOR, SLOPED FRONT FOOD - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield G-74 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	FF	6001153	PROTECTOR, SINGLE SERVICE BUFFET, 30" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 30", Delfield KS-28 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	GG	6001154	PROTECTOR, SINGLE SERVICE BUFFET, 36" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 36", Delfield KS-36 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	HH	6001133	PROTECTOR, SINGLE SERVICE BUFFET, 42" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 42", Delfield KS-42 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	II	6001134	PROTECTOR, SINGLE SERVICE BUFFET, 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 50", Delfield KS-50 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	JJ	6001135	PROTECTOR, SINGLE SERVICE BUFFET, 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60" Delfield KS-60 -NO SUBSTITUTIONS					1	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	30	KK	6001155	PROTECTOR, SINGLE SERVICE BUFFET, 66" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 66", Delfield KS-66 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	LL	6001136	PROTECTOR, SINGLE SERVICE BUFFET, 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74" Delfield KS-74 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	MM	6001156	DISPLAY, TWO TIER - 30" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 30", Delfield H-30 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	NN	6001127	DISPLAY, TWO TIER - 36" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 36", Delfield H-36 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	OO	6001147	DISPLAY, TWO TIER - 42" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 42", Delfield H-42 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	PP	6000104	DISPLAY, TWO TIER - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 50", Delfield H-50 -NO SUBSTITUTIONS					50	each	0.00		\$ -	
	30	QQ	6000105	DISPLAY, TWO TIER - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Color Approved Brands: Colorpoint Option 50", Delfield H-50 -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	30	RR	6001159	DISPLAY, TWO TIER - 66" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 66, Delfield H-60 MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	SS	6000106	DISPLAY, TWO TIER - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield H-74 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	TT	6001164	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	UU	6001137	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	V V	6001160	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	W W	6001138	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	XX	6001139	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	YY	6001161	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	ZZ	6001140	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	AAA	6000108	LOCKS, LINE UP - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Option AA, Delfield "F" -NO SUBSTITUTIONS					70	each	0.00		\$ -	
	30	BBB	6001129	OUTLET, CONVENIENCE - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Option DD, Delfield "Q" -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	30	CCC	6001130	SHELF, END DROP - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Option FF, Delfield "U" -NO SUBSTITUTIONS					3	each	0.00		\$ -	
	30	DDD	6001128	STRIP, HEAT LAMP - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60", Delfield M-60 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	EEE	6000107	STRIP, HEAT LAMP - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield M-74 -NO SUBSTITUTIONS					50	each	0.00		\$ -	
	30	FFF	6001162	BULB, HEAT LAMP - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60", Delfield MB-4 -NO SUBSTITUTIONS					1	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	30	GGG	6001163	BULB, HEAT LAMP - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield MB-5 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	HHH	6000118	COLOR, CUSTOM UPGRADE - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Model CC-0001, Delfield Model "Custom Color" - NO SUBSTITUTIONS					30	each	0.00		\$ -	
	30	III	6001142	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	JJJ	6000110	STAND, CASHIER - SERVING LINE (28" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model K-28-CSE-F, Delfield Model KCS-30 -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	30	KKK	6006240	STAND, CASHIER - SERVING LINE (36" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model K-36-CSE-F, Delfield Model KCS-36 -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	LLL	6006241	STAND, CASHIER - SERVING LINE (42" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-CSE-F-MOD Delfield Model KCS-42 - NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	MMM	6006242	REFRIGERATED COLD TABLE - OPEN BASE - 50-51"	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-CFMX-F, Delfield Model KCSC-50B - NO SUBSTITUTIONS					12	each	0.00		\$ -	
	30	NNN	6006243	REFRIGERATED COLD TABLE - OPEN BASE - 60-61"	Refer to Section 6 - Bid Specifications	Colorpoint Model 60-CFMX-F, Delfield Model KCSC-60 - NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	OOO	600NEW	STAND, CASHIER - SERVING LINE (50" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model K-50-CSE-F, Delfield Model KCS-50 -NO SUBSTITUTIONS					12	each	0.00		\$ -	\$ -
	31	A	6000815	SCALE, DIGITAL DOUGH - HEAVY DUTY SUBMERSIBLE 10# CAPACITY	Refer to Section 6 - Bid Specifications	Edlund "Poseidon" Model WSC-10 with platform -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	31	B	6004408	SCALE, DIGITAL DOUGH - HEAVY DUTY SUBMERSIBLE 20# CAPACITY	Refer to Section 6 - Bid Specifications	Edlund "Poseidon" Model WSC-20OP -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	32		6000818	SCALE, 25 POUND PORTION	Refer to Section 6 - Bid Specifications	Edlund Model RM-25 or other brands meeting bid specifications					5	each	0.00		\$ -	\$ -
	33		6000130	SLICER, TWO SPEED AUTOMATIC 12"-13"	Refer to Section 6 - Bid Specifications	Globe Model S13A and Hobart Model HS7N -NO SUBSTITUTIONS					2	each	0.00		\$ -	\$ -
	34		6007000	FOOD PROCESSOR	Refer to Section 6 - Bid Specifications	BERKEL M3000-7 -NO SUBSTITUTIONS.					4	each	0.00		\$ -	\$ -
	35	A	6001082	MIXER, 30 QUART	Refer to Section 6 - Bid Specifications	Hobart Model HL300, Varimixer W30A -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	B	6001083	BOWL, STAINLESS STEEL FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	C	6001084	BEATER, FLAT "B" FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	D	6001085	HOOK, DOUGH FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	E	6001086	WHIP, "D" WIRE LOOP FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	F	6001087	DOLLY, BOWL TRUCK FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	\$ -
	36	A	6001088	MIXER, 40 QUART	Refer to Section 6 - Bid Specifications	Hobart Model HL400, Varimixer Model W40A, Globe Model SP40 -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	B	6001083	BOWL, STAINLESS STEEL FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	36	C	6001090	BEATER, FLAT "B" FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	D	6001092	HOOK, DOUGH FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	E	6001091	WHIP, "D" WIRE LOOP FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	F	6004630	DOLLY, BOWL TRUCK FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	\$ -
	37	A	6001094	MIXER, 60 QUART	Refer to Section 6 - Bid Specifications	Hobart Model HL-600, Varimixer Model W60A, Globe Model SP60 -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	B	6001095	BOWL, STAINLESS STEEL FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	C	6001096	BEATER, FLAT "B" FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	D	6001097	HOOK, DOUGH FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	E	6001098	WHIP, "D" WIRE LOOP FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	F	6001099	DOLLY, BOWL TRUCK FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	\$ -
	38		6002181	CABINET, NARROW WARMING - DOUBLE COMPARTMENT	Refer to Section 6 - Bid Specifications	Alto-Shaam Model 1000-UP -NO SUBSTITUTIONS					8	each	0.00		\$ -	\$ -
	39		6006180	HEATED HOLDING & HUMIDIFIED CABINET - DUTCH DOORS	Refer to Section 6 - Bid Specifications	FWE MTU-12 with Dutch doors -NO SUBSTITUTIONS.					8	each	0.00		\$ -	\$ -
	40	A	6006220	BOILERLESS COMBI OVER STEAMER - ELECTRIC 208V	Refer to Section 6 - Bid Specifications	Vulcan ABC7E-208 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	40	B	6006221	BOILERLESS COMBI OVEN STEAMER - ELECTRIC 408V	Refer to Section 6 - Bid Specifications	Approved Brands: Vulcan ABC7E-480 -NO SUBSTITUTIONS					15	each	0.00		\$ -	\$ -
	41	A	6000808	AUTOMATIC ICE MAKING MACHINE, 232 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	Scotsman C0322MA-1A, Hoshizaki KM 350MAJ, or Manitowoc IT0450, -NO SUBSTITUTIONS.					30	each	0.00		\$ -	
	41	B	6000805	BIN - 360 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	Scotsman B322S, Hoshizaki B-300SF, Manitowoc D400 -NO SUBSTITUTIONS					30	each	0.00		\$ -	\$ -
	42	A	6000803	AUTOMATIC ICE MAKING MACHINE, 350 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	(Scotsman C0530MA-1A, Manitowac IT0500, Ice-O-Matic CIM 0430A -NO SUBSTITUTIONS.					30	each	0.00		\$ -	
	42	B	6000804	BIN, 500 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	Scotsman B530P, Ice-O-Matic B55, Manitowac D570 -NO SUBSTITUTIONS					30	each	0.00		\$ -	\$ -
	43	A	6006204	HOT WELL	Refer to Section 6 - Bid Specifications	Randell Model # RAN HTD-4S, or Delfield SH-4-NU -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	43	B	6006205	UTILITY COUNTER 72" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN UTILITY M-72, or Delfield SC-74-NU -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	43	C	6006206	ICE COLD PAN 60" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN COLD M-60, or Delfield SCI-60-NU -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	43	D	6006207	CASHIER STAND 48" x 34" x 35"	Refer to Section 6 - Bid Specifications	Randell Model # RAN CAM-48, or Delfield SCS-50 -NO SUBSTITUTIONS					3	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	43	E	6006208	CASHIER STAND 40" x 34" x 35"	Refer to Section 6 - Bid Specifications	Randell Model # RAN CAM-40, or Delfield SCS-36 -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	43	F	6006980	UTILITY COUNTER 66" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-66, or Delfield SC-74-NU - NO SUBSTITUTIONS					2	each	0.00		\$ -	
	43	G	6006981	UTILITY COUNTER 60" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-60, or Delfield SC-60-NU - NO SUBSTITUTIONS.					5	each	0.00		\$ -	
	43	H	6006982	UTILITY COUNTER 54" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-54, or Delfield SC-50-NU - NO SUBSTITUTIONS					14	each	0.00		\$ -	
	43	I	6006983	ICE COLD PAN 80" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Cold M-80, or Delfield SCI-74-NU - NO SUBSTITUTIONS.					18	each	0.00		\$ -	
	43	J	6006984	CASHIER STAND 36" x 34" x 35"	Refer to Section 6 - Bid Specifications	Randell Model # RAN CAM-36, or Delfield SCS-36 -NO SUBSTITUTIONS.					8	each	0.00		\$ -	
	43	K	6006985	UTILITY COUNTER 50" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-50, or Delfield SCS-50-NU - NO SUBSTITUTIONS.					2	each	0.00		\$ -	\$ -
	44	A	6006183	5' COOK'S TABLE W/POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International, -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	44	B	6006184	6' COOK'S TABLE W/POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	44	C	600NEW#	5' COOK'S TABLE NO POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International, -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	44	D	600NEW	6' COOK'S TABLE NO POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	45		6006261	CONVECTION STEAMER, TWO COMPARTMENT ELECTRIC STEAM GENERATOR. 6 PAN CAPACITY	Refer to Section 6 - Bid Specifications	Groen Hyper Steam Model HY-6E 480V, three phase -NO SUBSTITUTIONS.					10	each	0.00		\$ -	\$ -
	46	A	6006251	COMBITHERM, CTP7-20E, ELECTRIC 208V	Refer to Section 6 - Bid Specifications	Alto-Shaam Model CTP7-20E -NO SUBSTITUTIONS.					6	each	0.00		\$ -	
	46	B	6006252	COMBITHERM, CTP7-20E, ELECTRIC 480V	Refer to Section 6 - Bid Specifications	Alto-Sham Model CTP7-20E -NO SUBSTITUTIONS.					6	each	0.00		\$ -	
	46	C	6006253	COMBITHERM, CTP10-20E, ELECTRIC, FULL SIZE 208V	Refer to Section 6 - Bid Specifications	Alto-Shaam Model CTP10-20E -NO SUBSTITUTIONS.					15	each	0.00		\$ -	
	46	D	6006254	COMBITHERM, CTP10-20E, ELECTRIC, FULL SIZE 480V	Refer to Section 6 - Bid Specifications	Alto-Sham Model CTP10-20E -NO SUBSTITUTIONS.					15	each	0.00		\$ -	\$ -
	47	A	6006255	SLIDING TOP MILK CASE DISPENSER - 10 CASE MIN. CAPACITY	Refer to Section 6 - Bid Specifications	Low Temp Colorpoint Model CPM-1310 or other brands meeting bid specifications.					12	each	0.00		\$ -	
	47	B	6006256	SLIDING TOP MILK CASE DISPENSER-6 CASE MIN. CAPACITY	Refer to Section 6 - Bid Specifications	Low Temp Colorpoint Model CPM-1306 or other brands meeting bid specifications.					2	each	0.00		\$ -	\$ -

THIS EXCEL SPREADSHEET WILL CALCULATE BID LINE TOTALS FOR EACH ITEM AND GROUP TOTALS IF FILLED OUT ELECTRONICALLY AND SUBMITTED WITH THE BID PACKAGE AS AN EXCEL (XLS) FILE. PLEASE PROVIDE PRICE PER UNIT OF MEASUREMENT INDICATED. IF WRITING IN THE INFORMATION, USE INK AND WRITE CLEARLY; CALCULATIONS WILL BE DONE DURING BID EVALUATION.

SPECIAL INSTRUCTIONS: For items in GROUPS, it is necessary to bid on EVERY ITEM IN THE GROUP and ALL ITEMS IN THE GROUP MUST MEET SPECIFICATIONS to be considered for award. If you are NOT bidding on an item, enter "NO BID" in the appropriate column.

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	1	A	6001225	NON INSULATED SIDEWALL EXTRUDED UTILITY CABINET	Refer to Section 6 - Bid Specifications	Crescor Model 150-1840D, Winholt EC1840-CTLPURC/LC/PEB -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	1	B	6000129	OPEN BAKERS RACK	Refer to Section 6 - Bid Specifications	Crescor Model 207-1820-SD, Win-Holt AL-1820/HD/LC - NO SUBSTITUTIONS					15	each	0.00		\$ -	
	1	C	6001226	RACK, REFRIGERATOR ROLL-IN, OPEN	Refer to Section 6 - Bid Specifications	Crescor Model 273-65-12/1818 Winholt ALREF1118/64E/XB/LC -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	2	A	6000084	RACKS, DUNNAGE 48" W	Refer to Section 6 - Bid Specifications	Cambro Model DRS-480, InterMetro Model HP2248PD, Continental Model 5948 Winholt PLSQ-4-1222 -NO SUBSTITUTIONS.					40	each	0.00		\$ -	
	2	B	6000NEW	RACKS, DUNNAGE 36" W	Refer to Section 6 - Bid Specifications	Cambro Model DRS-360, Continental Model 5936, Winholt PLSQ-3-1222 -NO SUBSTITUTIONS.					25	each	0.00		\$ -	\$ -
	3	A	6001233	SHELF, 21" Wide X 36" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					25	each	0.00		\$ -	
	3	B	6006200	SHELF, 18" Wide x 36" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	3	C	6006201	SHELF, 18" Wide x 42" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	D	6006202	SHELF, 21" Wide x 42" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					30	each	0.00		\$ -	
	3	E	6000136	SHELF, 21" Wide X 48" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					100	each	0.00		\$ -	
	3	F	6006203	SHELF, 18" Wide x 48" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	G	600NEW	SHELF, 21" Wide x 54" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	H	600NEW	SHELF 24" Wide x 36" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	3	I	600NEW	SHELF 24" Wide x 42" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	J	600NEW	SHELF 24" Wide x 48" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	K	600NEW	SHELF 24" Wide x 54" Long	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	3	L	6000137	POST 63" High	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					100	each	0.00		\$ -	
	3	M	6004820	POST 75"High	Refer to Section 6 - Bid Specifications	InterMetro Metro-Seal, Eagle Group Eagleguard -NO SUBSTITUTIONS					155	each	0.00		\$ -	\$ -
	4		6001107	STAND, UTILITY	Refer to Section 6 - Bid Specifications	Lakeside Model 518, and Seco Model SS-16-3033-AX -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -
	5	A	6001148	CART, UTILITY - SMALL	Refer to Section 6 - Bid Specifications	InterMetro Model MY1627-34 or other brands meeting bid specifications (Color code may be noted as last character(s) of model number)					4	each	0.00		\$ -	
	5	B	6000113	CART, UTILITY, THREE SHELVES - LARGE	Refer to Section 6 - Bid Specifications	InterMetro Model MY 2636-34 or other brands meeting bid specifications (Color code may be noted as last character(s) of model number)					6	each	0.00		\$ -	
	5	C	6000111	CART, UTILITY, THREE SHELVES - MEDIUM	Refer to Section 6 - Bid Specifications	InterMetro Model MY2030-34 or other brands meeting bid specifications					6	each	0.00		\$ -	\$ -

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	6	A	6000068	TABLE, UTILITY - 5'L X 2.5'W X 3"H	Refer to Section 6 - Bid Specifications	SPG International Model 5-SL-SLS-30 Table with TAC 1-4 casters and TAC 2020-S drawer, Elkay Custom Deluxe Spec-Line Series, Eagle Group Model T3060SE w/casters & drawer, Custom Stainless -NO SUBSTITUTIONS.					24	each	0.00		\$ -	
	6	B	6001110	TABLE, UTILITY - 6'L X 2.5'W X 3"H	Refer to Section 6 - Bid Specifications	SPG International Model 6-SL-SLS-30 Table with TAC 1-4 casters and TAC 2020-S drawer, Elkay Custom Spec Line, Eagle Group Model T3072SE w/casters & drawer, Custom Stainless -NO SUBSTITUTIONS.					24	each	0.00		\$ -	\$ -
	7	A	6006281	TABLE, WORK - STAINLESS STEEL - 60" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2460SE, Gamenza Model T2460, Custom Stainless -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	7	B	6000074	TABLE, WORK - STAINLESS STEEL - 48" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2448SE, Gamenza Model T4824, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	C	6001111	TABLE, WORK - STAINLESS STEEL - 48" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2448SE, Gamenza Model T-4824-C, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	D	6000075	TABLE, WORK - STAINLESS STEEL - 60" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3060SE, Gamenza Model T6030, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	E	6000076	TABLE, WORK - STAINLESS STEEL - 72" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3072SE, Gamenza Model T7230, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	F	6001112	TABLE, WORK - STAINLESS STEEL - 84" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3084SE, Gamenza Model T8430, Custom Stainless -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	7	G	6006181	TABLE, WORK - STAINLESS STEEL - 48" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3048SE, Gamenza Model T-4830-C, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	H	6006182	TABLE, WORK - STAINLESS STEEL - 36" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2436SE, Gamenza Model T-3624-C, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	I	6006160	TABLE, WORK - STAINLESS STEEL - 42" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3042SE, Gamenza Model T-4230-C, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	J	6006161	TABLE, WORK - STAINLESS STEEL - 36" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3036SE, Gamenza Model T-3630-C, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	7	K	6006210	TABLE, WORK - STAINLESS STEEL - 42" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2442SE, Gamenza Model T-2442, Custom Stainless -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	7	L	6000073	TABLE, WORK - STAINLESS STEEL - 60" LONG - WITH CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-2460SE, Gamenza Model T-2460-C, Custom Stainless -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	7	M	6006162	TABLE, WORK - STAINLESS STEEL - 48" LONG - NO CASTERS	Refer to Section 6 - Bid Specifications	Eagle Model T-3048SE, Gamenza Model T-3048, Custom Stainless -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	8		6001106	TABLE FOR BAKER'S SCALE	Refer to Section 6 - Bid Specifications	Winholt ES/MX2424/14GA or other brands meeting bid specifications					4	each	0.00		\$ -	\$ -
	9	A	6001079	OVEN, STACK PIZZA CONVEYOR - 120-208 VOLT	Refer to Section 6 - Bid Specifications	Lincoln Model 1180-FB2E -NO SUBSTITUTIONS 208V/ 3 phase. Easy Order Package. Includes 2 each of: 1132 FASTBAKE Lincoln Ovens, 1120-1 stand with LEGS, 2 each of #1140 12.5" S/S Exit shelves, 4 each crumb trays and 2 each FASTBAKE KIT #KF005					3	unit	0.00		\$ -	
	9	B	6002199	OVEN, STACK PIZZA CONVEYOR - 480 VOLT	Refer to Section 6 - Bid Specifications	1180-FB2E with easy order package as stated above. -NO SUBSTITUTIONS					2	unit	0.00		\$ -	\$ -
	10	A	6001252	COOLER, MILK - 8 CRATES	Refer to Section 6 - Bid Specifications	True Mfg. Model TMC-34-S-SS-HC, Beverage Air Model SMF34HC-1-S -NO SUBSTITUTIONS.					10	each	0.00		\$ -	
	10	B	6001253	COOLER, MILK - 12 CRATES	Refer to Section 6 - Bid Specifications	True Mfg. Model TMC-49-S-SS-HC, Beverage Air Model SMF49HC-1-S -NO SUBSTITUTIONS.					10	each	0.00		\$ -	
	10	C	6001335	COOLER MILK - 16 CRATES	Refer to Section 6 - Bid Specifications	True Mfg. Model TMC-58-S-SS-HC Beverage Air Model SMF58 HC-1-S -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	11	A	6002182	RANGE, EXPANDO COOKING - ELECTRIC - 208 VOLT	Refer to Section 6 - Bid Specifications	Vulcan-Hart Model EV 12-2FP-208 -NO SUBSTITUTIONS					2	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	11	B	6002183	RANGE, EXPANDO COOKING - ELECTRIC - 480 VOLT	Refer to Section 6 - Bid Specifications	Vulcan-Hart Model EV 12-2FP- 480 -NO SUBSTITUTIONS					1	each	0.00		\$ -	\$ -
	12		6001227	RANGE, EXPANDO COOKING - GAS FIRED (LP OR NATURAL)	Refer to Section 6 - Bid Specifications	Garland Model M4S -NO SUBSTITUTIONS					1	each	0.00		\$ -	\$ -
	13	A	6000133	KETTLE, STEAM JACKET - ELECTRIC - 208 VOLT	Refer to Section 6 - Bid Specifications	Groen Model EE40 with T&S model 5PR-1S12 -NO SUBSTITUTIONS					15	each	0.00		\$ -	
	13	B	6001232	KETTLE, STEAM JACKET - ELECTRIC - 480 VOLT	Refer to Section 6 - Bid Specifications	Groen Model EE40 with T&S model 5PR-1S12 -NO SUBSTITUTIONS					15	each	0.00		\$ -	\$ -
	14		6001230	KETTLE, STEAM JACKET - GAS FIRED - (LP OR NATURAL)	Refer to Section 6 - Bid Specifications	Groen Model AH1E-40 with T&S model 5PR-1S12 -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -
	15	A	6000813	REFRIGERATOR, TWO-DOOR, TWO SECTION	Refer to Section 6 - Bid Specifications	Victory Model RSA-2D-S1, TRUE STA2R-2S-HC with 1 each kit #1 and 1each kit #4, Continental DL2R-SA -NO SUBSTITUTIONS					15	each	0.00		\$ -	
	15	B	6000814	REFRIGERATOR, THREE-DOOR, THREE SECTION	Refer to Section 6 - Bid Specifications	Victory Model RSA-3D-S1, TRUE STA3R-3S with 2 each kit #4 and 1 each kit #1, Continental DL3R-SA -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	16		6000069	CABINET, WARMING - ONE DOOR, ROLL THROUGH - 208 VOLT	Refer to Section 6 - Bid Specifications	Victory Model HISA-1D-1-PT , True Model STA1HRT-1S-1S with Rack - Crescor Model 207-1818C or New Age Model 1335 -NO SUBSTITUTIONS					8	each	0.00		\$ -	\$ -
	17		6001334	REFRIGERATOR, TWO DOOR, ROLL-THROUGH WITH FULL DOORS	Refer to Section 6 - Bid Specifications	REFRIGERATOR - Victory Model RISA-2D-S1-PT 7 or TRUE STA2RRT-2S-2S with RACKS - Crescor Model 207-1818C or New Age Model 1335 -NO SUBSTITUTIONS					8	each	0.00		\$ -	\$ -
	18	A	6000810	FREEZER, REACH-IN, SELF-CONTAINED, THREE DOOR	Refer to Section 6 - Bid Specifications	Approved Brand and Model: Continental # DL3F-SS/00DC -NO SUBSTITUTIONS					8	each	0.00		\$ -	
	18	B	6000811	FREEZER, TWO SECTION, FULL LENGTH DOORS, TOP MOUNTED, REACH-IN	Refer to Section 6 - Bid Specifications	Approved Brand and Model: Continental # DL2F-SS/00DC -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	19		6002185	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	\$ -
	20		6002185	WARMER, DISPLAY	Refer to Section 6 - Bid Specifications	American Permanent Ware Model DW-1A, Nemco Model 6000A-2 -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	21		6000020	MERCHANDISER, GLASS DOOR	Refer to Section 6 - Bid Specifications	True Model GDM-23-HC-TSL01 w/ optional barrel lock or other brands meeting bid specifications					20	each	0.00		\$ -	\$ -
	22	A	6001239	SHELF, 18" Wide X 24" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	B	6001238	SHELF, 18" Wide X 30" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					12	each	0.00		\$ -	
	22	C	6001234	SHELF, 18" Wide X 36" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					24	each	0.00		\$ -	
	22	D	6000138	SHELF, 18" Wide X 42" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					36	each	0.00		\$ -	
	22	E	6000139	SHELF, 18" Wide X 48" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					36	each	0.00		\$ -	
	22	F	6001240	SHELF, 18" Wide X 54" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	G	6001236	SHELF, 18" Wide X 60" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	H	6001241	SHELF, 24" Wide X 24" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	22	I	6001242	SHELF, 24" Wide X 30" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					12	each	0.00		\$ -	
	22	J	6001243	SHELF, 24" Wide X 36" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					48	each	0.00		\$ -	
	22	K	6001244	SHELF, 24" Wide X 42" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					8	each	0.00		\$ -	
	22	L	6001245	SHELF, 24" Wide X 48" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					48	each	0.00		\$ -	
	22	M	6001246	SHELF, 24" Wide X 54" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	N	6001247	SHELF, 24" Wide X 60" Long (QG)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					4	each	0.00		\$ -	
	22	O	6001237	POST, 63" or 64" High (OPE)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					100	each	0.00		\$ -	
	22	P	6000140	POST, 72" or 74" High (OPE)	Refer to Section 6 - Bid Specifications	InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.					100	each	0.00		\$ -	\$ -
	23	A	6000071	WARMER, COOKER - 7 QUART	Refer to Section 6 - Bid Specifications	Nemco Model 6102A-ICL, Vollrath Model 72018 -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	23	B	6000072	WARMER, COOKER - 11 QUART	Refer to Section 6 - Bid Specifications	Nemco Model 6103-ICL, Vollrath Model 72009 -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -
	24		6001076	MERCHANDISER, REFRIGERATED VERTICAL OPEN	Refer to Section 6 - Bid Specifications	Hussman GSVM-5272 & Part 1601835 or True Model TAC-48-TSL01 & Part #80944 & Part #935540-F1 -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	25		6000122	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	\$ -
	26	A	6000122	OVEN, DOUBLE CONVECTION - STACK, GAS FIRED (LP/NATURAL)	Refer to Section 6 - Bid Specifications	Blodgett Model DFG-100-ES DBL -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	26	B	6001224	OVEN, CONVECTION - SINGLE SECTION, GAS FIRED - NATURAL OR LP	Refer to Section 6 - Bid Specifications	Blodgett Model DFG-100-ES SGL -NO SUBSTITUTIONS					4	each	0.00		\$ -	\$ -
	27	A	6000123	OVEN, CONVECTION - SINGLE SECTION, ELECTRIC FIRED	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 SGL -NO SUBSTITUTIONS					12	each	0.00		\$ -	
	27	B	6001221	OVEN, CONVECTION - SINGLE SECTION, ELECTRIC FIRED	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 SGL -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	27	C	6001222	OVEN, CONVECTION DOUBLE STACK - ELECTRIC	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 DBL -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	27	D	6001223	OVEN, CONVECTION DOUBLE STACK - ELECTRIC	Refer to Section 6 - Bid Specifications	Blodgett Model Mark V-100 -NO SUBSTITUTIONS					3	each	0.00		\$ -	
	27	E	6000131	BOILERLESS ONE-COMPARTMENT STEAMER	Refer to Section 6 - Bid Specifications	Accutemp E62083E150SGL -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	27	F	6000134	CONVECTION STEAMER, TWO COMPARTMENT ELECTRIC STEAM GENERATOR. 6 PAN CAPACITY	Refer to Section 6 - Bid Specifications	Groen Hyper Steam Model HY-6E -NO SUBSTITUTIONS					24	each	0.00		\$ -	
	27	G	6000135	STEAMER, CONVECTION, TWO COMPARTMENT - GAS FIRED, NATURAL OR LP	Refer to Section 6 - Bid Specifications	Groen Hyper Steam Model HY-6G -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	28	A	6000097	CART, FOOD - OUTDOOR, SECONDARY	Refer to Section 6 - Bid Specifications	Cambro "Camcruiser" Model CVC724 or other brands meeting bid specifications					4	each	0.00		\$ -	
	28	B	6000098	STAND, CASHIER FOR OUTDOOR FOOD CART	Refer to Section 6 - Bid Specifications	Cambro Model ES28RL or other brands meeting bid specifications					15	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	28	C	6000114	CAMCART FOR FOOD PAN - CAPACITY 12 OR 16 PANS	Refer to Section 6 - Bid Specifications	Cambro Model UPC1200 or other brands meeting bid specifications					3	each	0.00		\$ -	
	28	D	6000115	CAMCART FOR FOOD PAN - CAPACITY 13 PANS	Refer to Section 6 - Bid Specifications	Cambro Model 1826LTC or other brands meeting bid specifications					3	each	0.00		\$ -	
	28	E	6006233	CART, CAMKIOSK, WITH UMBRELLA	Refer to Section 6 - Bid Specifications	Cambro "Camkiosk" Model KVC854C or other brands meeting bid specifications					8	each	0.00		\$ -	
	28	F	6001149	CAMCART FOR FOOD PAN - CAPACITY 6 OR 8 PANS	Refer to Section 6 - Bid Specifications	Cambro Model UPC600 or other brands meeting bid specifications					3	each	0.00		\$ -	
	28	G	6000091	CAMCART FOR FOOD PAN - CAPACITY 16 OR 24 PANS	Refer to Section 6 - Bid Specifications	Cambro Model UPC1600 or other brands meeting bid specifications					1	each	0.00		\$ -	
	28	H	6000120	CADDIE, ICE WITH SLIDING LID (TALL)	Refer to Section 6 - Bid Specifications	Cambro Model ICS175TB or other brands meeting bid specifications					3	each	0.00		\$ -	
	28	I	6001219	CABINET, HOT BULK FOOD HOLDING/TRANSPORT-LOW PROFILE	Refer to Section 6 - Bid Specifications	Cambro Model CMBH1826LF or other brands meeting bid specifications					1	each	0.00		\$ -	\$ -
	29	A	6000085	BAR, SALAD - FOUR PAN CAPACITY	Refer to Section 6 - Bid Specifications	Cambro "Food Bar" Model VBR5 or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	B	6000086	BAR, SALAD - FIVE PAN CAPACITY	Refer to Section 6 - Bid Specifications	Cambro "Food Bar" Model VBR6 or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	C	6000087	BAR, SALAD - TABLE TOP	Refer to Section 6 - Bid Specifications	Cambro "Food Bar" Model 4FBRTT or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	D	6002187	RAIL, ACCESSORY FOR SALAD BAR - FIVE FEET	Refer to Section 6 - Bid Specifications	Cambro Model VBRR5 or other brands meeting bid specifications					2	each	0.00		\$ -	
	29	E	6002188	RAIL, ACCESSORY FOR SALAD BAR - SIX FEET	Refer to Section 6 - Bid Specifications	Cambro Model VBRR6 or other brands meeting bid specifications					5	each	0.00		\$ -	
	29	F	6006234	VERSA CART W/DUAL TRAY RAILS	Refer to Section 6 - Bid Specifications	Cambro Model VCSWRHD or other brands meeting bid specifications					5	each	0.00		\$ -	
	29	G	6006235	VERSA WORK TABLE - FIVE FEET	Refer to Section 6 - Bid Specifications	Cambro Model VBRTHD5 or other brands meeting bid specifications					2	each	0.00		\$ -	\$ -
	30	A	6001143	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 50"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF3-CPA-F or Delfield Model KH-3-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	B	6001114	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 60"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF4-CPA-F, Delfield KH-4-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	C	6000099	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 74"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF5-CPA-F Delfield Model KH-5NU-MB - NO SUBSTITUTIONS					28	each	0.00		\$ -	
	30	D	6006239	TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE - 96"	Refer to Section 6 - Bid Specifications	Colorpoint Model EF4-CPA-F-MOD or Delfield Model KH-5 4 -NU-MB-MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	E	6001117	TABLE, ICE COOLED COLD - OPEN BASE - 30"	Refer to Section 6 - Bid Specifications	Colorpoint Model 36-CFI-MOD Modified to 30" long, Delfield Model KCI-36-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	F	6001118	TABLE, ICE COOLED COLD - OPEN BASE - 36"	Refer to Section 6 - Bid Specifications	Colorpoint Model 36-CFI-F Modified, Delfield Model KCI-36-NU-MB -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	G	6000109	TABLE, ICE COOLED COLD - OPEN BASE - 50-51"	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-CFI-MOD, Delfield Model KCI-50-NU-MB -NO SUBSTITUTIONS					50	each	0.00		\$ -	
	30	H	6006236	TABLE, ICE COOLED COLD - OPEN BASE - 60-61"	Refer to Section 6 - Bid Specifications	Colorpoint Model 60-CFI-F Delfield Model KCI-60-NU-MB - NO SUBSTITUTIONS					12	each	0.00		\$ -	
	30	I	6006237	TABLE, ICE COOLED COLD - OPEN BASE - 66 3/8"	Refer to Section 6 - Bid Specifications	Colorpoint Model 66-CFI-F MOD, Delfield Model KCI-66-NU-MB MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	J	6006238	TABLE, ICE COOLED COLD - OPEN BASE - 74 3/8"	Refer to Section 6 - Bid Specifications	Colorpoint Model 74-CFI-F MOD, Delfield Model KCI-74-NU-MB MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	K	6001122	TABLE, SOLID TOP WITH OPEN BASE - 30" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model 28-ST-MOD Modified, Delfield Model KC-28-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	30	L	6001119	TABLE, SOLID TOP WITH OPEN BASE - 36" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint 36-ST-F, Delfield Model KC-36-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	M	6001146	TABLE, SOLID TOP WITH OPEN BASE - 42" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Approved Brands: Colorpoint Model 36ST-MOD, Delfield Model KC-36-NU-MB -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	N	6000100	TABLE, SOLID TOP WITH OPEN BASE - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-ST-F Delfield Model KC-50-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	O	6001120	TABLE, SOLID TOP WITH OPEN BASE - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model 60-ST-F, Delfield Model KC-60-NU-MB -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	P	6001158	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	Q	6001121	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	R	6000112	SLIDE, SOLID TRAY - 28"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 28", Delfield Model A-28 -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	30	S	6001157	SLIDE, SOLID TRAY - 30"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 30", Delfield Model A-30 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	T	6001124	SLIDE, SOLID TRAY - 36"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 36", Delfield Model A-36 -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	30	U	6001150	SLIDE, SOLID TRAY - 42"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 42", Delfield Model A-42 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	V	6000101	SLIDE, SOLID TRAY - 50"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 50", Delfield Model A-50 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	W	6000102	SLIDE, SOLID TRAY - 60"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 60", Delfield Model A-60 -NO SUBSTITUTIONS					15	each	0.00		\$ -	
	30	X	6001151	SLIDE, SOLID TRAY - 66"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 66", Delfield Model A-66 -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	Y	6000103	SLIDE, SOLID TRAY - 74"	Refer to Section 6 - Bid Specifications	Colorpoint Model 12" x 74", Delfield Model A-74 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	Z	6000116	BOARD, CUTTING - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model Option 8" x 50", Delfield Model E-50 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	AA	6001125	BOARD, CUTTING - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model Option 8" x 60", Delfield Model E-60 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	BB	6001126	BOARD, CUTTING - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Model Option 8" x 74", Delfield Model E-74 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	CC	6001152	PROTECTOR, SLOPED FRONT FOOD - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 50", Delfield G-50 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	DD	6001131	PROTECTOR, SLOPED FRONT FOOD - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60", Delfield G-60 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	EE	6001132	PROTECTOR, SLOPED FRONT FOOD - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield G-74 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	FF	6001153	PROTECTOR, SINGLE SERVICE BUFFET, 30" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 30", Delfield KS-28 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	GG	6001154	PROTECTOR, SINGLE SERVICE BUFFET, 36" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 36", Delfield KS-36 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	HH	6001133	PROTECTOR, SINGLE SERVICE BUFFET, 42" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 42", Delfield KS-42 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	II	6001134	PROTECTOR, SINGLE SERVICE BUFFET, 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 50", Delfield KS-50 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	JJ	6001135	PROTECTOR, SINGLE SERVICE BUFFET, 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60" Delfield KS-60 -NO SUBSTITUTIONS					1	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	30	KK	6001155	PROTECTOR, SINGLE SERVICE BUFFET, 66" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 66", Delfield KS-66 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	LL	6001136	PROTECTOR, SINGLE SERVICE BUFFET, 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74" Delfield KS-74 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	MM	6001156	DISPLAY, TWO TIER - 30" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 30", Delfield H-30 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	NN	6001127	DISPLAY, TWO TIER - 36" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 36", Delfield H-36 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	OO	6001147	DISPLAY, TWO TIER - 42" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 42", Delfield H-42 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	PP	6000104	DISPLAY, TWO TIER - 50" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 50", Delfield H-50 -NO SUBSTITUTIONS					50	each	0.00		\$ -	
	30	QQ	6000105	DISPLAY, TWO TIER - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Color Approved Brands: Colorpoint Option 50", Delfield H-50 -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	30	RR	6001159	DISPLAY, TWO TIER - 66" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 66, Delfield H-60 MOD -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	SS	6000106	DISPLAY, TWO TIER - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield H-74 -NO SUBSTITUTIONS					40	each	0.00		\$ -	
	30	TT	6001164	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	UU	6001137	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	V V	6001160	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	W W	6001138	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	XX	6001139	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	YY	6001161	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	ZZ	6001140	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	
	30	AAA	6000108	LOCKS, LINE UP - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Option AA, Delfield "F" -NO SUBSTITUTIONS					70	each	0.00		\$ -	
	30	BBB	6001129	OUTLET, CONVENIENCE - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Option DD, Delfield "Q" -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	30	CCC	6001130	SHELF, END DROP - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Option FF, Delfield "U" -NO SUBSTITUTIONS					3	each	0.00		\$ -	
	30	DDD	6001128	STRIP, HEAT LAMP - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60", Delfield M-60 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	EEE	6000107	STRIP, HEAT LAMP - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield M-74 -NO SUBSTITUTIONS					50	each	0.00		\$ -	
	30	FFF	6001162	BULB, HEAT LAMP - 60" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 60", Delfield MB-4 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	30	GGG	6001163	BULB, HEAT LAMP - 74" (SERVING LINE)	Refer to Section 6 - Bid Specifications	Colorpoint Option 74", Delfield MB-5 -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	HHH	6000118	COLOR, CUSTOM UPGRADE - SERVING LINE	Refer to Section 6 - Bid Specifications	Colorpoint Model CC-0001, Delfield Model "Custom Color" -NO SUBSTITUTIONS					30	each	0.00		\$ -	
	30	III	6001142	NO LONGER IN USE	INTENTIONALLY LEFT BLANK (ILB)	INTENTIONALLY LEFT BLANK (ILB)	ILB	ILB	ILB	ILB	ILB	ILB	0.00	ILB	\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	30	JJJ	6000110	STAND, CASHIER - SERVING LINE (28" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model K-28-CSE-F, Delfield Model KCS-30 -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	30	KKK	6006240	STAND, CASHIER - SERVING LINE (36" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model K-36-CSE-F, Delfield Model KCS-36 -NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	LLL	6006241	STAND, CASHIER - SERVING LINE (42" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-CSE-F-MOD Delfield Model KCS-42 - NO SUBSTITUTIONS					2	each	0.00		\$ -	
	30	MMM	6006242	REFRIGERATED COLD TABLE - OPEN BASE - 50-51"	Refer to Section 6 - Bid Specifications	Colorpoint Model 50-CFMX-F, Delfield Model KCSC-50B - NO SUBSTITUTIONS					12	each	0.00		\$ -	
	30	NNN	6006243	REFRIGERATED COLD TABLE - OPEN BASE - 60-61"	Refer to Section 6 - Bid Specifications	Colorpoint Model 60-CFMX-F, Delfield Model KCSC-60 - NO SUBSTITUTIONS					4	each	0.00		\$ -	
	30	OOO	600NEW	STAND, CASHIER - SERVING LINE (50" LONG)	Refer to Section 6 - Bid Specifications	Colorpoint Model K-50-CSE-F, Delfield Model KCS-50 -NO SUBSTITUTIONS					12	each	0.00		\$ -	\$ -
	31	A	6000815	SCALE, DIGITAL DOUGH - HEAVY DUTY SUBMERSIBLE 10# CAPACITY	Refer to Section 6 - Bid Specifications	Edlund "Poseidon" Model WSC-10 with platform -NO SUBSTITUTIONS					5	each	0.00		\$ -	
	31	B	6004408	SCALE, DIGITAL DOUGH - HEAVY DUTY SUBMERSIBLE 20# CAPACITY	Refer to Section 6 - Bid Specifications	Edlund "Poseidon" Model WSC-20OP -NO SUBSTITUTIONS					5	each	0.00		\$ -	\$ -
	32		6000818	SCALE, 25 POUND PORTION	Refer to Section 6 - Bid Specifications	Edlund Model RM-25 or other brands meeting bid specifications					5	each	0.00		\$ -	\$ -
	33		6000130	SLICER, TWO SPEED AUTOMATIC 12"-13"	Refer to Section 6 - Bid Specifications	Globe Model S13A and Hobart Model HS7N -NO SUBSTITUTIONS					2	each	0.00		\$ -	\$ -
	34		6007000	FOOD PROCESSOR	Refer to Section 6 - Bid Specifications	BERKEL M3000-7 -NO SUBSTITUTIONS.					4	each	0.00		\$ -	\$ -
	35	A	6001082	MIXER, 30 QUART	Refer to Section 6 - Bid Specifications	Hobart Model HL300, Varimixer W30A -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	B	6001083	BOWL, STAINLESS STEEL FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	C	6001084	BEATER, FLAT "B" FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	D	6001085	HOOK, DOUGH FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	E	6001086	WHIP, "D" WIRE LOOP FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	35	F	6001087	DOLLY, BOWL TRUCK FOR 30 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer -NO SUBSTITUTIONS					2	each	0.00		\$ -	\$ -
	36	A	6001088	MIXER, 40 QUART	Refer to Section 6 - Bid Specifications	Hobart Model HL400, Varimixer Model W40A, Globe Model SP40 -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	B	6001083	BOWL, STAINLESS STEEL FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	C	6001090	BEATER, FLAT "B" FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	D	6001092	HOOK, DOUGH FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	E	6001091	WHIP, "D" WIRE LOOP FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	
	36	F	6004630	DOLLY, BOWL TRUCK FOR 40 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					1	each	0.00		\$ -	\$ -
	37	A	6001094	MIXER, 60 QUART	Refer to Section 6 - Bid Specifications	Hobart Model HL-600, Varimixer Model W60A, Globe Model SP60 -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	B	6001095	BOWL, STAINLESS STEEL FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	

ENTER BIDDER'S NAME HERE																
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	37	C	6001096	BEATER, FLAT "B" FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	D	6001097	HOOK, DOUGH FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	E	6001098	WHIP, "D" WIRE LOOP FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	
	37	F	6001099	DOLLY, BOWL TRUCK FOR 60 QUART MIXER	Refer to Section 6 - Bid Specifications	Hobart, Varimixer, Globe -NO SUBSTITUTIONS.					2	each	0.00		\$ -	\$ -
	38		6002181	CABINET, NARROW WARMING - DOUBLE COMPARTMENT	Refer to Section 6 - Bid Specifications	Alto-Shaam Model 1000-UP -NO SUBSTITUTIONS					8	each	0.00		\$ -	\$ -
	39		6006180	HEATED HOLDING & HUMIDIFIED CABINET - DUTCH DOORS	Refer to Section 6 - Bid Specifications	FWE MTU-12 with Dutch doors -NO SUBSTITUTIONS.					8	each	0.00		\$ -	\$ -
	40	A	6006220	BOILERLESS COMBI OVER STEAMER - ELECTRIC 208V	Refer to Section 6 - Bid Specifications	Vulcan ABC7E-208 -NO SUBSTITUTIONS					1	each	0.00		\$ -	
	40	B	6006221	BOILERLESS COMBI OVEN STEAMER - ELECTRIC 408V	Refer to Section 6 - Bid Specifications	Approved Brands: Vulcan ABC7E-480 -NO SUBSTITUTIONS					15	each	0.00		\$ -	\$ -
	41	A	6000808	AUTOMATIC ICE MAKING MACHINE, 232 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	Scotsman C0322MA-1A, Hoshizaki KM 350MAJ, or Manitowoc IT0450, -NO SUBSTITUTIONS.					30	each	0.00		\$ -	
	41	B	6000805	BIN - 360 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	Scotsman B322S, Hoshizaki B-300SF, Manitowoc D400 -NO SUBSTITUTIONS					30	each	0.00		\$ -	\$ -
	42	A	6000803	AUTOMATIC ICE MAKING MACHINE, 350 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	(Scotsman C0530MA-1A, Manitowac II0500, Ice-O-Matic CIM 0436A -NO SUBSTITUTIONS.					30	each	0.00		\$ -	
	42	B	6000804	BIN, 500 LBS. MINIMUM	Refer to Section 6 - Bid Specifications	Scotsman B530P, Ice-O-Matic B55, Manitowac D570 -NO SUBSTITUTIONS					30	each	0.00		\$ -	\$ -
	43	A	6006204	HOT WELL	Refer to Section 6 - Bid Specifications	Randell Model # RAN HTD-4S, or Delfield SH-4-NU -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	43	B	6006205	UTILITY COUNTER 72" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN UTILITY M-72, or Delfield SC-74-NU -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	43	C	6006206	ICE COLD PAN 60" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN COLD M-60, or Delfield SCI-60-NU -NO SUBSTITUTIONS					6	each	0.00		\$ -	
	43	D	6006207	CASHIER STAND 48" x 34" x 35"	Refer to Section 6 - Bid Specifications	Randell Model # RAN CAM-48, or Delfield SCS-50 -NO SUBSTITUTIONS					3	each	0.00		\$ -	
	43	E	6006208	CASHIER STAND 40" x 34" x 35"	Refer to Section 6 - Bid Specifications	Randell Model # RAN CAM-40, or Delfield SCS-36 -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	43	F	6006980	UTILITY COUNTER 66" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-66, or Delfield SC-74-NU -NO SUBSTITUTIONS					2	each	0.00		\$ -	
	43	G	6006981	UTILITY COUNTER 60" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-60, or Delfield SC-60-NU -NO SUBSTITUTIONS.					5	each	0.00		\$ -	
	43	H	6006982	UTILITY COUNTER 54" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-54, or Delfield SC-50-NU -NO SUBSTITUTIONS					14	each	0.00		\$ -	
	43	I	6006983	ICE COLD PAN 80" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Cold M-80, or Delfield SCI-74-NU -NO SUBSTITUTIONS.					18	each	0.00		\$ -	
	43	J	6006984	CASHIER STAND 36" x 34" x 35"	Refer to Section 6 - Bid Specifications	Randell Model # RAN CAM-36, or Delfield SCS-36 -NO SUBSTITUTIONS.					8	each	0.00		\$ -	
	43	K	6006985	UTILITY COUNTER 50" x 34" x 31"	Refer to Section 6 - Bid Specifications	Randell Model # RAN Utility M-50, or Delfield SCS-50-NU -NO SUBSTITUTIONS.					2	each	0.00		\$ -	\$ -
	44	A	6006183	5' COOK'S TABLE W/POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International, -NO SUBSTITUTIONS					10	each	0.00		\$ -	
	44	B	6006184	6' COOK'S TABLE W/POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International -NO SUBSTITUTIONS					6	each	0.00		\$ -	

		ENTER BIDDER'S NAME HERE														
	BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure	Enter "NO BID" if not bidding item	Per Line Extended Price	GROUP TOTAL (Auto-Calc.)
	44	C	600NEW#	5' COOK'S TABLE NO POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International, -NO SUBSTITUTIONS					20	each	0.00		\$ -	
	44	D	600NEW	6' COOK'S TABLE NO POT RACK	Refer to Section 6 - Bid Specifications	Duke, Custom Stainless, or SPG International -NO SUBSTITUTIONS					10	each	0.00		\$ -	\$ -
	45		6006261	CONVECTION STEAMER, TWO COMPARTMENT ELECTRIC STEAM GENERATOR. 6 PAN CAPACITY	Refer to Section 6 - Bid Specifications	Groen Hyper Steam Model HY-6E 480V, three phase -NO SUBSTITUTIONS.					10	each	0.00		\$ -	\$ -
	46	A	6006251	COMBITHERM, CTP7-20E, ELECTRIC 208V	Refer to Section 6 - Bid Specifications	Alto-Shaam Model CTP7-20E -NO SUBSTITUTIONS.					6	each	0.00		\$ -	
	46	B	6006252	COMBITHERM, CTP7-20E, ELECTRIC 480V	Refer to Section 6 - Bid Specifications	Alto-Sham Model CTP7-20E -NO SUBSTITUTIONS.					6	each	0.00		\$ -	
	46	C	6006253	COMBITHERM, CTP10-20E, ELECTRIC, FULL SIZE 208V	Refer to Section 6 - Bid Specifications	Alto-Shaam Model CTP10-20E -NO SUBSTITUTIONS.					15	each	0.00		\$ -	
	46	D	6006254	COMBITHERM, CTP10-20E, ELECTRIC, FULL SIZE 480V	Refer to Section 6 - Bid Specifications	Alto-Sham Model CTP10-20E -NO SUBSTITUTIONS.					15	each	0.00		\$ -	\$ -
	47	A	6006255	SLIDING TOP MILK CASE DISPENSER - 10 CASE MIN. CAPACITY	Refer to Section 6 - Bid Specifications	Low Temp Colorpoint Model CPM-1310 or other brands meeting bid specifications.					12	each	0.00		\$ -	
	47	B	6006256	SLIDING TOP MILK CASE DISPENSER-6 CASE MIN. CAPACITY	Refer to Section 6 - Bid Specifications	Low Temp Colorpoint Model CPM-1306 or other brands meeting bid specifications.					2	each	0.00		\$ -	\$ -



THE SCHOOL BOARD OF BROWARD COUNTY, FLORIDA

7720 WEST OAKLAND PARK BOULEVARD, SUITE 323, SUNRISE, FLORIDA 33351 • TEL 754-321-0505 • FAX 754-321-0936

PROCUREMENT & WAREHOUSING SERVICES

MARY CATHERINE COKER, DIRECTOR

www.BrowardSchools.com

The School Board of
Broward County, Florida

August 23, 2019

Nora Rupert, Chair
Heather P. Brinkworth, Vice Chair

Robin Bartleman
Abby M. Freedman
Patricia Good
Donna P. Korn
Laurie Rich Levinson
Ann Murray
Dr. Rosalind Osgood

Robert W. Runcie
Superintendent of Schools

Dear Prospective Bidders,

**SUBJECT: Instructions to Bidders
Invitation to Bid: FY20-026 – Cafeteria Equipment**

The School Board of Broward County, Florida (SBBC) is interested in receiving bids in response to the attached Invitation to Bid (ITB) for **Cafeteria Equipment**. Any questions regarding this ITB should be addressed to me, in writing, at the address stated above, or via e-mail to **Larissa.Seda@browardschools.com**. No other School Board staff member should be contacted in relation to this ITB. Any information that amends any portion of this ITB, which is received by any method other than an Addendum issued to the ITB, is not binding on SBBC.

In order to assure that your bid is in full compliance with all requirements of the ITB, carefully read all portions of the ITB document, paying particular attention to the following areas:

SUPPLIER DIVERSITY OUTREACH PROGRAM (SDOP)

SBBC has implemented a Supplier Diversity Outreach Program (SDOP) as part of the SBBC's competitive solicitation and contracting activity in accordance with School Board Policy 3330 Supplier Diversity Outreach Program. The purpose of the program is to remedy the ongoing effects of identified marketplace discrimination that the School Board has found continue to adversely affect the participation of Small/Minority and/or Women Business Enterprises ("S/M/WBE") in School Board contracts. S/M/WBE vendors utilized for this contract must be certified by SBBC's Supplier Diversity Outreach Program Office prior to submission of bid proposal. For information on S/M/WBE Certification or Policy 3330, contact SBBC's Supplier Diversity Outreach Program at 754-321-0550 or visit <http://www.browardschools.com/sdop>.

- **SECTION 2, SUBMITTAL REQUIREMENTS**

Section 2, Submittal Requirements, is a listing of all submittals that are required to be part of your bid package. Please make sure that all required submittals have been included as part of your bid package.

- **COMPLETION OF BIDS**

The Bid Summary Sheets upon which the Bidder submits its prices shall be completed in excel. The Bidder Acknowledgement Section should be completed in full and fully executed by an authorized representative of the Bidder. SBBC reserves the right to reject any bid which is not completed in full.

- **PRICING CORRECTIONS**

If a price correction is necessary on the Bid Summary Sheet, update the excel spreadsheet. SBBC reserves the right to not tabulate any illegible entries, pencil bids or price corrections not initialed and to reject any bid containing any of these errors.

- **DUE DATE**

Bids are due in Procurement and Warehousing Services on the date and time stated on Page 1 of the ITB. In order to have your bid considered, it must be received on or before the date and time due. Bids received after 2:00 p.m. ET on date due will not be considered.

- **STATEMENT OF "NO BID"**

If you are **not** submitting a bid in response to this ITB, please complete Section 8, Statement of "No Bid" and return to the address indicated above or via e-mail to **Larissa.Seda@browardschools.com**. Your response to the Statement of "No" Bid is very important to Procurement and Warehousing Services when creating future ITBs.

Thank you for your interest in SBBC. Again, if you have any questions, please contact me at the telephone number or email address stated above.

Larissa Seda
Purchasing Agent

TABLE OF CONTENTS

INVITATION TO BID	1
SECTION 1, BIDDER ACKNOWLEDGEMENT	1
SECTION 2, SUBMITTAL REQUIREMENTS	1
SECTION 3, GENERAL CONDITIONS	2
SECTION 4, SPECIAL CONDITIONS	8
SECTION 5, BID SUMMARY SHEET	15
SECTION 6, BID SPECIFICATIONS	16
SECTION 7, INSURANCE REQUIREMENTS	120
SECTION 8, SUPPLIER DIVERSITY OUTREACH PROGRAM (SDOP)	121
SECTION 9, FORMS AND ATTACHMENTS	124
ATTACHMENT 1, CONFLICT OF INTEREST	125
ATTACHMENT 2, DRUG FREE WORKPLACE	126
ATTACHMENT 3, BIDDER'S PREFERENCE	127
ATTACHMENT 4, W-9 FORM	128
ATTACHMENT 5, ACH FORM	129
ATTACHMENT 6, DEBARMENT	130
ATTACHMENT 6, INSTRUCTIONS FOR CERTIFICATION	131
ATTACHMENT 7, LABEL	132
SECTION 10, STATEMENT OF "NO BID"	133

	The School Board of Broward County, Florida PROCUREMENT AND WAREHOUSING SERVICES 7720 West Oakland Park Boulevard, Suite 323 Sunrise, Florida 33351-6704 754-321-0505	INVITATION TO BID (ITB)	

DUE DATE: Bids due on or before 2:00 p.m. Eastern Time (ET) at Procurement & Warehousing Services: September 19, 2019 Check Addenda for any revised opening dates before submitting your bid. Bid(s) received, after the date and time stated above, shall not be considered for award. Faxed and/or emailed bids are not allowed and will not be considered for award.	ITB NO.: FY20-026	RELEASE DATE: August 23, 2019	PURCHASING AGENT: Larissa Seda 754-321-0524
	BID TITLE: Cafeteria Equipment		

SECTION 1, BIDDER ACKNOWLEDGEMENT

IN ACCORDANCE WITH GENERAL CONDITION 1, THIS SECTION MUST BE COMPLETED IN ITS ENTIRETY INCLUDING THE SIGNATURE OF AN AUTHORIZED REPRESENTATIVE WHERE INDICATED BELOW AND SUBMITTED WITH THE BID. FAILURE TO PROVIDE THIS DOCUMENT, WITH THE BID, WILL RESULT IN BID BEING CONSIDERED NON-RESPONSIVE.

Bidder's Name and state "Doing Business As", where applicable:	"REMIT TO" ADDRESS FOR PAYMENT: If payment(s) is/are to be mailed to address other than as stated on left, please complete section below. <input type="checkbox"/> Check this box if address is the same as stated on the left.
Address:	P.O. Address:
City:	
State: Zip Code:	City:
Telephone Number:	State: Zip Code:
Toll Free Number:	Contact:
Fax Number:	Telephone Number:
E-Mail Address of Authorized Representative:	Toll Free Number:
E-mail Address to Send Purchase Orders:	Fax Number:
Federal Tax Identification Number:	

I hereby certify that: I am submitting the following information as my firm's (Bidder) bid and am authorized by Bidder to do so. Bidder agrees to complete and unconditional acceptance of the contents of all pages in this Invitation To Bid (ITB), and all appendices and the contents of any Addenda released hereto; Bidder agrees to be bound to any and all specifications, terms and conditions contained in the ITB, and any released Addenda and understand that the following are requirements of this ITB and failure to comply will result in disqualification of bid submitted; Bidder has not divulged, discussed, or compared the bid with other Bidders and has not colluded with any other Bidder or party to any other bid; Bidder, its principals, or their lobbyists has not offered campaign contributions to School Board Members or offer contributions to School Board Members for campaigns of other candidates for political office during the period in which the Bidder is attempting to sell goods or services to the School Board. This period of limitation of offering campaign contributions shall commence at the time of the "cone of silence" period for any solicitation for a competitive procurement as described by School Board Policy 3320, Part III, Section GG as well as School Board Policy 1007, Section 5.4 – Campaign Contribution Fundraising. Bidder acknowledges that all information contained herein is part of the public record as defined by the State of Florida Sunshine and Public Records Laws; all responses, data and information contained in this bid are true and accurate. I agree that this bid cannot be withdrawn within 90 days from date due.	Signature of Authorized Representative (Manual)
	Name of Authorized Representative (Typed or Printed)
	Title

SECTION 2, SUBMITTAL REQUIREMENTS

SUBMITTAL REQUIREMENTS: In order to assure that your bid is in compliance with bid requirements, please verify that the submittals indicated by the ☒ below have been submitted.

<input checked="" type="checkbox"/> Completed and Signed Bidder Acknowledgement (Section 1)	<input checked="" type="checkbox"/> Complete Bid-Printed and .PDF Special Condition 2	<input checked="" type="checkbox"/> Bid Summary Sheets (.xls format) (Special Condition 2)	<input checked="" type="checkbox"/> Local Bidder's Preference Form – Section 9, Attachment 3
<input checked="" type="checkbox"/> Certificate of Debarment Section 9, Attachment 6	<input checked="" type="checkbox"/> Descriptive Literature – Special Condition 10	<input checked="" type="checkbox"/> W-9 Form (Special Condition 29)	<input checked="" type="checkbox"/> Conflict of Interest Form Section 9, Attachment 1
<input checked="" type="checkbox"/> Applicable S/M/WBE forms Section 8	<input type="checkbox"/>	<input type="checkbox"/>	

Note: If your firm wishes to not submit a bid in response to the ITB, please complete and return, via mail or fax, the Statement of No Bid attached as the last page of this ITB.

SECTION 3, GENERAL CONDITIONS

1. **SEALED BID REQUIREMENTS:** The "Bidder Acknowledgement Section" must be completed, signed and returned with the bid. The Bid Summary Sheet pages on which the Bidder actually submits a bid, and any pages, upon which information is required to be inserted, must be completed and submitted with the bid. **The School Board of Broward County (SBBC) reserves the right to reject any bid that fails to comply with these submittal requirements.**
 - a) **BIDDER'S RESPONSIBILITY:** It is the responsibility of the Bidder to be certain that all numbered pages of the bid and all attachments thereto are received and all Addendum released are received prior to submitting a bid without regard to how a copy of this ITB was obtained. All bids are subject to the conditions specified herein on the attached bid documents and on any Addenda issued thereto.
 - b) **BID SUBMITTED:** Completed bid must be submitted in a sealed envelope with bid number and name clearly typed or written on the front of the envelope. Bids must be time stamped in Procurement and Warehousing Services **on or before 2:00 p.m. ET on date due** for bid to be considered. Bids shall be opened at 2:00 p.m. ET on date due. Bids submitted by telegraphic or facsimile transmission shall not be accepted.
 - c) **EXECUTION OF BID:** Bid must contain an original manual signature of an authorized representative in the space provided above. All bids must be completed in ink or typewritten. **If a price correction is necessary, draw a single line through the entered figure and enter the corrected figure or use an opaque correction fluid. All price corrections must be initialed by the person signing the bid even when using opaque correction fluid.** SBBC reserves the right to reject any bid or bid item completed in pencil or any bid that contains illegible entries or price corrections not initialed.
 - d) **BIDDING PREFERENCE LAWS: ALL BIDDERS MUST COMPLETE AND SUBMIT THE LEGAL OPINION OF BIDDER'S PREFERENCE FORM IN ORDER TO BE CONSIDERED FOR AWARD.** The State of Florida provides a Bidder's preference for Florida vendors for the purchase of personal property. The local preference is five (5) percent. Bidders outside the State of Florida must have an Attorney, licensed to practice law in the out-of-state jurisdiction, as required by Section 2, Chapter 287.084, Florida Statutes, execute the "Opinion of Out-of-State Bidder's Attorney on Bidding Preferences" form and must submit this form with the submitted bid. Such opinion should permit SBBC's reliance on such attorney's opinion for purposes of complying with Chapter 287.084, Florida Statutes. Florida Bidders must also complete its portion of the form. Failure to submit and execute this form, with the bid, shall result in bid being considered "non-responsive" and bid rejected.
2. **PRICES QUOTED:** Deduct trade discounts and quote firm net prices. Give both unit price and extended total. Prices must be stated in units to quantity specified in the bidding specification. In case of discrepancy in computing the amount of the bid, the **Unit Price** quoted shall govern.

All prices quoted shall be F.O.B. destination and freight prepaid (Bidder pays and bears freight charges). Awardee owns goods in transit and files any claims. Discounts for prompt payment: Award, if made, shall be in accordance with terms and conditions stated herein. Each item must be bid separately and no attempt is to be made to tie any item or items in with any other item or items. **Cash or quantity discounts offered shall not be a consideration in determination of award of bid(s).** If an Awardee offers a discount or offers terms less than Net 30, it is understood that a minimum of 30 days shall be required for payment, and if a payment discount is offered, the discount time shall be computed from the date of satisfactory delivery at place of acceptance and receipt of correct invoice at the office specified.

 - a) **TAXES:** SBBC does not pay Federal Excise and State taxes on direct purchase of tangible personal property. The applicable tax exemption number is shown on the Purchase Order. This exemption does not apply to purchases of tangible personal property made by contractors who use the tangible personal property in the performance of contracts for the improvement of SBBC owned real property as defined in Chapter 192, Florida Statutes.
 - b) **MISTAKES:** Bidders are expected to examine the specifications, delivery schedules, bid prices and extensions, and all instructions pertaining to supplies and services. Failure to do so shall be at Bidder's risk.
 - c) **CONDITION AND PACKAGING:** It is understood and agreed that any item offered or shipped as a result of this bid shall be new (current production model at the time of this bid) unless otherwise specified. All containers shall be suitable for storage or shipment and all prices shall include standard commercial packaging.
 - d) **UNDERWRITERS' LABORATORIES:** Unless otherwise stipulated in the Bid, all manufactured items and fabricated assemblies shall be UL listed where such has been established by UL for the item(s) offered and furnished. In lieu of the UL listing, Bidder may substitute a listing by an independent testing laboratory recognized by OSHA under the Nationally Recognized Testing Laboratories (NRTL) Recognition Program.
- e) **BIDDER'S CONDITIONS:** Bid conditions and specifications **shall not** be changed, altered or conditioned in any way. SBBC specifically reserves the right to reject any conditional bid.
3. **SAMPLES:** Samples of items, when required, must be furnished free of expense within five (5) working days of request unless otherwise stated and, if not destroyed, will, upon request, be returned at the Bidder's expense. Bidders shall be responsible for the removal of all samples furnished within 30 days after bid opening. All samples shall be disposed of after 30 days. Each individual sample must be labeled with Bidder's name, bid number and item number. Failure of Bidder to either deliver required samples or to clearly identify samples as indicated may be reason for rejection of the bid item. Unless otherwise indicated, samples should be delivered to Procurement and Warehousing Services, The School Board of Broward County, Florida, 7720 West Oakland, Park Boulevard, Suite 323, Sunrise, Florida 33351-6704.
4. **DELIVERY:** All deliveries shall be F.O.B. destination point. Unless actual date of delivery is specified (or if specified delivery cannot be met), show number of days required to make delivery after receipt of Purchase Order in space provided. Delivery time may become a basis for making an award (see Special Conditions). Delivery shall be within the normal working hours of the user, Monday through Friday, excluding state holidays and days during which SBBC administration is closed.
5. **INTERPRETATIONS:** Any questions concerning conditions and specifications must be submitted in writing and received by Procurement and Warehousing Services no later than **ten working days, or as stated in the Special Conditions**, prior to the original bid opening date. If necessary, an Addendum shall be issued.
6. **AWARDS:** In the best interest of SBBC, SBBC reserves the right to: 1) withdraw this ITB at any time prior to the time and date specified for the bid opening; 2) to reject any or all bids received when there are sound documented business reasons that serve the best interest of SBBC; 3) to accept any item or group of items unless qualified by Bidder; and 4) to acquire additional quantities at prices quoted on this ITB unless additional quantities are not acceptable, in which case, the bid sheets must be noted "BID IS FOR SPECIFIED QUANTITY ONLY." All awards made as a result of this bid shall conform to applicable Florida Statutes and shall be governed by the laws of the State of Florida, and must have venue established in the 17th Judicial Circuit Court of Broward County, Florida or the United States Court of the Southern District of Florida.
7. **BID OPENING:** Shall be public, on the date and at the time specified on the bid form. All bids received after that time shall not be considered.
8. **ADVERTISING:** In submitting a bid, Bidder agrees not to use the results there from as a part of any commercial advertising without prior approval of SBBC.
9. **INSPECTION, ACCEPTANCE & TITLE:** Inspection and acceptance shall be at destination unless otherwise provided. Title to/or risk of loss or damage to all items shall be the responsibility of the Awardee until acceptance by the buyer unless loss or damage resulting from negligence by the buyer. If the materials or services supplied to SBBC are found to be defective or not conform to specifications, SBBC reserves the right to cancel the order upon written notice to the seller and return product at Awardee's expense.
10. **PAYMENT:** Payment shall be made by SBBC after the items awarded have been received, inspected, found to comply with award specifications and free of damage or defect and properly invoiced. All payments shall be made by ACH (Automated Clearing House) for automatic deposits (credits).
11. **CONFLICT OF INTEREST AND CONFLICTING EMPLOYMENT OR CONTRACTUAL RELATIONSHIP:** Section 112.313 (3) and (7), Florida Statutes, sets forth restrictions on the ability of SBBC employees acting in a private capacity to rent, lease, or sell any realty, goods or services to SBBC. It also places restrictions on SBBC employees concerning outside employment or contractual relationships with any business entity which is doing business with SBBC. Each Bidder is to disclose any employees it has who are also SBBC employees by submitting Attachment 1, Disclosure of Potential Conflict of Interest and Conflicting Employment or Contractual Relationship, with its Bid. Any employees identified by the Bidder when completing Attachment 1 should obtain legal advice as to their obligations and restrictions under Section 112.313 (3) and (7), Florida Statutes.
12. **INSURANCE:** Bidder, by virtue of submitting a bid, shall be in full compliance with paragraph 20: LIABILITY INSURANCE, LICENSES AND PERMITS of the General Conditions. Insurance Requirements are shown in FORMS AND ATTACHMENTS Section of this ITB. Bidder shall take special notice that SBBC shall be named as an additional insured under the General Liability policy including Products Liability.

The insurance policies shall be issued by companies qualified to do business in the State of Florida. The insurance companies must be rated at least A-VI by AM Best or Aa3 by Moody's Investor Service. All policies must remain in effect during the performance of the contract.

13. **LICENSES, CERTIFICATIONS AND REGISTRATIONS:** As of the Bid Opening Date, Bidder must have all Licenses, Certifications and Registrations required when performing the services as described herein, in order for Bid to be considered a responsive and responsible Bid. Licenses, Certifications and Registrations required for this Bid shall be as required by Chapter 489, Florida Statutes, as currently enacted or as amended from time to time; by the State Requirements for Educational Facilities (SREF), latest version; and by Broward County, Florida. Bidder must submit a copy of all its current Licenses, Certifications and Registrations required as described herein, either with its Bid or within five working days of notification.

An Awardee who has any License, Certification or Registration either suspended, revoked or expired after the date of the Bid Opening, shall provide notice to the Director of Procurement & Warehousing Services within five working days of such suspension, revocation or expiration. However, such suspension, revocation or expiration after the date of the Bid Opening shall not relieve the Awardee of its responsibilities under this ITB.

14. **PATENTS & ROYALTIES:** The Awardee, without exception, shall indemnify and save harmless SBBC and its employees from liability of any nature or kind, including cost and expenses for any copyrighted, patented, or unpatented invention, process, or article manufactured or used in the performance of the contract, including its use by SBBC. If the Awardee uses any design, device, or materials covered by letters, patent, or copyright, it is mutually understood and agreed without exception that the bid prices shall include all royalties or cost arising from the use of such design, device or materials in any way involved in the work.
15. **OSHA:** The Awardee warrants that the product supplied to SBBC shall conform in all respects to the standards set forth in the Occupational Safety and Health Act of 1970, as amended, and the failure to comply with this condition shall be considered as a breach of contract.
16. **SPECIAL CONDITIONS:** The Superintendent or Designee has the authority to issue Special Conditions and Specifications as required for individual bids. Any and all Special Conditions that may vary from these General Conditions shall have precedence.
17. **NONDISCRIMINATION:** The respondent hereby certifies and agrees that the following information is correct: In preparing its response on this project, the respondent has considered all proposals submitted from qualified, potential subcontractors and suppliers, and has not engaged in "discrimination" as defined in the District's Policy No. 3330 – Supplier Diversity Outreach Program, Section D.1; to wit: discrimination in the solicitation, selection, or commercial treatment of any subcontractor, vendor, supplier, or commercial customer on the basis of race, color, religion, ancestry or national origin, sex, age, marital status, sexual orientation or on the basis of disability or other unlawful forms of discrimination. Without limiting the foregoing, "discrimination" also includes retaliating against any person or other entity for reporting any incident of "discrimination." Without limiting any other provision of the solicitation for responses on this project, it is understood and agreed that, if this certification is false, such false certification will constitute grounds for the School District to reject the response submitted by the respondent on this project, and terminate any contract awarded based on the response. As part of its response, the respondent shall provide to the School District a list of all instances within the immediate past four (4) years where there has been a final adjudicated determination in a legal or administrative proceeding in the State of Florida that the respondent discriminated against its subcontractors, vendors, suppliers, or commercial customers, and a description of the status or resolution of that complaint, including any remedial action taken. As a condition of submitting a response to the School Board, the respondent agrees to comply with the District's Commercial Nondiscrimination Policy as described under its School Board Policy No. 3330 – Supplier Diversity Outreach Program, Section D.1.
18. **QUALITY:** All materials used for the manufacture or construction of any supplies, materials or equipment covered by this bid shall be new unless otherwise specified. The items bid must be new, the latest model, of the best quality and highest grade workmanship.
19. **LIABILITY INSURANCE, LICENSES AND PERMITS:** Where Awardees are required to enter or go onto SBBC property to deliver materials or perform work or services as a result of a bid award, the Awardee agrees to The Hold Harmless Agreement stated herein and shall assume the full duty obligation and expense of obtaining all necessary licenses, permits and insurance. The Awardee shall be liable for any damages or loss to SBBC occasioned by negligence of the Awardee (or agent) or any person the Awardee has designated in the completion of the Contract as a result of their bid.
20. **BID BONDS, PERFORMANCE BONDS AND CERTIFICATES OF INSURANCE:** Bid bonds, when required, shall be submitted with the bid in the amount specified in Special Conditions. Bid bonds shall be returned to non-Awardees. After acceptance of bid, SBBC shall notify the Awardee to submit a performance bond and certificate of insurance in the amount specified in Special Conditions. Upon receipt of the performance bond, the bid bond shall be returned to the Awardee.

21. **CANCELLATION:** In the event any of the provisions of this bid are violated by the Awardee, the Superintendent shall give written notice to the Awardee stating the deficiencies and unless deficiencies are corrected within five days, recommendation shall be made to SBBC for immediate cancellation.
22. **IRREVOCABILITY OF BID:** A bid may not be withdrawn before the expiration of 90 days from the date of bid opening.
23. **INFORMATION NOT IN ITB:** No verbal or written information which is obtained by a Bidder other than by information within this document or Addenda to this ITB shall be binding on SBBC.
24. **EXPENDITURE:** No guarantee is given or implied as to any sums payable or the quantity or scope of any award under this ITB. SBBC is not obligated to place any order for goods/services as a result of this award. Order placement shall be based upon the needs and best interest of SBBC.
25. **BILLING INSTRUCTIONS:** Invoices, unless otherwise indicated, must show Purchase Order numbers and shall be submitted in duplicate to The School Board of Broward County, Florida, Accounting and Financial Reporting Department, Attn: Accounts Payable, 600 S.E. 3rd Avenue, 7th Floor, Fort Lauderdale, Florida 33301. (Unless otherwise stated in the Special Conditions) Payment shall be made a minimum of 30 days after delivery, authorized inspection and acceptance. When vendors are directed to send invoices to a school, the school shall make direct payments to the vendor.
26. **NOTE TO VENDORS DELIVERING TO CENTRAL WAREHOUSE:** Receiving hours are Monday through Friday (excluding state holidays and days during which SBBC administration is closed) 7:00 a.m. to 2:00 p.m. ET.
27. **SUBSTITUTIONS:** SBBC SHALL NOT accept substitute shipments of any kind. Awardees are expected to furnish the brand quoted in their bid once awarded by SBBC. Any substitute shipments shall be returned at the Awardee's expense.
28. **FACILITIES:** SBBC reserves the right to inspect the Awardee's facilities at any time with prior notice. SBBC may use the information obtained from this in determining whether a Bidder is a responsible Bidder.
29. **ASBESTOS AND FORMALDEHYDE STATEMENT:** All building materials, pressed boards, and furniture supplied to SBBC shall be **100% asbestos free. It is desirable that all building materials, pressed boards and furniture supplied to SBBC also be 100% formaldehyde free.** Bidder, by virtue of bidding, certifies by signing bid that, if awarded this bid, only building materials, pressed boards, and/or furniture that is **100% asbestos free** shall be supplied.
30. **ASSIGNMENT:** Neither any award of this bid nor any interest in any award of this bid may be assigned, transferred or encumbered by any party without the prior written consent from the Director, Procurement and Warehousing Services. There shall be no partial assignments of this ITB including, without limitation, the partial assignment of any right to receive payments from SBBC.
31. **EXTENSION:** In addition to any extension options contained herein, SBBC is granted the right to extend any award resulting from this bid for the period of time necessary for SBBC to release, award and implement a replacement bid for the goods, products and/or services provided through this bid. Such extension shall be upon the same prices, terms and conditions as existing at the time of SBBC's exercise of this extension right. The period of any extension under this provision shall not be for a period in excess of six months from (a) the termination date of a contract entered into as a result of this bid or (b) the termination date under any applicable period of extension under a contract entered into as a result of this bid.
32. **OMISSION FROM THE SPECIFICATIONS:** The apparent silence of this specification and any Addendum regarding any details or the omission from the specification of a detailed description concerning any point shall be regarded as meaning that only the best available units shall be provided and the best commercial practices are to prevail, and that only materials and workmanship of first quality are to be used. All interpretations of this specification shall be made upon the basis of this agreement.
33. **SUBMITTAL OF INVOICES:** All Bidders are hereby notified that any invoice submitted as a result of the award of this bid must be in the same format as any Purchase Order released as a result of the award of this bid. **Each line of the invoice must reference a corresponding single line shown on the Purchase Order.** A single invoice line must not correspond to or commingle the cost shown on multiple Purchase Order lines. An invoice submitted that does not follow the same format and line numbering as shown on the Purchase Order shall be deemed to be not correct, and may be returned to the vendor by the Accounts Payable Department for correction. Address for submitting invoices is included on Purchase Order.
34. **PURCHASE AGREEMENT:** This bid and the corresponding Purchase Orders shall constitute the complete agreement. SBBC shall not accept proposed terms and conditions that are different than those contained in this Invitation to Bid, including pre-printed text contained on catalogs, price lists, other descriptive information submitted or any other materials. By virtue of submitting a bid, Awardee agrees to not submit to any SBBC employee, for signature, any document that contains terms and conditions that are different than those contained herein and that in the event any document

35. **SBBC INFORMATION SECURITY GUIDELINES:** It is the responsibility of the Awardee to read and adhere to the SBBC Information Security Guidelines when using any device connected to the SBBC's network. Following the conclusion of the contract term, all of SBBC's confidential information must be removed from Awardee's equipment and all access privileges must be revoked. Final payment shall be withheld until the Awardee has confirmed, in writing, that all SBBC's confidential information has been purged from any and all electronic technology devices that were used during this contract and were connected to the SBBC's network.

36. **PROTESTING OF BID CONDITIONS/SPECIFICATIONS:** Any person desiring to protest the conditions/specifications in this ITB, or any Addenda subsequently released thereto, shall file a notice of intent to protest, in writing, within 72 hours after electronic release of the competitive solicitation or Addendum and shall file a formal written protest within ten calendar days after the date the notice of protest was filed. Saturdays, Sundays, state holidays or days during which SBBC administration is closed shall be excluded in the computation of the 72 hours. If the tenth calendar day falls on a Saturday, Sunday, state holiday or day during which SBBC administration is closed, the formal written protest must be received on or before 5:00 p.m. ET of the next calendar day that is not a Saturday, Sunday, state holiday or day during which SBBC administration is closed. Section 3 b, Chapter 120.57, Florida Statutes, as currently enacted or as amended from time to time, states that **"The formal written protest shall state with particularity the facts and law upon which the protest is based."**

Failure to file a notice of protest or to file a formal written protest within the time prescribed by Section 3, Chapter 120.57, Florida Statutes, or a failure to post the bond or other security required by SBBC Policy 3320, within the time allowed for filing a bond, shall constitute a waiver of proceedings. The bond shall be conditioned upon the payment of all costs which may be adjudged against the protestant in an Administrative Hearing in which the action is brought and in any subsequent appellate court proceeding. In lieu of a bond, SBBC may accept a cashier's check, official bank check or money order in the amount of the bond. If, after completion of the Administrative Hearing process and any appellate court proceedings, SBBC prevails, SBBC shall recover all costs and charges which shall be included in the Final Order or judgment, including charges made by the Division of Administrative Hearings, but excluding attorney's fees. Upon payment of such costs and charges by the protestant, the bond shall be returned. The failure to post the bond required by SBBC Policy 3320, Part VIII, as currently enacted or as amended from time to time, shall constitute a waiver of proceedings. Notices of protest, formal written protests, and the bonds required by SBBC Policy 3320, shall be filed at the office of the Director, Procurement and Warehousing Services, 7720 West Oakland Park Boulevard, Suite 323, Sunrise, Florida 33351-6704 (fax 754-321-0936). Fax filing shall not be acceptable for the filing of bonds.

37. **POSTING OF BID RECOMMENDATIONS/TABULATIONS:** ITB Recommendations and Tabulations shall be posted in Procurement and Warehousing Services and on www.demandstar.com, and shall remain posted for 72 hours. Any change to the date and time established for posting of ITB Recommendations/Tabulations shall be posted in Procurement and Warehousing Services and/or at www.demandstar.com (under the document section for this ITB). In the event the date and time of the posting of ITB Recommendations/Tabulations is changed, it is the responsibility of each Bidder to ascertain the revised date of the posting of ITB Recommendations/Tabulations. Any person desiring to protest the intended decision shall file a notice of protest, in writing, within 72 hours after the posting of the ITB tabulation and shall file a formal written protest within ten calendar days after the date the notice of protest was filed. Saturdays, Sundays, state holidays and days during which SBBC administration is closed shall be excluded in the computation of the 72 hours. If the tenth calendar day falls on a Saturday, Sunday, state holiday or day during which SBBC administration is closed, the formal written protest must be received on or before 5:00 p.m. ET of the next calendar day that is not a Saturday or Sunday, state holiday or days during which SBBC administration is closed. No submissions made after the Bid opening amending or supplementing the Bid shall be considered. Section 120.57(3)(b), Florida Statutes, as currently enacted or as amended from time to time, states that **"The formal written protest shall state with particularity the facts and law upon which the protest is based"**. Any person who files an action protesting an intended decision shall post with SBBC, **at the time of filing the formal written protest**, a bond, payable to SBBC, in an amount equal to one percent (1%) of SBBC's estimate of the total volume of the contract. SBBC shall provide the estimated contract amount to the vendor within 72 hours, excluding Saturdays, Sundays and other days during which SBBC administration is closed, of receipt of notice of intent to protest. The estimated contract amount is not subject to protest pursuant to Section 120.57(3), Florida Statutes. The bond shall be conditioned upon the payment of all costs which may be adjudged against the protestant in an Administrative Hearing in which the action is brought and in any subsequent appellate court proceeding. In lieu of a bond, SBBC may accept a cashier's check, official bank check or money order in the amount of the bond. If, after completion of the Administrative Hearing process and any appellate court proceedings, SBBC prevails, SBBC shall recover all costs and charges which shall be included in the Final Order or judgment,

37. (Continued): including charges made by the Division of Administrative Hearings, but excluding attorney's fees. Upon payment of such costs and charges by the protestant, the bond shall be returned. **All documentation necessary for the protest proceedings shall be provided electronically by SBBC.**

Failure to file a notice of protest or to file a formal written protest within the time prescribed by Section 120.57(3), Florida Statutes, or a failure to post the bond or other security required by SBBC Policy 3320 within the time allowed for filing a bond, shall constitute a waiver of proceedings. The failure to post the bond required by SBBC Policy 3320, Part VIII, as currently enacted or as amended from time to time, shall constitute a waiver of proceedings. Notices of protests, formal written protests, and the bonds required by Policy 3320, shall be filed at the office of the Director, Procurement and Warehousing Services, 7720 West Oakland Park Boulevard, Suite 323, Sunrise, Florida 33351-6704 (fax 754-321-0936). Fax filing shall not be acceptable for the filing of bonds.

38. **SUBMITTAL OF BIDS:** All Bidders are reminded that it is the sole responsibility of the BIDDER to assure that their bid is time stamped in PROCUREMENT AND WAREHOUSING SERVICES on or before 2:00 p.m. ET on date due. The address for bid submittal, including hand delivery and overnight courier delivery, is indicated as: 7720 West Oakland Park Boulevard, Suite 323, Sunrise, Florida 33351-6704. The Bidder is fully and completely responsible for the payment of all delivery costs associated with the delivery of their bid or related material. Procurement and Warehousing Services shall not accept delivery of any bid or related material requiring SBBC to pay for any portion of the delivery cost or the complete delivery cost. Prior to bid submittal, it is the responsibility of the Bidder to be certain that all Addenda released have been received, that all Addendum requirements have been completed, and that all submittals required by the Addendum have been timely filed. (See General Condition 1.)

39. **PACKING SLIPS:** It shall be the responsibility of the Awardee to attach all packing slips to the OUTSIDE of each shipment. Packing slip must reference SBBC Purchase Order number/control number. Failure to provide packing slip attached to the outside of shipment shall result in refusal of shipment at Awardee's expense.

40. **USE OF OTHER CONTRACTS:** SBBC reserves the right to utilize any other SBBC contract, any State of Florida Contract, any contract awarded by any other city or county governmental agencies, other school s, other community college/state university system cooperative bid agreement, or to directly negotiate/purchase per SBBC and/or Rule 6A-1.012, Florida Administration Code as currently enacted or as amended from time to time, in lieu of any offer received or award made as a result of this bid if it is in its best interest to do so.

41. **INDEMNIFICATION:** This General Condition of the bid is NOT subject to negotiation and any bid that fails to accept these conditions shall be rejected as "non-responsive."

a) SBBC agrees to be fully responsible for its acts of negligence or its agents' acts of negligence when acting within the scope of their employment and agrees to be liable for any damages resulting from said negligence. Nothing herein is intended to serve as a waiver of sovereign immunity by SBBC. Nothing herein shall be construed as consent by SBBC to be sued by third parties in any matter arising out of any contract. Nothing herein shall be construed as a waiver by SBBC of any rights or limits to liability under Section 768.28, Florida Statutes.

b) AWARDDEE agrees to indemnify, hold harmless and defend SBBC, its agents, servants and employees from any and all claims, judgments, costs and expenses including, but not limited to, reasonable attorney's fees, reasonable investigative and discovery costs, court costs and all other sums which SBBC, its agents, servants and employees may pay or become obligated to pay on account of any, all and every claim or demand, or assertion of liability, or any claim or action founded thereon, arising or alleged to have arisen out of the products, goods or services furnished by the AWARDDEE, its agents, servants or employees; the equipment of the AWARDDEE, its agents, servants or employees while such equipment is on premises owned or controlled by SBBC; or the negligence of AWARDDEE or the negligence of AWARDDEE's agents when acting within the scope of their employment, whether such claims, judgments, costs and expenses be for damages, damage to property including SBBC's property, and injury or death of any person whether employed by the AWARDDEE, SBBC or otherwise.

42. **PURCHASE BY OTHER PUBLIC AGENCIES:** With the consent and agreement of the awarded contractor(s), purchases may be made under this bid by other agencies. Such purchases shall be governed by the same terms and conditions as stated herein.

43. **GOVERNING LAW:** This ITB, and any award(s) resulting from this ITB shall be interpreted and construed in accordance with the laws of the State of Florida. Any protests arising from this ITB shall be subject to Section 120.57(3), Florida Statutes. Any disputes or controversies arising out of a contract award under this ITB shall be submitted to the jurisdiction of the state courts of the Seventeenth Judicial Circuit Court in and for Broward County, Florida.

44. **PUBLIC ENTITY CRIMES:** Section 287.133(2)(a), Florida Statutes, as currently enacted or as amended from time to time, states that a person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to a public entity, may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287.017 for CATEGORY TWO [currently \$25,000] for a period of 36 months from the date of being placed on the convicted vendor list.
45. **CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY OR VOLUNTARY EXCLUSION - Lower Tier Covered Transactions:** Executive Order 12549, as currently enacted or as amended from time to time, provides that, to the extent permitted by law, Executive departments and agencies shall participate in a government-wide system for non-procurement debarment and suspension. A person who is debarred or suspended shall be excluded from Federal financial and non-financial assistance and benefits under Federal programs and activities. Except as provided in § 85.200, Debarment or Suspension, § 85.201, Treatment of Title IV HEA participation, and § 85.215, Exception Provision, debarment or suspension of a participant in a program by one agency shall have government-wide effect. A lower tier covered transaction is, in part, any transaction between a participant [SBBC] and a person other than a procurement contract for goods or services, regardless of type, under a primary covered transaction; and any procurement contract for goods or services between a participant and a person, regardless of type, expected to equal or exceed the Federal procurement small purchase threshold fixed at 10 U.S.C. 2304(g) and 41 U.S.C. 253(g) (currently \$100,000) under a primary covered transaction; or any procurement contract for goods or services between a participant and a person under a covered transaction, regardless of amount, under which that person shall have a critical influence on or substantive control over that covered transaction. A participant may rely upon the certification of a prospective participant in a lower tier covered transaction that it and its principals are not debarred, suspended, proposed for debarment under 48 CFR part 9, subpart 9.4, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. Each participant shall require participants in lower tier covered transactions to include the certification for it and its principals in any bid submitted in connection with such lower tier covered transactions.
- CERTIFICATION**
- a) The prospective lower tier participant certifies, by submission of this bid, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.
- b) Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this bid.
- Every time a Bid is submitted that includes reference to this Form, a new Form is required. Any Bid that does not include this required Form shall not be evaluated and shall not be considered for award. **A signature is required on BOTH the Debarment Form AND the Invitation to Bid page.** A signature on one document cannot be substituted for the signature required on the other document. **Failure to complete and sign both documents requiring signature shall result in rejection of bid submitted.**
46. **REASONABLE ACCOMMODATION:** Individuals with disabilities requesting accommodations under the Americans with Disabilities Act (ADA) may call Equal Educational Opportunities (EEO) at 754-321-2150 or Teletype Machine TTY 754- 321-2158.
47. **SEVERABILITY:** In case of any one or more of the provisions contained in this Bid shall be for any reason be held to be invalid, illegal, unlawful, unenforceable or void in any respect, the invalidity, illegality, unenforceability or unlawful or void nature of that provision shall not affect any other provision and this Bid shall be considered as if such invalid, unlawful, unenforceable or void provision had never been included herein.
48. **DISTRIBUTION:** DemandStar by Onvia, www.demandstar.com, is the official method approved by Procurement and Warehousing Services for the distribution of all competitive solicitations including ITBs and RFPs. It is the responsibility of all Bidders to assure they have received all necessary documents, including Addenda and have included all necessary information within their response. SBBC is not responsible for Bidder's failure to obtain complete bidding documents from DemandStar. SBBC reserves the right to reject any bid as non-responsive for failure to include all necessary documents or required Addenda. For information regarding the above referenced solicitation, contact the designated Purchasing Agent as stated herein.
49. **LOBBYIST ACTIVITIES:** In accordance with SBBC Policy 1100B, as currently enacted or as amended from time to time, persons acting as lobbyists must state, at the beginning of their presentation, letter, telephone call, e-mail or facsimile transmission to School Board Members, Superintendent or Members of Senior Management, the group, association, organization or business interest she/he is representing.
- a) A lobbyist is defined as a person who for immediate or subsequent compensation, (e.g., monetary profit/personal gain) represents a public or private group, association, organization or business interest and engages in efforts to influence School Board Members on matters within their official jurisdiction.
- b) A lobbyist is not considered a person representing school-affiliated groups (e.g., PTA, DAC, Band Booster Associations, etc.) nor a public official acting in her/his official capacity.
- c) Lobbyists shall annually (July 1) disclose in each instance and for each client prior to any lobbying activities, their identity and activities by completing the lobbyist statement form which can be obtained from Official School Board Records, School Board Member's Offices or the Superintendent's Office and shall be recorded on SBBC's website, www.browardschools.com.
- d) The lobbyist must disclose any direct business association with any current elected or appointed official or employee of SBBC or any immediate family member of such elected or appointed official or employee of SBBC.
- e) Senior-level employees (Pay Grade 30 and above) and/or School Board Members are prohibited from lobbying activities for one year after resignation or retirement or expiration of their term of office.
50. **TIE BID PROCEDURES:** When identical prices are received from two or more Bidders and all other factors are equal, priority for award shall be given to Bidders in the following sequence:
- A business that certifies that it has implemented a drug-free workplace program shall be given preference in accordance with the provisions of Chapter 287.087, Florida Statutes, as currently enacted or as amended from time to time;
 - The Broward County Certified Minority/Women Business Enterprise Bidder;
 - The Palm Beach County or Miami-Dade County Certified Minority/Women Business Enterprise Bidder;
 - The Florida Certified Minority/Women Business Enterprise Bidder;
 - The Broward County Bidder, other than a Minority/Women Business Enterprise Bidder;
 - The Palm Beach County or Miami-Dade County Bidder, other than a Minority/Women Business Enterprise vendor;
 - The Florida Bidder, whose main office is in the State of Florida, other than a Minority/Women Business Enterprise vendor.
 - If application of the above criteria does not indicate a priority for award, the award shall be decided by a coin toss. The coin toss shall be held publicly in Procurement and Warehousing Services; the tie low bid Bidders invited to be present as witnesses.
- Included as a part of these bid documents is a Form entitled **SWORN STATEMENT PURSUANT TO CHAPTER 287.087, FLORIDA STATUTES, AS CURRENTLY ENACTED OR AS AMENDED FROM TIME TO TIME, ON PREFERENCE TO BUSINESSES WITH DRUG-FREE WORKPLACE PROGRAMS.** This form shall be used by the Bidder to certify that it has implemented a drug-free workplace program. In order for bid to be considered, the Invitation to Bid form (Page 1 of this bid) must be properly signed in order for the bid to be considered. A Bidder cannot sign this form in lieu of properly signing the Invitation to Bid form.
51. **DISPUTES:** in the event of a conflict between the documents, the order of priority of the documents shall be as follows:
- Addenda released for this ITB, with the latest Addendum taking precedence, then;
 - The ITB; then
 - Bidder's submitted bid.
- In case of any other doubt or difference of opinion, the decision of SBBC shall be final and binding on both parties.

52. **SMALL/MINORITY/WOMEN BUSINESS ENTERPRISE (S/M/WBE) PARTICIPATION** (Refer to Section 8 – Supplier Diversity Outreach Program for the applicable Affirmative Procurement Initiative (s) for this solicitation): SBBC has implemented a Minority/Women Business Enterprise (M/WBE) Program as part of the SBBC's competitive solicitation and contracting activity in accordance with School Board Policy 7007-A Administrative Procedures for The School Board of Broward County, Florida's Supplier Diversity & Outreach Program. The purpose of the program is to utilize available, small, minority and women businesses within the Board's market area to compete for the award of SBBC construction and purchasing contracts. S/M/WBE vendors utilized for this contract must be certified by SBBC's Supplier Diversity & Outreach Program Office prior to submission of Bid. For information on S/M/WBE Certification, contact SBBC's Supplier Diversity & Outreach Program at 754-321-0550 or visit www.browardschools.com/sdop.
53. **SBBC MATERIAL NUMBER:** The seven-digit number shown in parenthesis at the beginning of an item on the Bid Summary Sheet represents SBBC's material number for the item. It does not represent any manufacturer/distributor model/part number.
54. **SBBC PHOTO IDENTIFICATION BADGE:**
- Background Screening:** Awardee agrees to comply with all the requirements of Sections 1012.32 and 1012.465, Florida Statutes, and that Awardee and all its personnel who (1) are to be permitted access to school grounds when students are present, (2) will have direct contact with students, or (3) have access or control of school funds shall successfully complete the background screening required by the referenced statutes and meet the standards established by the statutes. **Personnel shall include employees, representatives, agents or sub-contractors performing duties under the contract to SBBC, and who meet any or all of the three requirements identified above.** This background screening shall be conducted by SBBC in advance of Awardee or its personnel providing any services. Awardee shall bear the cost of acquiring the background screening required under Section 1012.32, Florida Statutes, and any fee imposed by the Florida Department of Law Enforcement to maintain the fingerprints provided with respect to Awardee and its personnel. The Parties agree that the failure of Awardee to perform any of the duties described in this section shall constitute a material breach of this ITB entitling SBBC to terminate immediately with no further responsibilities or duties to perform under this Agreement. Awardee agrees to indemnify and hold harmless SBBC, its officers and employees of any liability in the form of physical or mental injury, death or property damage resulting in Awardee's failure to comply with the requirements of this section or Sections 1012.32 and 1012.465, Florida Statutes.
- SBBC issued identification badges must be worn at all times when on SBBC property and must be worn where they are visible and easily readable.**
- As of July 1, 2015, Fieldprint, Inc. has been contracted to provide all background and fingerprinting services. All questions pertaining to fingerprinting, photo identification and background check services must be directed to the Project Coordinator at 754-321-1830 or 754-321-2374. **Each individual, for whom a SBBC photo identification badge is requested, must be registered into the Fieldprint, Inc. applicant enrollment website.** A background check shall be conducted for each badge applicant. SBBC reserves the right to require additional information, should it be necessary, and to deny the issuance of a badge to an applicant. Any applicant, that has been denied a badge, is prohibited from entering SBBC property as an employee, sub-contractor or agent of a contract Awardee. **Applicant enrollment and scheduling website is www.fieldprintflorida.com.** The total fee(s) for the SBBC photo identification badge, fingerprinting and a FBI background check can be found at the following website: http://www.broward.k12.fl.us/police/pdf/seccl/FIELDPRINT_CODES.pdf. Payment options can be made by electronic check (e-check), Visa, MasterCard or use of an established escrow account code. **These fees are non-refundable and are subject to change without notice. Badges are issued for a one-year period and must be renewed annually. The renewal date shall be one year from date of issuance. Failure to renew the badge, at that time, shall result in the Awardee being required to re-apply and pay the going rate for badging and fingerprinting.**
- Awardees shall return expired and/or terminated employee badges to the following location: The School Board of Broward County, Florida, Attn: Fieldprint, Inc., 600 S.E. 3rd Avenue, Fort Lauderdale, Florida 33301.**
55. **AUDIT AND INSPECTION OF AWARDEE'S DOCUMENTS AND RECORDS:** The District or its representative reserves the right to inspect and/or audit all the Awardee's documents and records as they pertain to the products and services delivered under this agreement. Such rights shall be exercised with notice to the Awardee to determine compliance with and performance of the terms, conditions and specifications on all matters, rights and duties, and obligations established by this agreement. Documents/records in any form shall be open to the District or State's representative and may include but are not limited to all correspondence, ordering, payment, inspection, and receiving records, contracts or sub-contracts that directly or indirectly pertain to the transactions between the District and the Awardee(s).
56. **ORIGINAL DOCUMENT FORMAT:** Only the terms and conditions of this solicitation as they were released by SBBC, or amended via Addendum, are valid. Any modification to any term or condition by a Bidder is not binding unless it is expressly agreed to, in writing, by SBBC.
57. **CREDIT CARDS:** Individual schools and departments may place some orders and utilize, as the form of payment, a District-issued credit card to the extent authorized by SBBC. These orders shall be made via phone or fax for direct delivery and billing to the requesting work location. Please note that credit card purchases will benefit all vendors by providing immediate payment (i.e. within 48-72 hours), thereby eliminating the need to submit an invoice to the District's Accounts Payable Department or reconcile receivable balances. For credit card purchases, all Awardees must have the capability to accept fax orders, which must be confirmed by calling back the requesting work location to verify prices and obtain a credit card number. Only actual items shipped/delivered can be charged to the credit card account (i.e., no back-orders). All purchase deliveries must include a packing slip or receipt/invoice listing the items and prices of goods delivered. For security reasons, the credit card charge receipt showing the work location's credit card number cannot be attached to the packing slip or receipt/invoice submitted as part of the purchase delivery. District work locations may request that an Awardee maintains secure records of the credit card account assigned an alias or password, to avoid divulging the actual credit card number upon every purchase.
58. **NONCONFORMANCE TO CONTRACT CONDITIONS:** Items offered may be tested for compliance with bid conditions and specifications at any time. Items delivered, not conforming to bid conditions or specifications, may be rejected and returned at Awardee's expense. Goods or services not delivered as per delivery date in bid and/or Purchase Order may be rejected upon delivery and/or may be purchased on the open market. Any increase in cost may be charged against the Awardee. Any violation of these stipulations may also result in:
- For a period of two years, any bid submitted by Awardee shall not be considered and shall not be recommended for award.
 - All departments being advised not to do business with Awardee.
59. **CONE OF SILENCE:** Any Bidder, or lobbyist for a Bidder, is prohibited from having any communications (except as provided in this rule) concerning any solicitation for a competitive procurement with any School Board member, the Superintendent, any Evaluation Committee Member, or any other School District employee after Procurement and Warehousing Services releases a solicitation to the General Public. All communications regarding this solicitation shall be directed to the designated Purchasing Agent unless so notified by Procurement and Warehousing Services. This "Cone of Silence" period shall go into effect and shall remain in effect from the time of release of the solicitation until the contract is awarded by SBBC. Further, any Awardee, its principals, or their lobbyists shall not offer campaign contributions to School Board Members or offer contributions to School Board Members for campaigns of other candidates for political office during the period in which the Awardee is attempting to sell goods or services to SBBC. This period of limitation of offering campaign contributions shall commence at the time of the "cone of silence" period for any solicitation for a competitive procurement as described by School Board Policy 3320, Part II, Section GG as well as School Board Policy 1007, Section 5.4 – Campaign Contribution Fundraising. **Any Bidder or lobbyist who violates this provision shall cause their Bid (or that of their principal) to be considered non-responsive and therefore be ineligible for award.**
60. **TERMINATION:** This contract award may be terminated with or without cause by SBBC during the term hereof thirty (30) days after the Superintendent gives written notice to the other parties that a recommendation shall be made to SBBC for the contract award's termination.
61. **EVALUATION AND BIDS:** SBBC evaluates all Bids in accordance with Chapters 119.071 and 286.0113, Florida Statutes.

62. **MEET OR RELEASE:** If during the contract term, SBBC is offered a lower price from a third party supplier for a product or service awarded under this contract, or offers another item that meets or exceeds the specifications for the item at a lower price than the awarded price, SBBC shall request Awardee to meet the lower price offered by the third party supplier. Awardee shall be required to respond to this request within three (3) days of request. If Awardee is unable to meet the lower price, SBBC shall be released from its contractual obligation to purchase the item under this contract. No response to this request shall indicate that Awardee is unable to offer item at a lower price. This action, purchasing awarded item from third party supplier, shall not hold SBBC in default of contract. Each purchase shall be considered separate and apart from each other.

63. **CONFIDENTIAL RECORDS:** Notwithstanding any provision to the contrary within this Contract, any party contracting with SBBC under this Contract shall fully comply with the requirements of Sections 1002.22 and 1002.221, Florida Statutes; Family Educational Rights and Privacy Act (FERPA), and any other state or federal law or regulation regarding the confidentiality of student information and records. Each such party agrees, for itself, its officers, employees, agents, representatives, contractors or subcontractors, to fully indemnify and hold harmless SBBC and its officers and employees for any violation of this section, including, without limitation, defending SBBC and its officers and employees against any complaint, administrative or judicial proceeding, payment of any penalty imposed upon SBBC, or payment of any and all costs, damages, judgments or losses incurred by or imposed upon SBBC arising out of a breach of this covenant by the party, or an officer, employee, agent, representative, contractor, or sub-contractor of the party to the extent that the party or an officer, employee, agent, representative, contractor, or sub-contractor of the party shall either intentionally or negligently violate the provisions of this section or of Sections 1002.22 and/or 1002.221, Florida Statutes.

Awardee agrees that it may create, receive from or on behalf of SBBC, or have access to, records or record systems that are subject to FERPA and/or HIPAA (collectively, the "Confidential Records"). Awardee represents, warrants, and agrees that it shall: (1) hold the Confidential Records in strict confidence and shall not use or disclose the Confidential Records except as (a) permitted or required by this Agreement, (b) required by law, or (c) otherwise authorized by the SBBC in writing; (2) safeguard the Confidential Records according to commercially reasonable administrative, physical and technical standards as required by law; and (3) continually monitor its operations and take any and all action necessary to assure that the Confidential Records are safeguarded in accordance with the terms of this Agreement. At the request of the SBBC, Awardee agrees to provide SBBC with a written summary of the procedures Awardee uses to safeguard the Confidential Records. A breach of these confidentiality requirements shall constitute grounds for the SBBC to terminate any Agreement with Awardee.

64. **PROPRIETARY INFORMATION:** Pursuant to Chapter 119, Florida Statutes, bids received as a result of this ITB shall not become public record until thirty (30) days after the date of opening or until posting of the recommendation for award, whichever occurs first. Thereafter, all bid documents or other materials submitted by all Bidders in response to this ITB shall be open for inspection by any person and in accordance with Chapter 119, Florida Statutes. To the extent a Bidder asserts any portion of its bid is confidential and exempt, long with specific citations of the Florida Statutes establishing the confidentiality or exemption. Failure to identify the portions of the bid claimed to be exempt or the specific statutory authority establishing the exemption shall be deemed a waiver by the Bidder that any unidentified portion of the bid is confidential or exempt from disclosure under Chapter 119, Florida Statutes.

Should a public records request for bid documents or other materials submitted by a Bidder be submitted, SBBC shall notify the contact person identified in the bid of the request in writing. The notice provided shall indicate that requested materials shall be produced unless, within ten (10) calendar days of the date of the written notification, the Awardee initiated an action in a court of competent jurisdiction to obtain an injunction or protective order prohibiting the release of the requested materials. Awardee shall name the party requesting the materials as a defendant and shall not name SBBC as a party to the action. Awardee agrees to hold SBBC harmless from any award to a plaintiff for damages, costs or attorney's fees based on nondisclosure of information asserted to be confidential and exempt. Failure to timely initiate the action shall be deemed a waiver by the Awardee that the requested information is confidential and exempt. Awardee agrees to waive any cause of action it may have against SBBC for the release of materials pursuant to a public records request except those based on the intentional or grossly negligent conduct of any employee of SBBC. Submission by a Bidder in response to this ITB shall be deemed as Bidder's consent to the foregoing conditions.

SECTION 4, SPECIAL CONDITIONS

1. **INTRODUCTION AND SCOPE:** The School Board of Broward County, Florida (hereinafter referred to as "SBBC") desires bids on **CAFETERIA EQUIPMENT** as specified herein. The scope of requirements includes, but is not limited to, **CAFETERIA EQUIPMENT**. The Awardee(s) shall receive individual Purchase Orders specifying the name and ship to address of the various schools, departments and centers.
2. **BID SUBMITTAL:** Bidders must submit the following with their bid, in time for Bid opening:
 - a. One (1) original, clearly marked, signed hard-copy of the ITB including the electronic Bid Summary Worksheet. All signatures must be in original.
 - b. One (1) identical electronic version of the bid, in PDF Format on a flash drive. (Please no CDs).
 - c. Bid Summary Sheet, in an Excel (.xls) format on the flash drive.

If there is a discrepancy between the hard copy and the electronic copy, the original hard copy shall govern. All materials submitted with bids need to be clearly marked with the Bidder's Name, Bid number and Bid Title and sent in time for bid opening to:

**Larissa Seda, Procurement & Warehousing Services Department
7720 West Oakland Park Blvd – Suite 323
Sunrise, FL 33351.
REF: ITB FY20-026 –Cafeteria Equipment**

Bidders are encouraged to use the mailing label provided on Attachment 7, Mailing Label, at the end of this document. No faxed or emailed bids will be accepted.

3. **TERM:** The award of this bid shall establish a contract for the period **beginning from January 1, 2020 and continuing through September 30, 2022**, or as specified by the School Board. Bids shall not be considered for a shorter period of time. All prices quoted must be firm for the period as stated in **Special Condition 21 – Price Adjustments**. Items shall be ordered on an as-needed basis. If only one bid is received, the term of the contract may be reduced to one year or adjusted as specified by the School Board.
4. **AWARD:** In order to meet the needs of SBBC, each GROUP or ITEM shall be awarded up to the two lowest responsive and responsible Bidders meeting specifications, terms and conditions. The lowest awardee for an item will be considered the primary vendor and should receive the largest amount of work. SBBC reserves the right to procure goods from the second lowest (alternate) Bidder if: a) the lowest Bidder cannot comply with delivery requirements or specifications; b) the lowest Bidder is not in compliance with delivery requirements or specifications on current or previous orders; c) in cases of emergency; or d) if it is in the best interest of SBBC.

Unit prices must be stated in the space provided on the electronic Bid Summary Sheet. Total extended prices by group or item will be used to determine the lowest bid. Bids for **individual items (not in groups)** must meet specifications in order to be considered for award. For **items in groups**, it is necessary to bid on every item in the group, and all items in the group must meet specifications in order to be considered for award. In the event that any item in the group does not meet the specifications, the entire group shall be disqualified. SBBC may need to order an individual component within a group. All items within a group must have an individual cost. Failure to state the individual cost for any item within a group shall result in disqualification of the group. Bidder should carefully consider each item for conformance to specifications.

Please refer to Section 8 – Supplier Diversity Outreach Program (SDOP) for information about the Affirmative Procurement Initiatives that will apply to the award of this solicitation.

SECTION 4 – SPECIAL CONDITIONS (Continued)

After award of this bid, any Awardee who violates any specification, term or condition of this bid can be found in default of its contract, have its contract canceled, be subject to the payment of liquidated damages, and be removed from the bid list and not be eligible to do business with SBBC for two years, as described in General Conditions 21 and 58.

5. **INFORMATION:** Any questions by prospective Bidders concerning this Invitation to Bid should be addressed to **Ms. Larissa Seda, Procurement and Warehousing Services, 754-321-0524 or e-mail at Larissa.seda@browardschools.com** who is authorized only to direct the attention of prospective Bidders to various portions of the bid so they may read and interpret such for themselves. Neither **Ms. Seda**, nor any employee of SBBC, is authorized to interpret any portion of the bid or give information as to the requirements of the bid in addition to that contained in the written bid document. **Questions should be submitted in accordance with General Condition 5 no later than September 13, 2019.** Interpretations of the bid or additional information as to its requirements, where necessary, shall be communicated to Bidders only by written Addendum. Any verbal or written information, which is obtained other than by information in this ITB document or by Addenda, shall not be binding on SBBC.
6. **CONTRACT RENEWAL:** The purpose of this bid is to establish a contract, at firm unit prices, for the purchase of estimated requirements for the items listed and may, by mutual agreement between SBBC and the Awardee, be renewed for two additional one-year periods and, if needed, 90 days beyond the expiration date of the final renewal period. Procurement and Warehousing Services, will, if considering renewing, request a letter of intent to renew from each Awardee, prior to the end of the current contract period. The Awardee shall be notified when the recommendation has been acted upon by the School Board. All prices shall be firm through the period stated in Special Condition 21 - Price Adjustments for the term of the contract. The Bidder(s) agrees to this condition by signing its bid.
7. **BIDDING PREFERENCE LAWS:** **ALL BIDDERS MUST COMPLETE AND SUBMIT SECTION 9, ATTACHMENT 3 TO BE CONSIDERED FOR AWARD.** The State of Florida provides a Bidder's preference for Bidders whose principal place of business is within the State of Florida for the purchase of personal property. The local preference is five (5) percent. Bidders whose principal place of business is outside the State of Florida must have an Attorney, licensed to practice law in the out-of-state jurisdiction, as required by Florida Statute 287.084(2), execute the "Opinion of Out-of-State Bidder's Attorney on Bidding Preferences" form, Section 7, Attachment 4, and must submit this form with submitted bid. Such opinion should permit SBBC's reliance on such attorney's opinion for purposes of complying with Florida Statute 287.084. Florida Bidders are not required to have an Attorney render an opinion but the Florida Bidder must complete its portion of this form. **Failure to submit and execute this form, with bid, shall result in bid being considered "non-responsive" and bid rejected.**
8. **CERTIFICATION OF DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION:** A copy of Form AD-1048 (1/92) is included as a part of these bid documents. Section 3017.510 of 7 CFR Part 3017 requires the submission of the completed Form: Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion - Lower Tier Covered Transactions (Section 9, Attachment 6). No vendor shall be allowed to participate in any procurement activity if any federal department or agency has debarred, suspended, or otherwise excluded that vendor from participation in a procurement activity. **This form must be completed, signed and submitted with the bid in order for the submitted bid to be considered for award.** Every time a bid is submitted that includes reference to this Form, a new Form is required. Any bid that does not include this required Form shall not be evaluated and shall not be considered for award. **(Please see General Condition 45.)**
9. **BRAND STANDARDIZATION:** In accordance with SBBC Policy 3320, Part II, Rule R., Bids shall be accepted only on the brands specified where **"ONLY Approved Brands" is indicated.** If a Bidder wishes to offer a product different from what's approved, it shall be for future bidding. Bidder will need to submit technical descriptive literature of the product to SBBC, at no cost, for evaluation purposes. If the model number of the approved product is no longer available and has been replaced with a new updated model with new specifications, the Bidder must indicate so on their bid and submit pricing and complete descriptive literature for the new model (Refer to Special Condition 11- Model Number Corrections).

SECTION 4 – SPECIAL CONDITIONS (Continued)

10. **DESCRIPTIVE LITERATURE:** If bidding other than the make(s) and model(s) specified in this bid (**allowed only where 'or other brands meeting bid specifications' is stated**), it is required that **complete descriptive technical literature on the item being bid, be submitted with the bid and in time for bid opening (preferably) or within five (5) days upon request.** Such literature shall be in sufficient detail to indicate conformance with the specifications of the make(s) and model(s) specified on the bid. Descriptive literature will need to be labeled with the bidder's name, bid number and bid item number. **Failure to provide this descriptive literature as indicated will result in disqualification of bid submitted for the item or group.**
11. **MODEL NUMBER CORRECTIONS:** If the **model number** for the make specified on the Bid Pricing Sheet is:
a) **no longer available** and has been replaced with a new updated model with new specifications, the Bidder must note the new model and price on their Bid Pricing Sheet, and submit complete descriptive literature for the new model number with their bid (preferably) or within 5 days upon request in order to be considered for award.
b) **incorrect, the corrected model number and price must be noted** on the Bid Pricing Sheet, in the space provided, and submit complete descriptive literature, with their bid (preferably) or within five (5) days upon request, to confirm the information. Failure to provide the descriptive literature as indicated will result in disqualification of the bid for the item.
12. **DELIVERY:** Bidder should indicate on the Bid Summary Sheet, in the spaces provided, the delivery time required after receipt of purchase order (ARO) for the bid item. **Delivery must not exceed 45 days after receipt of purchase order.** Offers which exceed this period, may be rejected if it is in the best interest of SBBC. Failure to indicate a delivery time on the Bid Summary Sheet will indicate bidder will agree to deliver the bid items within 45 days ARO. Orders must be filled as received and are not to be batched together.
- IMPORTANT: Deliveries of capital equipment (ovens, steamers, etc.) cannot exceed a maximum of two (2) schools/locations deliveries per day unless approved in writing by the Food and Nutrition Services Department.** This is required to properly coordinate with other SBBC departments that support these deliveries and to have enough staff available. Deliveries of carts, tables and rolling equipment not requiring electric hook-up are exempt from this requirement. Bidders must consider these requirements carefully.
- Awardee(s) are expected to have adequate stock or ordering systems that will ensure deliveries are promptly and accurately fulfilled as required and to immediately communicate to SBBC of any issues that may delay deliveries so that corrective action is taken.
13. **NEW EQUIPMENT:** Product offered shall be for **new** equipment; i.e., units that have not been previously used in any way and are being actively marketed by the manufacturer. Therefore, **reconditioned, refurbished, rebuilt, discontinued, used, shop worn, demonstrator, prototype equipment or other type of appliances of this kind are not acceptable and will be rejected.** Minor parts within the appliance, however, may have remanufactured components.
14. **MINIMUM SHIPMENT:** Price or quantity restrictions stated by any Bidder shall not be considered for award. Any bid which stipulates minimum order by quantity or dollar amount shall not be considered for award. Each item must be bid separately and no attempt is to be made to tie any item or items in with any other item or items. Doing so will result in disqualification of the bid submitted for that item(s). Orders are to be filled as received and are not to be batched together. For items in groups, SBBC may order items from that group in any configuration.
15. **QUANTITIES:** The quantities listed on the Bid Summary Sheet are estimated quantities to be ordered throughout the contract period for each item and are not a guarantee. Actual quantities ordered throughout the contract period may be greater or less than the bid estimates and shall be furnished at the fixed contract price. Purchases shall be requested as needed throughout the contract period.

SECTION 4 – SPECIAL CONDITIONS (Continued)

16. **COMPANY REPRESENTATIVE:** Bidder(s) should indicate, in the space provided on the Bid Summary Sheet, the name, address, telephone number, etc., of the representative who could make scheduled visits to the schools/departments and who shall be available, upon request, to resolve billing and delivery problems.
17. **FORCE MAJEURE:** Except for the provisions of this bid, each party shall be excused from performance under this bid only for such period of time as the failure to perform is caused by or attributable to any event or circumstance beyond the direct control of such party. It is further provided that if either party shall fail to make any delivery or perform any service required by this bid as a result of any such event or circumstances beyond its own direct control, it shall have the right to make such delivery or perform such service within a reasonable time after the cause of such delay has been removed, and the other party shall accept such deferred delivery or performance.
18. **LEAD-FREE STATEMENT:** All material supplied SBBC must be 100% lead free. Bidder, by virtue of signing bid, certifies that only materials or equipment that is 100% lead free shall be supplied to SBBC. No bid shall be considered unless this is agreed to by the Bidder.
19. **INVOICES:** Delivery copies, packing slips and invoices to SBBC **MUST** include the following to permit SBBC to verify prices with this contract and expedite the use of material.
- A. Material release number OR the control number
 - B. Purchase Order number
 - C. Complete description of the items
 - D. Itemized list prices
 - E. Total dollar amount shall be net

FAILURE OF AN Awardee TO PROVIDE THIS INFORMATION SHALL RESULT IN EITHER THE INVOICE BEING RETURNED FOR CLARIFICATION OR A DELAY IN PROCESSING SAID INVOICE FOR PAYMENT.

Each line of an invoice must refer to the corresponding line on the Purchase Order.

Invoices are to be mailed to The School Board of Broward County, Florida, Accounting and Financial Reporting Department, Attn: Accounts Payable, 600 S.E. 3rd Avenue, 7th Floor, Fort Lauderdale, Florida 33301

20. **MODEL UPDATES:** If, during the contract period, the awarded model is discontinued by the manufacturer, the Awardee must advise SBBC Procurement and Warehousing Services, in writing (including a letter from the manufacturer), of the non-availability of the contract item and submit complete descriptive literature for the new updated model for SBBC evaluation and approval. The replacement item must meet or exceed the specifications of the original contract item. Samples of the replacement item(s), if requested, must be supplied for evaluation by the appropriate SBBC staff at no cost to SBBC. SBBC shall not be held liable for any damages incurred to the product during evaluation.
21. **PRICE ADJUSTMENTS:** Unit prices offered on this bid must remain firm for the first **twelve (12) months** of this contract. Any request for price adjustment, with proper documented justification (letter from manufacturer indicating a price increase for the entire industry, not only for SBBC), shall be submitted, in writing, to the Procurement and Warehousing Services Department at least thirty (30) days prior to the effective date of the requested adjustment and take effect only when the Awardee has received written approval from SBBC. Any price adjustment invoiced without prior written approval from SBBC shall not be paid and the invoice returned to the Awardee for correction. Requests for price adjustments shall not exceed 3%. Price adjustment requests shall be evaluated on an annual basis thereafter.

Contract renewal periods for price increases will be subject to the same process. Price adjustments shall be negotiated in good faith with the Awardees and SBBC reserves the right to reject any price adjustments and cancel the renewal of any contract with an increase in prices.

SECTION 4 – SPECIAL CONDITIONS (Continued)

- 22. PRICE REDUCTIONS:** If, from date of bid opening, the Awardee either bids the same products at a lower price than offered to SBBC or reduces the price of the bid product, the lowest of these reduced prices should be extended to SBBC.
- 23. ACCEPTANCE OF MATERIALS:** The material delivered under this bid shall remain the property of the Awardee until a physical inspection and actual usage of this material is made and thereafter accepted to the satisfaction of SBBC and must comply with the terms herein, and be fully in accordance with specifications. In the event the material supplied to SBBC is found to be defective or does not conform to specifications, SBBC reserves the right to cancel the order upon written request to the Awardee and return the product to Awardee, at Awardee's expense. Awardee shall be responsible for pick-up of defective/rejected materials. After 30 days notification to the Awardee, if the materials are not removed, they become the property of SBBC. Awardee shall be responsible for any disposition charges.
- 24. PROTECTION OF WORK, PROPERTY AND PERSONNEL:** The Awardee shall at all times guard against damage and/or loss to the property of SBBC, and shall replace and/or repair any loss or damages unless caused by SBBC. SBBC may withhold payment or make such deductions, as it might deem necessary, to insure reimbursement for loss and/or damages to the property through negligence of the Awardee. The Awardee shall take the necessary safety precautions to protect both personnel and property while the work is in progress.
- 25. INSTRUCTION MANUALS:** Awardee is required to furnish an instruction manual for each item bid. Each manual shall contain definition of equipment capabilities, technical description of equipment operation, description of malfunction identification and troubleshooting procedures.
- 26. INSTALLATION:** All equipment shall be installed according to the standards established by the terms, specifications, drawings and construction notes and meet manufacturer's specifications and industry standards. All work performed by the Awardee and/or subcontractors pursuant to this contract shall meet industry accepted standards, and shall be performed in a professional and workmanlike manner by staff with the necessary skills, experience and knowledge. Installers must follow the following guidelines:
- A. Employee(s) of the installer shall report to the school's main office, register in the appropriate sign-in book, list the number of employees on the school site and sign out at the end of the day.
 - B. All of the installer's employees shall wear SBBC identification badges which contain a photo, individual's name and the company name. Other types of identification badges are not acceptable. Failure to properly wear and display identification will result in dismissal of installer's employee from School Board property.
 - C. All of the installer's employees shall be clean and appropriately dressed at all times while on school campus. Shirts shall be worn at all times.
 - D. Awardee/Installer shall furnish, at their own expense, all supervision, equipment, machines, tools, materials, labor, transportation and all necessary items needed to perform site preparation and installation of equipment.
 - E. Awardee shall protect all personnel (school staff and installer's employees), and students or others on school campuses against hazards and/or injuries that might result installer's work since generally the site preparation and installation of equipment will occur while school is in session. This shall include, but not be limited to the erection of barricades and signs to isolate the worksite and minimize the risk of injury to anyone on the school campus or site location.
 - F. Unpack, uncrate and install equipment at the site location in accordance with manufacturer's equipment specifications, bid specifications and SBBC policies and procedures. Installation shall include equipment set up, leveling, and installation of accessories, shelves, factory start-up and training. Final electrical, plumbing and gas hook-ups shall be done by SBBC personnel.
 - G. All rubbish, refuse, scrap materials and debris as a result of Awardee's installation must be cleared from the site location on a daily basis by the Awardee/installer. No rubbish, refuse or scrap materials as a result of installation shall be placed in SBBC dumpsters. Leave the work site clean and free of any debris at the end of each work day.
 - H. At completion of installation, the site shall be in a ready-to-use condition, free of debris.

SECTION 4 – SPECIAL CONDITIONS (Continued)

27. **PLACEMENT, SET-UP AND INSTALLATION:** Awardee(s) shall be responsible for inside delivery, setting in place, connecting separate items, removing cartons, installing refrigerator and warmer shelves, plug-in and remove tape when necessary. All tables, shelves, racks, etc. must be delivered completely assembled. Level equipment where necessary is required. When necessary, sealing and caulking to the floor must be completed upon delivery. No electrical or plumbing hook-ups are required with the exception of ice machines. Ice machine price is to include disconnecting the existing ice machine and slide out of way and hook up of new machine to existing utilities. Do not remove any school board owned equipment from the premises.

BID ITEM 30 PLACEMENT, SET-UP AND INSTALLATION: Awardee(s) shall be responsible for inside delivery, setting in place and connecting separate items. No electrical or plumbing hook-up is required. The installation should include, but not be limited to, removing tape, installing sneeze guards, tray rails, display cases, and other parts shipped separately, and removing and disposing all shipping materials. Awardee(s) must attach and level all separate pieces and leave serving line equipment ready for use. Awardee(s) is/are not responsible for final electrical and plumbing connections. Installation shall be completed on the same day of delivery. Factory start-up is required on all kettles, ovens, steamers, and combi-steamers.

The Food and Nutrition Services Department must be notified 72 hours in advance of delivery so that School Board electricians and plumbers can be notified of the upcoming installation and existing equipment can be disconnected and removed prior to vendor's arrival. Also, please refer to Special Condition 12 (Deliveries) for delivery requirements of capital equipment.

28. **WARRANTY:** Manufacturer's standard warranty must be provided on all bid items. Warranty shall begin after delivery and acceptance by the user of the product. Warranty shall be stated in the spaces provided in the Bid Summary Sheet.
29. **W-9 FORMS:** All Bidders are required to complete a W-9 form; it can be found at <https://www.irs.gov/pub/irs-pdf/fw9.pdf> , and submit with their bid. ***The W-9 form should also be accompanied by a printout of the bidder's corporation record as registered with the Division of Corporations, Florida Department of State which can be accessed at www.sunbiz.org.***

30. **ITB TIMELINE:**

a. Release of ITB	August 23, 2019
b. Written Questions due on or before 5:00 p.m. ET in Procurement & Warehouse Service Department:	September 13, 2019
c. Proposals due on or before 2:00 p.m. ET in Procurement & Warehousing Service Department: 7720 West Oakland Park Blvd., Suite 323, Sunrise, Florida 33351-6704	September 19, 2019
d. Posting or Recommendation	October 7, 2019

31. **APPLICABLE STANDARDS, ORDERS, AND REGULATIONS:**

Awardee shall be responsible for ensuring that its employees, agents and subcontractors comply with all applicable laws and regulations and meet all federal, state and local requirements related to their employment and position.

1. In contracts exceeding \$100,00, the SFA and the vendor shall comply with all applicable standards, orders, and regulations, including but not limited to:
 - a. The Clean Air Act (42 U.S.C. § 7401 *et seq.*), the Clean Water Act (33 U.S.C. § 1311–1330, § 1368) Executive Order 11738, and Environmental Protection Agency regulations (40 C.F.R. § 1.1 *et seq.*)

SECTION 4 – SPECIAL CONDITIONS (Continued)

- b. *Certification Regarding Lobbying* pursuant to 31 U.S.C. 1352 (2 C.F.R. Appendix II to Part 200) and *Disclosure of Lobbying Activities* pursuant to 31 U.S.C. 1352 (2 C.F.R. Appendix II to Part 200)
- c. *Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – Lower Tier Covered Transactions* pursuant to the regulations implementing Executive Order 12549, Debarment and Suspension (2 C.F.R. Appendix II to Part 200). The regulations were published as Part IV of the January 30, 1989, Federal Register (pages 4722-4733)

2. Vendors also certify compliance with:

- a. Energy Policy and Conservation Act (Pub. L. 94–163, 89 Stat. 871)
- b. Jessica Lunsford Act (Section 1012.32, Florida Statutes)
- c. Contract Work Hours and Safety Standards Act (29 C.F.R. Part 5)
- d. Executive Order 11246, entitled *Equal Employment Opportunity*, as amended by Executive Order 11375 and Department of Labor Regulation (41 C.F.R. Chapter 60)
- e. Copeland “Anti-Kickback” Act (18 U.S.C. 874) as supplemented in Department of Labor regulations (29 C.F.R. Part 3)
- f. Davis-Bacon Act (40 U.S.C. 276a to 276a-7) as supplemented by Department of Labor regulations (29 C.F.R. Part 5)
- g. Procurement of Recovered Materials. (2 C.F.R. 200.322 Solid Waste Disposal Act)

32. PROHIBITION OF GRATUITIES: By submission of a bid, a contractor certifies that no employee of SBBC has or shall benefit financially or materially from such bid or subsequent contract. Any contract issued as a result of this ITB may be terminated at such time as it is determined that gratuities of any kind were either offered or received by any of the aforementioned persons.

SECTION 5, BID SUMMARY SHEET

PLEASE USE NEW EXCEL SPREADSHEET

FY20-026 BID PRICING WORKSHEET

AVAILABLE AS AN ATTACHMENT FOR DOWNLOAD IN DEMANDSTAR

The Electronic Bid Pricing Worksheet must be submitted as per Special Condition 2 – Bid Submittal, in time for bid opening.

The Excel spreadsheet will auto-calculate the Per Line Extended Price and also the Group Total.

All materials submitted with bids need to be clearly marked with:

1. Bidder's Name
2. Bid Number
3. Bid Title

The electronic file has TWO sections (tabs):

COMPANY REPRESENTATIVE: Bidder is requested to fill out their contact information as per Special Condition 16.

Sample:

Bidder Info	
Company Name	
Company Representative	
Email Address	
Phone Number	

BID SUMMARY WORKSHEET: Bidder MUST fill out the sheet to offer their corresponding price per unit of measure as stated.

Sample:

ENTER BIDDER'S NAME HERE												
BID GROUP #	ITEM	SBBC use only	Description	Specifications	Approved Brands and Models	Brand Offered	Model Offered	Delivery Days ARO (Not to Exceed 30 Days)	WARRANTY	Estimated Quantity	Unit of Measure	Enter Price Per Unit of Measure
1	A	6001225	NON INSULATED SIDEWALL EXTRUDED UTILITY CABINET	Refer to Section 6 - Bid Specifications	Crescor Model 150-18400, Winholt EC1840-CTLPURC/LC/PEB -NO SUBSTITUTIONS					4	each	0.00
1	B	6000129	OPEN BAKERS RACK	Refer to Section 6 - Bid Specifications	Crescor Model 207-1820-SD, Win-Holt AL-1820/HD/LC -NO SUBSTITUTIONS					15	each	0.00
1	C	6001226	RACK, REFRIGERATOR ROLL-IN, OPEN	Refer to Section 6 - Bid Specifications	Crescor Model 273-65-12/1818 Winholt ALREF1118/64E/XB/LC -NO SUBSTITUTIONS					10	each	0.00

SECTION 6, BID SPECIFICATIONS

For items in GROUPS, it is necessary to bid on EVERY ITEM IN THE GROUP and ALL ITEMS IN THE GROUP MUST MEET SPECIFICATIONS to be considered for award. Enter prices offered in Excel Summary Worksheet.

Items in groups are to be ordered in any configuration.

ITEM 1 – TO BE AWARDED AS A GROUP

Item

1A **SAP Number:** **6001225**
Item Name: **NON INSULATED SIDEWALL EXTRUDED UTILITY CABINET**
Description: Minimum Size: 64-3/4" high x 20-7/8" wide x 27-1/2" depth. Formed and welded .100 aluminum top and .190 aluminum base. Cabinet posts to be 7/8" x 2-1/4" x .102 welded to top and base to form solid frame. Interlocking extruded aluminum sidewalls to store (39) 18 x 26 pans on 1-1/2 centers. Formed .100 aluminum door reinforced with 1/4" x 1-1/2" extruded bars mounted horizontally to top, bottom, and center and mounted on 3 butt hinges, field reversible. 5" swivel casters with sealed Delrin bearings with 250 lb. load capacity each. N.S.F. approved.
Unit price to include: Inside delivery, all shipping costs and complete assembly.
Manufacturer's standard warranty will apply.

Approved Brands: Crescor Model 150-1840D, Winholt EC1840-CTLPURC/LC/PEB ONLY

Item

1B **SAP Number:** **6000129**
Item Name: **OPEN BAKERS RACK**
Description: Super Duty Angle Ledge Utility Rack. 22" width x 29-5/8" depth x 69-3/4" height. Extruded Hi-Tensile aluminum welded construction with angles, additional braces, and 2 tie bars welded. Posts to be a minimum of 1-1/6" x 2" x .125 extruded channels. Top and bottom extruded channels to be 1-1/16" x 2-3/8" x .188 welded to posts. Pan slides to be 1-7/16" x 1-7/8" x .102 extruded angles riveted and welded to posts on 3" centers and to hold (20) 18" x 26" pans. To include 5" swivel modulus casters with sealed bearings and 250 lb. capacity each caster. Two casters with brakes.

Unit price to include: Inside delivery, all shipping costs and complete assembly.
Manufacturer's standard warranty applies.

Approved Brands: Crescor Model 207-1820-SD, Win-Holt AL-1820/HD/LC ONLY

Item

1C **SAP Number:** **6001226**
Item Name: **RACK, REFRIGERATOR ROLL-IN, OPEN**
Description: Rack, Angle Ledge Roll-in Refrigerator
Maximum size: 64-3/4" high x 20-1/4" wide x 26-1/2" depth. *Constructed of non-corrosive high tensile aluminum with lifetime warranty against rust and corrosion. All Construction is welded and finished. Side frames: formed 1" square tubular aluminum. Top, Center, and bottom supports: 1" square aluminum tubing welded to side frames. Casters bolted to plates and welded to bottom supports. Load capacity 200 lbs each caster. Extruded angles 1-1/4" x 3-1/4" x .102 welded to frames on 3" centers. Four finished welds to each angle ledge. Capacity: To hold (18), 18" x 26" or 12" x 20" pans.*
Unit price to include: Inside delivery and complete assembly.
Manufacturer's standard warranty will apply.

Approved Brands: Crescor Model 273-65-12/1818 Winholt ALREF1118/64E/XB/LC ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 2 – TO BE AWARDED AS A GROUP

Item #

- | | |
|-----------|--|
| 2A | SAP Number: 6000084 |
| | Item Name: RACKS, DUNNAGE 48" W |
| | Description: 12" high x 21" or 22" deep x 48" wide. One piece, polyethylene construction. Foamed in place for structural strength. Slotted top for air circulation around stored products. N.S.F. approved.
Cleaning clearance underneath 8-3/4". Load capacity minimum 1500 pounds.
Manufacturer's standard warranty will apply. |
| | Approved Brands: Cambro Model DRS-480, InterMetro Model HP2248PD, Continental Model 5948 Winholt PLSQ-4-1222 ONLY. |
| | |
| 2B | SAP Number 6000NEW |
| | Item Name RACKS, DUNNAGE 36" W |
| | Description 12" high x 21" or 22" deep x 36" wide. One piece, polyethylene construction. Foamed in place for structural strength. Slotted top for air circulation around stored products. N.S.F. approved.
Cleaning clearance underneath 8-3/4". Load capacity minimum 1500 pounds.
Manufacturer's standard warranty will apply. |
| | Approved Brands: Cambro Model DRS-360, Continental Model 5936, Winholt PLSQ-3-1222 ONLY. |

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 3 – TO BE AWARDED AS A GROUP

Item #

- 3 Item Name: SHELVING, ADJUSTABLE FOR DRY STORAGE**
- Description:** Wire shelving, rust resistant epoxy, open wire design. Constructed of heavy gauge carbon steel with a coating process that creates a corrosion resistant GREEN finish. Shelves adjustable on 1" increments. Weight capacity of entire shelf 36" or 48" with equal distribution of weight in minimum of 1500 lbs. 10-year limited warranty against rust. Adjustable levelers available for post feet. Must be green color and match existing Metro- Seal. **NSF approved.**
- Unit price to include: Inside delivery, uncrating, removal of packaging materials, four-tier assembly, all shipping costs and installation required. First shelf to be 7" AFF and remaining shelves to be spaced equally.**
- Approved Brands: InterMetro Metro-Seal, Eagle Group Eagleguard ONLY**
- 3A SAP Number and Item Size:** 6001233, **SHELF**, 21" Wide X 36" Long
- 3B SAP Number and Item Size:** 6006200, **SHELF**, 18" Wide x 36" Long
- 3C SAP Number and Item Size:** 6006201, **SHELF**, 18" Wide x 42" Long
- 3D SAP Number and Item Size:** 6006202, **SHELF**, 21" Wide x 42" Long
- 3E SAP Number and Item Size:** 6000136, **SHELF**, 21" Wide X 48" Long
- 3F SAP Number and Item Size:** 6006203, **SHELF**, 18" Wide x 48" Long
- 3G SAP Number and Item Size:** 600NEW, **SHELF**, 21" Wide x 54" Long
- 3H SAP Number and Item Size:** 600NEW, **SHELF** 24" Wide x 36" Long
- 3 I SAP Number and Item Size:** 600NEW, **SHELF** 24" Wide x 42" Long
- 3J SAP Number and Item Size:** 600NEW, **SHELF** 24" Wide x 48" Long
- 3K SAP Number and Item Size:** 600NEW, **SHELF** 24" Wide x 54" Long
- 3L SAP Number and Item Size:** 6000137, **POST** 63" High
- 3M SAP Number and Item Size:** 6004820, **POST** 75"High

Item #

- 4 SAP Number: 6001107**
- Item Name: STAND, UTILITY**
- Description:** Minimum size: 29" high x 33" wide x 25" long. Shelf size: 24" long x 32" wide. Utility stand is designed for holding, storing and transporting mixers, slicers, grinders and other types of small appliances and accessories. Stand has 18 gauge reinforced top supported by rigid 12 gauge angle legs. (4) 4" swivel casters are required, two with brakes. Easy to clean and sanitize. NSF approved. Unit price to include inside delivery and complete assembly of stand. Manufacturer's standard warranty will apply.

Approved Brands: Lakeside Model 518, and Seco Model SS-16-3033-AX ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 5 – TO BE AWARDED AS A GROUP

Item #

5A **SAP Number:** **6001148**
Item Name: **CART, UTILITY – SMALL**
Description: Minimum Size: 35 1/2" high x 18 5/6" wide x 31 1/2" long. Shelves to be 3-tier polyethylene, injection molded and 4 chrome plated posts. Shelves designed to resist staining and wipe clean easily. Handle shelf will have integrated utility tray and coved corners. Flat shelves built in 3" cutaway for additional legroom. Sturdy construction: rated at 150 lbs. per shelf. Easy no-tool assembly. (4) 4" non-marking swivel casters. Colors available in black, gray, blue. Cart to include nominal labels for easy identification. Blue model has Microban antimicrobial product protection. Manufacturer's standard warranty will apply. NSF approved. Unit price to include inside delivery and complete assembly.

Approved Brands: InterMetro Model MY1627-34 or other brands meeting bid specifications (Color code may be noted as last character(s) of model number)

Item #

5B **SAP Number:** **6000113**
Item Name: **CART, UTILITY, THREE SHELVES – LARGE**
Description: Minimum size: 35 1/2" high x 27 11/16" wide x 40 1/4" long. Shelves to be 3-tier polyethylene, injection molded and 4 chrome plated posts. Shelves designed to resist staining and wipe clean easily. Handle shelf will have integrated utility tray and coved corners. Flat shelves built in 3" cutaway for additional legroom. Sturdy construction: rated at 150 lbs. per shelf. Easy no-tool assembly. (4) 4" non-marking swivel casters. Colors available in black, gray, blue. Cart to include nominal labels for easy identification. Blue model has Microban antimicrobial product protection. Manufacturer's standard warranty will apply. NSF approved. Unit price to include inside delivery and complete assembly.

Approved Brands: InterMetro Model MY 2636-34 or other brands meeting bid specifications (Color code may be noted as last character(s) of model number)

Item #

5C **SAP Number:** **6000111**
Item Name: **CART, UTILITY, THREE SHELVES – MEDIUM**
Award Type: **TO BE AWARDED AS PART OF GROUP ITEM**
Description: Minimum size: 35 1/2" high x 23 7/16" wide x 34 3/8" long. Shelves to be 3-tier polyethylene, injection molded and 4 chrome plated posts. Shelves designed to resist staining and wipe clean easily. Handle shelf will have integrated utility tray and coved corners. Flat shelves built in 3" cutaway for additional legroom. Sturdy construction: rated at 150 lbs. per shelf. Impact-resistant surface will not chip, peel or dent. Easy no-tool assembly. (4) 4" non-marking swivel casters. Colors available in black, gray, and blue. Cart to include nominal labels for easy identification. Blue model has Microban antimicrobial product protection. Manufacturer's standard warranty will apply. NSF approved. Unit price to include inside delivery and complete assembly.

Approved Brands: InterMetro Model MY2030-34 or other brands meeting bid specifications

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 6 – TO BE AWARDED AS A GROUP

Item #

6A SAP Number: 6000068

Item Name: TABLE, UTILITY – 5'L X 2.5'W X 3"H

Description: **See Illustration 6A.** 5' long x 2-1/2' wide x 3' high. Tops to be 14 gauge stainless steel with channel edges all sides, no splash. Bull nose edge with marine edge. 18 gauge stainless steel undershelf. Stainless steel legs on casters. One stainless steel roller bearing drawer 20" x 20" x 5" deep. Mounted on 5" swivel number 5-40 126 J & J or equivalent casters, two with vertilok brakes. Overall table top height three feet. All Stainless steel to be 18/8 number 304 with a number four polish. Top 14 gauge, under shelf 18 gauge. Unit must be NSF approved. Unit price to include inside delivery, all shipping costs and complete assembly.

NOTE: For all custom made utility tables, a complete drawing, illustrating the following information, but not limited to, dimensions, sizes, type of materials and accessories, must be furnished for evaluation purposes. Failure to furnish a complete drawing will result in disqualification of bid item.

Manufacturer's warranty will apply. Inside delivery and set-up required.

Approved Brands: SPG International Model 5-SL-SLS-30 Table with TAC 1-4 casters and TAC 2020-S drawer, Elkay Custom Deluxe Spec-Line Series, Eagle Group Model T3060SE w/casters & drawer, Custom Stainless ONLY.

Item #

6B SAP Number: 6001110

Item Name: TABLE, UTILITY – 6'L X 2.5'W X 3"H

Description: **See Illustration 6B.** 6' long x 2-1/2' wide x 3' high. Tops to be 14 gauge stainless steel with channel edges all sides no splash. Stainless steel legs on casters. Bull nose edge with marine edge. 18 gauge stainless steel undershelf. One stainless steel roller bearing drawer 20" x 20" x 5" deep. Mounted on 5" swivel number 5-40 126 J & J casters, two with vertilok brakes. Overall table top height three feet. All Stainless steel to be 18/8 number 304 with a number four polish. Top 14 gauge, under shelf 18 gauge. Unit must be NSF approved. Unit price to include inside delivery, all shipping costs and complete assembly.

NOTE: For all custom made utility tables, a complete drawing, illustrating the following information, but not limited to, dimensions, sizes, type of materials and accessories, must be furnished for evaluation purposes. Failure to furnish a complete drawing will result in disqualification of bid item.

Manufacturer's standard warranty. Inside delivery and set-up required.

Approved Brand: SPG International Model 6-SL-SLS-30 Table with TAC 1-4 casters and TAC 2020-S drawer, Elkay Custom Spec Line, Eagle Group Model T3072SE w/casters & drawer, Custom Stainless ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 7 – TO BE AWARDED AS A GROUP

Item #

7A **SAP Number:** **6006281**
Item Name: **TABLE, WORK – STAINLESS STEEL – 60” LONG – NO CASTERS**
Description: **See Illustration 7A.** Top minimum 14 gauge stainless, under-shelf minimum 18 gauge stainless, **minimum 60" long x 24" wide x 35" high**. Stainless steel legs, no casters. Type 304 stainless steel with under-shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer's standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-2460SE, Gamenza Model T2460, Custom Stainless ONLY

Item #

7B **SAP Number:** **6000074**
Item Name: **TABLE, WORK - STAINLESS STEEL – 48” LONG – NO CASTERS**
Description: **See Illustration 7B.** Top minimum 14 gauge stainless steel, under shelf minimum 18 gauge stainless steel, **minimum 48” long x 24” wide x 35” high**. Stainless Steel legs, no casters. Type 304 stainless steel with under shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer's standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-2448SE, Gamenza Model T4824, Custom Stainless ONLY

Item #

7C **SAP Number:** **6001111**
Item Name: **TABLE, WORK - STAINLESS STEEL – 48” LONG – WITH CASTERS**
Description: **See Illustration 7C.** Top minimum 14 gauge stainless steel, under shelf minimum 18 gauge stainless steel, **minimum 48” long x 24” wide x 35” high**. Stainless Steel legs and 5” swivel, locking casters. Type 304 stainless steel with under shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer's standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-2448SE, Gamenza Model T-4824-C, Custom Stainless ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 7 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

7D **SAP Number:** **6000075**
Item Name: **TABLE, WORK - STAINLESS STEEL – 60” LONG – NO CASTERS**
Description: **See Illustration 7D.** Top minimum 14 gauge stainless steel, under shelf minimum 18 gauge stainless steel, **minimum 60” long x 30” wide x 35” high**. Stainless Steel legs, no casters. Type 304 stainless steel with under shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer’s standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-3060SE, Gamenza Model T6030, Custom Stainless ONLY

Item #

7E **SAP Number:** **6000076**
Item Name: **TABLE, WORK - STAINLESS STEEL – 72” LONG – NO CASTERS**
Description: **See Illustration 7E.** Top minimum 14 gauge stainless steel, under shelf minimum 18 gauge stainless steel, **minimum 72” long x 30” wide x 35” high**. Stainless Steel legs, no casters. Type 304 stainless steel with under shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer’s standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-3072SE, Gamenza Model T7230, Custom Stainless ONLY

Item #

7F **SAP Number:** **6001112**
Item Name: **TABLE, WORK - STAINLESS STEEL – 84” LONG – NO CASTERS**
Description: **See Illustration 7F.** Top minimum 14 gauge stainless steel, under shelf minimum 18 gauge stainless steel, **minimum 84” long x 30” wide x 35” high**. Stainless Steel legs, no casters. Type 304 stainless steel with under shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer’s standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-3084SE, Gamenza Model T8430, Custom Stainless ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 7 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

7G **SAP Number:** **6006181**
Item Name: **TABLE, WORK - STAINLESS STEEL – 48” LONG – WITH CASTERS**
Description: **See Illustration 7C.** Top minimum 14 gauge stainless steel, under shelf minimum 18 gauge stainless steel, **minimum 48” long x 30” wide x 35” high.** Stainless Steel legs and 5” swivel, locking casters. Type 304 stainless steel with under shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer’s standard warranty will apply. Inside delivery and set-up required. *

Approved Brand: Eagle Model T-3048SE, Gamenza Model T-4830-C, Custom Stainless ONLY

Item #

7H **SAP Number:** **6006182**
Item Name: **TABLE, WORK - STAINLESS STEEL – 36” LONG – WITH CASTERS**
Description: **See Illustration 7C.** Top minimum 14 gauge stainless steel, under shelf minimum 18 gauge stainless steel, **minimum 36” long x 24” wide x 35” high.** Stainless Steel legs and 5” swivel, locking casters. Type 304 stainless steel with under shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer’s standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-2436SE, Gamenza Model T-3624-C, Custom Stainless ONLY

Item #

7I **SAP Number:** **6006160**
Item Name: **TABLE, WORK - STAINLESS STEEL – 42” LONG – WITH CASTERS**
Description: **See Illustration 7C.** Top minimum 14 gauge stainless steel, under shelf minimum 18 gauge stainless steel, **minimum 42” long x 30” wide x 35” high.** Stainless Steel legs and 5” swivel, locking casters. Type 304 stainless steel with under shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer’s standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-3042SE, Gamenza Model T-4230-C, Custom Stainless ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 7 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

7J **SAP Number:** **6006161**
Item Name: **TABLE, WORK - STAINLESS STEEL – 36" LONG – WITH CASTERS**
Description: **See Illustration 7C.** Top minimum 14 gauge stainless steel, under shelf minimum 18 gauge stainless steel, minimum **36" long x 30" wide x 35" high**. Stainless Steel legs and 5" swivel, locking casters. Type 304 stainless steel with under shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer's standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-3036SE, Gamenza Model T-3630-C, Custom Stainless ONLY

Item #

7K **SAP Number:** **6006210**
Item Name: **TABLE, WORK – STAINLESS STEEL – 42" LONG – NO CASTERS**
Description: **See Illustration 7A.** Top minimum 14 gauge stainless, under-shelf minimum 18 gauge stainless, minimum **42" long x 24" wide x 35" high**. Stainless steel legs, no casters. Type 304 stainless steel with under-shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer's standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-2442SE, Gamenza Model T-2442, Custom Stainless ONLY

Item #

7L **SAP Number:** **6000073**
Item Name: **TABLE, WORK – STAINLESS STEEL – 60" LONG – WITH CASTERS**
Description: **See Illustration 7A.** Top minimum 14 gauge stainless, under-shelf minimum 18 gauge stainless, minimum **60" long x 24" wide x 35" high**. Stainless Steel legs and 5" swivel, locking casters. Type 304 stainless steel with under-shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer's standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-2460SE, Gamenza Model T-2460-C, Custom Stainless ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 7 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

7M **SAP Number:** **6006162**
Item Name: **TABLE, WORK – STAINLESS STEEL – 48” LONG – NO CASTERS**
Description: **See Illustration 7A.** Top minimum 14 gauge stainless, under-shelf minimum 18 gauge stainless, **minimum 48" long x 30" wide x 35" high.** Stainless steel legs, no casters. Type 304 stainless steel with under-shelf. NSF approved.

Unit price to include inside delivery and complete assembly. Manufacturer's standard warranty will apply. Inside delivery and set-up required.

Approved Brand: Eagle Model T-3048SE, Gamenza Model T-3048, Custom Stainless ONLY

Item #

8 **SAP Number:** **6001106**
Item Name: **TABLE FOR BAKER'S SCALE**
Description: **See Illustration 8.** Counter-top model, 24" x 24" square. All welded stainless construction. 14-gauge 304 stainless steel top with marine edge. Top reinforced with stainless steel hat channels. Undershelf 14 gauge type 304 stainless steel. Stainless steel gussets. Legs to be 1-5/8" round stainless steel tubing with 1" adjustable stainless steel clad feet. Legs inserted and welded into hat channel.

Manufacturer's standard warranty will apply. Unit price to include complete assembly and inside delivery (placement of table). Inside delivery and set-up required.

Approved Brand: Winholt ES/MX2424/14GA or other brands meeting bid specifications

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 9 – TO BE AWARDED AS A GROUP

Item #

9A SAP Number: 6001079

Item Name: OVEN, STACK PIZZA CONVEYOR – 120-208 VOLT

Description: Two conveyor ovens stacked (each with independent electrical and heating systems). Ovens to utilize Air Impingement technology allowing for rapid heating, cooking, baking and crisping of foods-four times faster than convection ovens. Oven to provide adjustable stainless steel air columnating panels (three above and four below conveyor) to distribute heat evenly and provide uniform baking. Variable speed continuous cook platform (conveyor) offers safety by eliminating the need for tending pans in a hot oven. Air impingement diffusers to be easily removed and taken apart for cleaning. Front-loading conveyor (18" Wide X 59" Long) to be stainless steel framed and have stainless steel conveyor links. Oven to provide conveyor belt direction reversal switch. All components that require cleaning to be easily removable – without tools. Ovens to be secured to heavy gauge stainless steel bolt-through square tubular frame stand with legs (shipped knocked down).
Oven to have easy to read, digital and adjustable time/temperature display and power on/off switch. Each stack to include:

- 1 each stainless steel square tubular bolt through stand rated for 800 lb. capacity with LEGS
- 2 each 12.5" removable s/s exit shelf with stop
- 4 each aluminum crumb tray
- 2 each glass access windows

Electrical: 120-208V/60 Hz/3 Phase. 28 Amp per oven.

Warranty: 2 year manufacturer parts and labor. All parts and labor included in the unit price. Start-up checkout provided at no charge by Authorized Lincoln Servicer after plumbing and electrical installation is complete.

Demonstration of equipment is required at school cafeteria locations by factory representative for a minimum of one lunch period.

Price must include inside delivery, set-in-place and stacking per factory I/O manual. Gas and electrical connections will be done by SBBC.

Approved Brands: Lincoln Model 1180-FB2E ONLY 208V/ 3 phase. Easy Order Package.

Includes 2 each of: 1132 FASTBAKE Lincoln Ovens, 1120-1 stand with LEGS, 2 each of #1140 12.5" S/S Exit shelves, 4 each crumb trays and 2 each FASTBAKE KIT #KF005

Item #

9B SAP Number: 6002199

Item Name: OVEN, STACK PIZZA CONVEYOR – 480 VOLT

Description: Same as 9A, except 480 volt, 3 Phase.

Approved Brands: 1180-FB2E with easy order package as stated above. ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 10 – TO BE AWARDED AS A GROUP

Item #

10A SAP Number: 6001252
Item Name: COOLER, MILK – 8 CRATES
Description: COOLER, MILK – 8 CRATES
Drop front style cooler, all stainless steel Type 300 stainless front, top, sides, doors and interior. Forced Air Only. Storage capacity 8 crates (13" x 13" x 11"). Stainless steel floor on top of minimum of 18 gauge galvanized steel with heavy-duty floor rack. Foamed-in-place polyurethane minimum 1-5/8" high-density insulated door. Self contained refrigeration system, no plumbing required. 4" – 5" heavy-duty swivel casters, 2 with brakes. Cylinder lock or pad lock for security. Nema 5-15P cord/cap, minimum cord length 8 feet. **NSF and UL approved.**
Warranty: Two year manufacturer's warranty, all parts and labor, 5 years on compressor must be included in unit price. Price must include inside delivery and complete operational setup.

**Approved Brands: True Mfg. Model TMC-34-S-SS-HC,
Beverage Air Model SMF34HC-1-S ONLY.**

Item #

10B SAP Number: 6001253
Item Name: COOLER, MILK – 12 CRATES
Description: Drop front style cooler, all stainless steel Type 300 stainless front, top, sides, doors and interior. Forced Air Only. Storage capacity 12 crates (13" x 13" x 11"). Stainless steel floor on top of minimum of 18 gauge galvanized steel with heavy-duty floor rack. Foamed-in-place polyurethane minimum 1-5/8" high-density insulated door. Self contained refrigeration system, no plumbing required. 4" – 5" heavy-duty swivel casters, 2 with brakes. Cylinder lock or pad lock for security. Nema 5-15P cord/cap, minimum cord length 8 feet. NSF and UL approved.
Warranty: Two year manufacturer's warranty, all parts and labor, 5 years on compressor must be included in unit price. Price must include inside delivery and complete operational setup.

**Approved Brands: True Mfg. Model TMC-49-S-SS-HC,
Beverage Air Model SMF49HC-1-S ONLY.**

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 10 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

10C SAP Number: 6001335

Item Name: COOLER MILK – 16 CRATES

Description: Drop front style cooler, all stainless steel Type 300 stainless front, top, sides, doors and interior. Forced Air Only. Approx. 58" long. Storage capacity 16 crates (13" x 13" x 11"). Stainless steel floor on top of minimum of 18 gauge galvanized steel with heavy-duty floor rack. Foamed-in-place polyurethane minimum 1-5/8" high-density insulated door. Self-contained refrigeration system, no plumbing required. Bottom floor drain. 4" – 5" heavy-duty swivel casters, 2 with brakes. Cylinder lock or pad lock for security. Nema 5-15P cord/cap, minimum cord length 8 feet. **NSF and UL approved.**

Warranty: Two year manufacturer's warranty, all parts and labor, 5 years on compressor must be included in the unit price. Price must include inside delivery and complete operational setup.

**Approved Brands: True Mfg. Model TMC-58-S-SS-HC
Beverage Air Model SMF58 HC-1-S ONLY**

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 11 – TO BE AWARDED AS A GROUP

Item #

11A SAP Number: 6002182

Item Name: RANGE, EXPANDO COOKING – ELECTRIC – 208 VOLT

Description: All-purpose two-burner range. Front, exterior bottom including base channel, and fastening devices to be all stainless steel. Top shall have two 9" solid, round cast iron hot plates with formed tubular heating element. Grease troughs on front and back of cooking area or porcelain enamel grease drawer under cook top. Internal limit overload protection available only on 208 volt units. Working height to be 36" or 37" high x 12" wide x 36" to 38" front to rear. 208 volt, one phase. Service manual, parts list, and wiring diagrams must accompany each delivered unit. Warranty: Two-year manufacturer's warranty, all parts and labor must be included in the unit price. Unit Price must include uncrate, set in place & level, remove plastic, provide service manuals, schematic diagrams and on-site demonstration for each delivered unit.

Approved Brand: Vulcan-Hart Model EV 12-2FP-208 ONLY

Item #

11B SAP Number: 6002183

Item Name: RANGE, EXPANDO COOKING – ELECTRIC – 480 VOLT

Description: Same as 11A, except 480 volt, three phase.

Approved Brand: Vulcan-Hart Model EV 12-2FP- 480 ONLY

Item #

12 SAP Number: 6001227

Item Name: RANGE, EXPANDO COOKING – GAS FIRED (LP OR NATURAL)

Description: All purpose hot top range. Two open burners (35,000 BTU each). Front, exterior bottom including base channel, and fastening devices to be all stainless steel. Unit to be no greater than 17" wide, and a 27" cooking surface depth. Unit to have 27" deep cooking surface, total depth of unit not to exceed 38". 10" stainless steel low profile back guard. Front and cap, rear gas connection. Removable ring grates over each burner. Automatic Burner ignition. National Sanitation Foundation (NSF) and Canadian Standards Association (CSA) approved. Service manual, parts list, and wiring diagram must accompany each unit. Warranty: Two-year manufacturer's warranty, all parts and labor must be included in the unit price. INSTALLATION REQUIRED.

Approved Brand: Garland Model M4S ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 13 – TO BE AWARDED AS A GROUP

Item #

13A SAP Number: 6000133

Item Name: KETTLE, STEAM JACKET – ELECTRIC – 208 VOLT

Description: Electrically heated completely automatic, self-contained 2/3 jacketed steam kettle. Capacity 40 gallons, **Kettle proper shall be of type 316 stainless steel** solid one piece welded construction. **All exposed surfaces to be stainless steel.** Overall height not to exceed 38". Stainless steel, type 304, inside finish to be polished to a **180 emery grit finish**. Exterior of kettle shall be finished to a #3 finish, ensuring maximum ease in cleaning and maintaining brilliant appearance. Kettle furnished with a sanitary tangent draw-off 2" diameter made of stainless steel complete with **1/4"** removable perforated strainer. Reinforced bar rim for kettle stability. All controls shall be contained in a stainless steel enclosure within easy reach of operator. Controls include a thermostat, pilot light, pressure/vacuum gauge, contactor, water level sight glass, safety valve, and low water cut-off. Temperatures controlled from 150° to 270° F. and with a working steam pressure of up to 30 PSI. KW rating not to exceed 24 KW at 208 volt for this unit. Contactors and relay to be mounted onto side of unit. Complete with single hole deck mount faucet, 12" swing nozzle, 44" flex hose, spray valve, 6" wall bracket, and 1/2" male inlet, T&S model 5PR-1S12. Unit mounted on stainless steel legs. Unit to be NSF approved **and NSF listed for sale in USA.**

Service manual, parts list, and wiring diagrams must accompany each delivered unit.

208 Volt, 3 phase.

Warranty: **Two (2)** year manufacturer's warranty on all parts and labor must be included in the unit price.

Provide T&S faucet and sprayer referenced above as separate line item and included in unit price.

Unit Price must include uncrate, set in place & level, remove plastic, factory start-up, service manuals, schematic diagrams, and on-site demonstration for each delivered unit.

Approved Brand: Groen Model EE40 with T&S model 5PR-1S12 ONLY

Item #

13B SAP Number: 6001232

Item Name: KETTLE, STEAM JACKET – ELECTRIC – 480 VOLT

Description: Same as 13A, except 480 volt, three phase.

Approved Brand: Groen Model EE40 with T&S model 5PR-1S12 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item #

14 SAP Number: 6001230

Item Name: KETTLE, STEAM JACKET – GAS FIRED – (LP OR NATURAL)

Description: Self-contained, completely automatic, 2/3-jacketed stainless steel kettle, operating from gas heated steam source contained within unit. Capacity 40 gallons, (W) approximately 43", and overall height not to exceed 41". Solid one piece welded construction. Type 316 stainless steel, inside finish to be polished, outside jacket stainless steel with stainless steel legs. Type 316 stainless steel kettle liner. Outer sheathing air or fiber insulated. Kettle furnished with a sanitary tangent draw-off 2" diameter made of stainless steel. Drain outlet shall be equipped with a removable ¼" perforated stainless steel strainer. Reinforced bar rim for kettle stability. Temperatures controlled from 150° to 270° F. and with a working steam pressure of up to 30 PSI. All controls shall be contained in a stainless steel enclosure. Controls to include regulating thermostat, power-ON switch, Power-On indicator light, heat indicator light, low water indicator light, low water cut-off, pressure limit regulator, pressure gauge, a gas regulator valve and electronic ignition module, water level sight glass; with all operating controls front mounted. Complete with single hole deck mount faucet, 12" swing nozzle, 44" flex hose, spray valve, 6" wall bracket, and ½" male inlet, T & S model 5PR-1S12. Unit requires ½" NPT gas line and 115V electric supply to operate controls.

Unit to be National Sanitation Foundation (NSF) **approved.**

Service manual, parts list, and wiring diagrams must accompany each delivered unit.

Warranty: **Two (2)** year manufacturer's warranty on all parts and labor must be included in the unit price.

Include T&S faucet and sprayer referenced above as separate line item and included in unit price.

Approved Brand: Groen Model AH1E-40 with T&S model 5PR-1S12 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 15 – TO BE AWARDED AS A GROUP

Item #

15A SAP Number: 6000813

Item Name: REFRIGERATOR, TWO-DOOR, TWO SECTION

Description: Construction to be stainless steel exterior door, front, sides, & interior floor. Aluminum interior side walls and back. 20 gauge stainless steel door & door interior. Foamed-in-Place Polyurethane Insulation throughout. Front shroud to lift up for easy access to clean condenser coil. Refrigeration to be R-134a or R290. Top mount refrigeration system. All-in-one SIMPLE controller with maximum of 4 parameters that is pre-programmed from the factory. Four sensors on front controller to include temp setting, manual defrost, and lockout. Exterior digital temperature display; automatic LED lighting with door switch. Durable removable snap-in magnetic gasket. Self-closing door with stay open feature. Lifetime guarantee on ergonomic door handle and cam-lift door hinges. Heavy duty cylinder or bolt locks with lifetime warranty. One door to have three (3) heavy-duty, epoxy coated or chrome shelves. One door complete with a minimum of 9 sets of universal tray/pan slides on 4" centers to accept bottom support 18" x 26" pans. All condensate water is disposed of automatically by the energy efficient, non-electric condensate evaporator. Condenser coil to be out of food zone. If expansion valve system Compressor to have high-pressure cut-off switch. If a capillary tube system then system must be oversized and balanced for quick recovery and pull down. Maintains temperatures of 33 degrees – 38 degrees. Inside storage capacity to be a minimum of 46 useable cubic feet. Heavy-duty 5" polyurethane plate casters, two with brakes. Size: Maximum height 84-1/4" on wheels, depth 35", length 52-53". 115V/60Hz/1 phase, amp draw not to exceed 11.0 with 9' or 10' Nema 5-15P cord/cap. NSF and UL approved.

Warranty: Three year manufacturer's warranty, all parts and labor, five years for compressor must be included in the unit price.

Price to include uncrate, set in place, removal of cartons, installation of shelves and clips, pan slides and casters, plug in and make ready for use.

Must ship from factory within 4 weeks of receipt of purchase order.

Approved Brand: Victory Model RSA-2D-S1, TRUE STA2R-2S-HC with 1 each kit #1 and 1each kit #4, Continental DL2R-SA ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 15 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

15B SAP Number: 6000814

Item Name: REFRIGERATOR, THREE-DOOR, THREE SECTION

Description: Construction to be stainless steel exterior door, front, sides, & interior floor. Aluminum interior side walls and back. 20 gauge stainless steel door & door interior liner. Front shroud to lift up for easy access to clean condenser coil. Refrigeration to be R-134a or R290, foamed-in-place polyurethane insulation throughout. Top mount refrigeration system. All-in-one SIMPLE controller with maximum of 4 parameters that is pre-programmed from the factory. Four sensors on front controller to include temp. setting, manual defrost, and lockout. Exterior digital temperature display; automatic LED interior light with door switch. Durable removable magnetic snap-in gasket with 2 year warranty. Self-closing door with stay open feature. Lifetime guarantee on door handle and cam-lift door hinges. Heavy duty cylinder or bolt locks with lifetime warranty. Two doors to have three (3) heavy-duty, epoxy coated or chrome shelves. One door complete with a minimum of 9 sets of universal tray/pan slides on 4" centers to accept bottom support 18" x 26" pans. All condensate water is disposed of automatically by the energy efficient, non-electric condensate evaporator. Condenser coil to be out of food zone. If expansion valve system, Compressor to have high-pressure cut-off switch. If a capillary tube system, then system must be oversized and balanced for quick recovery and pull down. Inside storage capacity to be a minimum of 70.09 useable cubic feet. Refrigerator to include the following options: heavy-duty 5" polyurethane plate casters, two with brakes, Maximum height 84-1/4" on casters, max. depth 35". Length 76-78". 115V/60Hz/1 phase, amp draw not to exceed 11.0 with 9' or 10' Nema 5-15P cord/cap. NSF and UL approved.

Warranty: Three year manufacturer's warranty, five years for compressor must be included in the unit price. Warranty on compressor to be completely handled by service company for 5 years.

Price to include uncrate, set in place, removal of plastic and cartons, installation of shelves and clips, plug in, and make ready for use.

Must ship from factory within 4 weeks of receipt of purchase order.

Approved Brands: Victory Model RSA-3D-S1, TRUE STA3R-3S with 2 each kit #4 and 1 each kit #1, Continental DL3R-SA ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item #

16 **SAP Number:** **6000069**

Item Name: **CABINET, WARMING – ONE DOOR, ROLL THROUGH – 208 VOLT**

Description: Cabinet insulation to be polyurethane foam. Construction to be stainless exterior and aluminum interior with stainless steel floor and s/s ramps. 20 gauge stainless steel door & door interior line. Front shroud to lift up for easy access to clean condenser coil. Foamed in place polyurethane insulation. Durable removable magnetic snap-in gasket with 2 year warranty. Self-closing door with stay open feature. Lifetime guarantee on ergonomic door handle and cam-lift door hinges. Heavy duty cylinder or bolt locks with lifetime warranty. Clear inside door openings to be minimum of 27-1/4" wide x 66-1/4" high allowing use of 27" wide x 29" deep x 64.5" high mobile racks. Rack offered must fit inside cabinet. Furnish with UL approved automatic 1500 watt heating system. 115/208/240/60/1 or 208/60/1. Include power indicator light, and digital thermometer. **Unit is to be National Sanitary Foundation (NSF) and Underwriter's Laboratories (UL) approved.** To include one fully welded rack of structural aluminum designed for fit in pass-through warmers. Rack must have 18 extruded angle ledge to hold bottom of pan with heavy duty 5" plate casters, 2 with brakes.
Warranty: Three year manufacturer's warranty on all parts and labor must be included in the unit price. Price to include set up which includes uncrate, set in place, removal of plastic on unit and removal of cartons.

Vendor responsible for leveling cabinet and **caulking or sealing to floor upon delivery to the schools.** Wheels of rack must fit inside door with door closed. Installation of unit must be leveled and shimmed if necessary and sealed to the floor.

Approved Brands: Victory Model HISA-1D-1-PT , True Model STA1HRT-1S-1S with Rack – Crescor Model 207-1818C or New Age Model 1335 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item #

17 **SAP Number:** **6001334**

Item Name: **REFRIGERATOR, TWO DOOR, ROLL-THROUGH WITH FULL DOORS**

Description: Two-door roll-through refrigerator with full doors. Construction to be stainless steel exterior and aluminum interior with stainless steel floor and s/s ramps. 20 gauge stainless steel door & door interior liner. Foamed in place polyurethane insulation. Refrigeration to be R-134A or R290 where available. Durable removable magnetic snap-in gasket with. Self-closing door with stay open feature. Lifetime guarantee on ergonomic door handle and cam-lift door hinges. Heavy duty cylinder or bolt locks with lifetime warranty. Each door opening accepts mobile storage rack 27" w x 29" d x 64.5" high. All-in-one SIMPLE controller with maximum of 4 parameters that are pre-programmed from the factory. Four sensors on front controller to include temp. setting, manual defrost and lockout. Exterior digital temperature display; automatic LED interior light with door switch. All condensate water is disposed of automatically by the energy efficient, non-electric condensate evaporator. No plumbing required. Power supply at top. Provide evaporator coil out of food zone. Condensing unit top mounted, air-cooled. If a capillary tube system, then system must be oversized and balanced for quick recovery and pull down. Maximum height of 84 - 1/4", max. depth 36 5/8", and length 68"-69". Voltage to be 115/60/1 with 1/2 - 3/4 H.P. Compressor. Amp draw not to exceed 11.0 with 9' or 10' Nema 5-15P cord/cap. Upper end panels shall be removable allowing accessibility for service from front or sides. Unit is to be National Sanitary Foundation (NSF) and Underwriter's Laboratories (UL) listed.

Warranty: Three year manufacturer's warranty on all parts and labor with warranty, five years on compressor must be included in the unit price.

Awardee must provide parts list, service manual, and schematics with each delivered unit. Ship with UL approved six-foot cord and plug set. Furnish with two roll-in racks all welded construction w/stem casters and universal pan slides.

Set up includes uncrate, set in place, removal of cartons and removal of plastic on unit. Unit must be leveled and shimmed if necessary unit to be sealed to the floor. Bidder is responsible for leveling unit and caulk around perimeter to seal to floor, and verifying clearance of all doors leading to kitchen **upon delivery to the schools.**

Approved Brands: REFRIGERATOR - Victory Model RISA-2D-S1-PT 7 or TRUE STA2RRRT-2S-2S with RACKS – Crescor Model 207-1818C or New Age Model 1335 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item # (TO BE AWARDED AS A GROUP)

18A **SAP Number:** 6000810

Item Name: FREEZER, REACH-IN, SELF-CONTAINED, THREE DOOR

escription: Cabinet to be 78" wide x 35 1/2" deep x 83 1/4 high. Max. height 83 -1/4" with full length doors. 304 Stainless Steel interior and exterior, including case top, bottom and rear. Breaker strips to have 304 stainless steel breaker covers. Floor to be reinforced with heavy duty leg channels and plates, to withstand extra heavy loads. Doors to be self-closing with built in locks and heavy duty hinges, and replaceable magnetic gaskets. Interior lighting to be controlled by opening and closing of doors. Adjustable 6" stainless steel legs. Interior to be equipped with four heavy duty epoxy-coated steel shelves per section, (eight total), 304 stainless steel floor rack in each section. 3/4 HP, 115V/208/60HZ, Expansion valve option with receiver tank refrigeration system, low pressure control to be mounted on control box. System to have suction access port and high side receiver service port. System to use R-404A refrigerant, and to operate at 0 degrees. Power cord to be NEMA 5-20 with 90 degree plug to be supplied. Condensate removal to be handled by 304 stainless steel hot gas loop with drain pan. External mounted digital thermometer with hi/low alarm. Unit to be NSF and UL listed or others applicable to US Standards. Include optional 5" heavy duty polyurethane casters, 2 with brakes.
Three year Warranty on Parts and Labor
Five year Warranty on compressor motor

Approved Brand and Model: Continental # DL3F-SS/00DC ONLY

Item # (TO BE AWARDED AS A GROUP)

18B **SAP Number:** 6000811

Item Name: FREEZER, TWO SECTION, FULL LENGTH DOORS, TOP MOUNTED, REACH-IN

Description: Cabinet to be 52" wide x 35 1/2" deep x 83 1/4 high. Max height 83-1/4"
304 Stainless Steel interior and exterior, including case top, bottom and rear. Breaker strips to have 304 stainless steel breaker covers. Floor to be reinforced with heavy duty leg channels and plates, to withstand extra heavy loads. Doors to be self-closing with built in locks and heavy duty hinges, and replaceable magnetic gaskets. Interior lighting to be controlled by opening and closing of doors. Adjustable 6" stainless steel legs. Interior to be equipped with four heavy duty epoxy-coated shelves per section, (eight total), 304 stainless steel floor rack in each section. 3/4 HP, 115V/60HZ, Expansion valve option with receiver tank refrigeration system, low pressure control to be mounted on control box. System to have suction access port and high side receiver service port. System to use R-404A refrigerant, and to operate at 0 degrees. Power cord to be NEMA 5-20 with 90 degree plug to be supplied. Condensate removal to be handled by 304 stainless steel hot gas loop with drain pan. External mounted digital thermometer with hi/low alarm. Include optional 5" heavy duty polyurethane casters, two with brakes. Unit to be NSF and UL listed or others applicable to US Standards.
Three year Warranty on Parts and Labor
Five year Warranty on compressor motor

Approved Brand and Model: Continental # DL2F-SS/00DC ONLY

Item #

19 **SAP Number:** 6002185 – NO LONGER IN USE

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item #

20 **SAP Number:** **6002185**
Item Name: **WARMER, DISPLAY**
Description: Adjustable display warmer with two-bulb reflectors and display base that accepts 12" x 20" steam table pans. Warmer to be 19-1/4" long x 13" wide x 28-1/4" high, with 6" wide bulb holder and 11-3/4" - 19-3/4" adjustable clearance between bottom of reflector and base. 120 volt, 500 watt with two 250W infrared bulbs included. Reflectors to be stainless steel, vented at the top, capable of holding one 250W bulb. On/off switch and six foot cord and plug included. To be delivered completely assembled. Manufacturer's standard warranty will apply.

Approved Brands: American Permanent Ware Model DW-1A, Nemco Model 6000A-2 ONLY

Item #

21 **SAP Number:** **6000020**
Item Name: **MERCHANDISER, GLASS DOOR**
Description: Factory engineered self-contained and energy efficient refrigeration system, – interior temperature holds 33 degrees F to 38 degrees F. If cap tube system, extra-large evaporator with higher horsepower compressor. Condensing unit positioned for easy maintenance. Self- lubricating evaporator fan motor(s) and larger fan blades for high volume air flow or equivalent to pull down warm product faster. Exterior to be non-peel or chip black or white laminated vinyl. Interior white aluminum with stainless steel floor. Entire cabinet insulated with foamed-in-place high density polyurethane insulation with zero ozone depletion potential. Door to have double pane thermal insulated glass with extruded alumina frame or equivalent. Positive seal closure with one piece magnetic door gasket without use of tools. LED lighting in interior w/ safety shield. To have four adjustable heavy-duty wire shelves with four clips per shelf. Approx. dimensions 27" w x 30" d x 78 5/8" h. Height not to exceed 80".
Pre-wired at factory and ready for final connection to a 115/60/1 phase, 15 amp dedicated outlet. Nema 5-15R cord and plug set included. Provide with factory installed lock.
Warranty: Three years manufacturer's warranty, all parts and labor with two extra years warranty on compressor. Price must include freight, inside delivery and complete operational setup.

Approved Brands: True Model GDM-23-HC-TSL01 w/ optional barrel lock or other brands meeting bid specifications

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 22 – TO BE AWARDED AS A GROUP

Item #

22	Item Name:	SHELVING, ADJUSTABLE FOR WALK-IN COOLERS
	Description:	Removable open grid shelf mats are injection-molded polypropylene with built in Microban antimicrobial protection. With epoxy coated steel frames and posts. Weight Capacity for evenly distributed loads is 800 lbs. per shelf for lengths 36" to 48". Sizes indicated below are approximate. Bidders can offer sizes within the range of +/-2". <u>Individual shelf price to include:</u> Inside delivery, uncrating, removal of packaging materials, four tier assembly and INSTALLATION REQUIRED inside walk-in cooler/freezer, and demonstration of features to Food Service managers. First shelf to be 6" AFF and remaining shelves to be spaced equally. Installation of shelves and posts included in bid price. Manufacturer's standard warranty will apply.
		Approved Brands: InterMetro "MetroMaxQ", Amco Plastic Plus or other brands meeting bid specifications.
22A	SAP Number and Item Size:	6001239 SHELF, 18" Wide X 24" Long (QG)
22B	SAP Number and Item Size:	6001238 SHELF, 18" Wide X 30" Long (QG)
22C	SAP Number and Item Size:	6001234 SHELF, 18" Wide X 36" Long (QG)
22D	SAP Number and Item Size:	6000138 SHELF, 18" Wide X 42" Long (QG)
22E	SAP Number and Item Size:	6000139 SHELF, 18" Wide X 48" Long (QG)
22F	SAP Number and Item Size:	6001240 SHELF, 18" Wide X 54" Long (QG)
22G	SAP Number and Item Size:	6001236 SHELF, 18" Wide X 60" Long (QG)
22H	SAP Number and Item Size:	6001241 SHELF, 24" Wide X 24" Long (QG)
22I	SAP Number and Item Size:	6001242 SHELF, 24" Wide X 30" Long (QG)
22J	SAP Number and Item Size:	6001243 SHELF, 24" Wide X 36" Long (QG)
22K	SAP Number and Item Size:	6001244 SHELF, 24" Wide X 42" Long (QG)
22L	SAP Number and Item Size:	6001245 SHELF, 24" Wide X 48" Long (QG)
22M	SAP Number and Item Size:	6001246 SHELF, 24" Wide X 54" Long (QG)
22N	SAP Number and Item Size:	6001247 SHELF, 24" Wide X 60" Long (QG)
22O	SAP Number and Item Size:	6001237 POST, 63" or 64" High (QPE)
22P	SAP Number and Item Size:	6000140 POST, 72" or 74" High (QPE)

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 23 – TO BE AWARDED AS A GROUP

Item #

23A SAP Number: 6000071

Item Name: WARMER, COOKER – 7 QUART

Description: Seven Quart round cooker (crock pot) for heating soups. Type 430 stainless steel exterior, 24 gauge aluminum deep drawn well and heavy duty thermostat.

Element band heating for even distribution. 110-120V, minimum 500 watts with 3 prong grounded plug.

Unit price must include aluminum insert, lid and ladle.

Warranty: One year all parts and labor must be included in the unit price.

Approved Brand: Nemco Model 6102A-ICL, Vollrath Model 72018 ONLY

Item #

23B SAP Number: 6000072

Item Name: WARMER, COOKER – 11 QUART

Description: Eleven Quart round cooker (crock pot) for heating soups. Type 430 stainless steel exterior, 24 gauge aluminum deep drawn well and heavy duty thermostat.

Element band heating for even distribution. 110-120V, minimum 500 watts with 3 prong grounded plug.

Unit price must include aluminum insert, lid and ladle.

Warranty: One year all parts and labor must be included in the unit price.

Approved Brand: Nemco Model 6103-ICL, Vollrath Model 72009 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item #

24 SAP Number: 6001076

Item Name: MERCHANDISER, REFRIGERATED VERTICAL OPEN

Description: Self-contained open front refrigeration system for self-serve salads and deli items designed for high humidity environment without a floor drain. Steel construction with baked enamel finish inside and out. Approx. dimensions **48" -52" x 30" x 72"-81"**. Four-position lighted cantilever shelves. Expansion valve system with heavy duty 1100 watt heated condensate pan, no drain required. CFC-free foamed-in-place urethane insulation. Timer controlled automatic defrost. Adjustable temperature controls. Minimum 3/4 HP compressor. Electrical: 115V/60 Hz/1 PH. Plus 208 V for condensate pan **OR 208 v., single phase**. Includes optional wrap around bumper and night cover. Color: White. Five years against insulation failure or leaks in insulated area and five years on compressor. Holds product at FDA required temperatures below 41° Fahrenheit. Provide with locking casters. Factory installed Heated Condensate Pan, **True Part #80944, Hussman Part #1601835** Connects to 15 amp., 208V outlet located inside cabinet. **Price to include heavy duty pull up night cover, True model 935540-FI.**
Factory installed Night Cover.
Bid includes uncrate, set-in place, carton removal and installation of casters.

Warranty: Manufacturer's two year warranty in all parts and labor with five year parts/labor for compressor must be included in the unit price. Warranty on compressor to include shipping and pick up of old compressor upon phone call to factory.

Price must include inside delivery and complete operational setup.

Approved Brands: Hussman GSVM-5272 & Part 1601835 or True Model TAC-48-TSL01 & Part #80944 & Part #935540-FI ONLY

Item #

25 SAP Number: 6000122 – NO LONGER IN USE

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 26 – TO BE AWARDED AS A GROUP

Item #

26A SAP Number: 6000122

Item Name: OVEN, DOUBLE CONVECTION – STACK, GAS FIRED (LP/NATURAL)

Description: Unit to consist of two oven sections stacked operating separately and independently Stainless steel front, top, and sides. Doors shall be of triple-mounted pressure lock door design with turnbuckle assembly, solid stainless steel with dual pane thermal glass windows with single powder coated cool to touch handle that opens doors simultaneously. Oven to have five year limited warranty on doors. Oven baking compartments shall be of 16-gauge double-sided porcelain inside and out with coved corners. Unit to have 6' adjustable stainless steel legs with all fastening devices stainless steel. Oven to be constructed with fully welded angle iron frame. Shall have a stainless-steel combustion chamber, ball bearing slide out front control panel and interior halogen lights. Each section to be furnished with six chrome plated steel, heavy wire removable racks. Door, when opened, will automatically cut off fan. Also, to have switch to operate blower with door open for quick cool-down. Unit to have 60-minute batch timer, or solid state digital controls with cook & hold and fan pulse button and digital timer. Should include oven light switch and 'oven ready' indicator light. To be supplied with solid state manual control with two speed fan. Insulated with 1" solid block plus 1" mineral fiber insulation for a total of 2" of insulation. Main burner(s) ignition shall be achieved by a pilot burner operating through an electronic proven pilot spark ignition control system. Each section to have easily removable inshot burners with a rated total input minimum of 45,000 BTU's and shall have a 3/4 h.p. blower motor with thermal overload protection. Porcelain enameled modular control panel shall be supplied with a manual gas service cut-off switch located on the front of the control panel. Controls and fan motor to operate on 115V AC single phase, 8 amps. Oven to be Energy Star qualified.

All units National Sanitation Foundation (NSF) approved. Service manual, parts list and wiring diagrams must accompany each unit.

Warranty: Three year manufacturer's warranty all parts and two year labor must be included in the unit price.

Unit Price must include installation, service manuals, schematic diagrams and on-site demonstration for each delivered unit.

Approved Brand: Blodgett Model DFG-100-ES DBL ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 26 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

26B SAP Number: 6001224

Item Name: OVEN, CONVECTION – SINGLE SECTION, GAS FIRED – NATURAL OR LP

Description: Single unit with dependent (simultaneous) doors. Stainless steel front, top, and sides. Doors shall be of triple-mounted pressure lock door design with turnbuckle assembly, solid stainless steel with dual pane thermal glass windows with single powder coated cool to touch handle that opens doors simultaneously. Oven to have five year warranty on complete door assembly. To be furnished with six chrome plated steel wire removable racks. Unit shall have ball bearing slide out front control panel and interior halogen lights. Oven liner shall be double sided porcelain enameled steel inside and out with coved corners. Doors, when open, will automatically cut off fan. Also to have switch to operate blower with door open for quick cool-down. Units to have 60 minute batch timer or solid state digital controls with fan plus button and digital timer. To be supplied with solid state manual control with two speed fan. Insulated with 1" solid block plus 1" mineral fiber insulation for 2" total insulation. Main burner ignition shall be achieved by a pilot burner operating through an electronic proven pilot spark ignition control system. Each section shall have two easily removable inshot burners with a rotated total input minimum of 45,000 BTU's. Two speed 1/2 - 3/4 h.p. motor with thermal overload protection. Porcelain enameled modular control panel shall be supplied with a manual gas service cut-off switch location on the front of control panel. Controls and fan motor to operate on 115V, AC single phase. Oven to be Energy Star Qualified.

All units to be Canadian Standards Association (CSA) and National Sanitation Foundation (NSF) approved.

Minimum interior dimensions: 27" w x 27 1/8" d x 29 1/4" h.

Warranty: Three year manufacturer's warranty, all parts and labor must be included in the unit price.

Unit Price must include inside delivery, set in place, level, remove packing materials, service manuals, schematic diagrams, factory start up, and on-site demonstration.

Approved Brands: Blodgett Model DFG-100-ES SGL ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 27 – TO BE AWARDED AS A GROUP

Item #

27A SAP Number: 6000123

Item Name: OVEN, CONVECTION – SINGLE SECTION, ELECTRIC FIRED

Description: Single unit with dependent simultaneous doors. Stainless steel front, sides, and top. Doors shall be of triple-mounted pressure lock door design with turnbuckle assembly, solid stainless steel with dual pane thermal glass windows with single powder coated cool to touch handle that opens doors simultaneously. 25" Adjustable legs and all fastening devices to be stainless steel. Dual pane thermal windows encased in stainless steel door frame. Oven baking compartments shall be of 16-gauge double-sided porcelain inside and out with coved corners. Shall have a ball bearing slide out front control panel and interior halogen lights. 5 Year limited door warranty. Doors, when open, will automatically cut off fan. Also to have switch to operate blower with door open for quick cool-down. Fully welded angle iron frame construction. Units to have 60 minute batch timer or solid state digital controls with cook & hold and fan pulse button and digital timer. To be supplied with solid state manual control with two speed fan. Insulated with solid block plus 1" mineral fiber insulation for a total of 2" of insulation. Each section to be furnished with six chrome plated steel, heavy wire removable racks. Standard depth baking compartment that accepts five (5) 18" x 26" sheet pans in left to right positions. Each section shall have three tubular heaters, one or three with a combined heater rating of 11.0 KWH. Electric 208V. Single or three phase. Air in baking chamber distributed by inlet blower wheel powered by a two speed, ½ - ¾" h.p. motor with thermal overload protection. Nominal amperes per line not to exceed 32 to fit on existing 40 amp breaker. Controls and fan motor to operate on 115V, AC single phase. Oven to be Energy Star Qualified.

All units to be Underwriter's Laboratories (UL) approved and National Sanitation Foundation (NSF) approved.

Warranty: Three year manufacturer's warranty all parts and labor must be included in the unit price. Unit Price must include uncrate, set in place & level, remove plastic, provide service manuals, schematic diagrams and on-site demonstration for each delivered unit.

Approved Brand: Blodgett Model Mark V-100 SGL ONLY

ITEM 27 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

27B SAP Number: 600221

Item Name: OVEN, CONVECTION – SINGLE SECTION, ELECTRIC FIRED

Description: Same as Item 27A, except 480Volt, three phase.

Approved Brand: Blodgett Model Mark V-100 SGL ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 27 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

27C SAP Number: 6001222

Item Name: OVEN, CONVECTION DOUBLE STACK - ELECTRIC

Description: Electric, 208V, three phase, 12 K.W. unit to consist of two oven sections stacked operating separately and independently. Stainless steel front, sides, and top. 5 Year limited door warranty. Doors shall be of triple-mounted pressure lock door design with turnbuckle assembly, solid stainless steel with dual pane thermal glass windows with single powder coated cool to touch handle that opens doors simultaneously. Oven baking compartments shall be of 16-gauge double-sided porcelain inside and out with coved corners. Unit to have 6" adjustable stainless steel legs with all fastening devices to be stainless steel. Oven to be constructed with fully welded angle iron frame. Shall have a stainless-steel combustion chamber, ball bearing slide out front control panel and interior halogen lights. Each section to be furnished with six chrome plated steel, heavy wire removable racks. Standard depth baking compartment that accepts five (5) 18" x 26" sheet pans in left to right positions. Door, when opened, will automatically cut off fan. To be supplied with solid state manual control with two speed fan. Each section shall be equipped with three tubular heaters one or three phase with a combined heater rating of 10 KWH control area cooling fan Unit to have 60 minute batch timer, or solid state digital controls with fan plus button and digital timer. Insulated with 1" solid block plus 1" mineral fiber insulation for 2" total insulation. To have 1/2 – 3/4 h.p., 2 speed motor with thermal overload protection. Nominal amperes per line not to exceed 32 to fit on existing 40 amp breaker. Oven to be Energy Star Qualified.

All units to be National Sanitation Foundation (NSF) and Underwriter's Laboratories (UL) approved.

Unit Price must include uncrate, set in place & level, remove plastic, provide service manuals, schematic diagrams and on-site demonstration for each delivered unit.

Warranty: Three year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brand: Blodgett Model Mark V-100 DBL ONLY

Item #

27D SAP Number: 6001223

Item Name: OVEN, CONVECTION DOUBLE STACK - ELECTRIC

Description: Same as Item 27C, except 480Volt, three phase.

Approved Brand: Blodgett Model Mark V-100 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 27 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

27E SAP Number: 6000131

Item Name: BOILERLESS ONE-COMPARTMENT STEAMER

Description: Steamer cavity to be constructed of reinforced 14 gauge 304 stainless steel. Stainless steel support stand with **4" flanged feet leg extensions**. No moving parts inside cooking chamber. Steam to be produced inside. Cooking cavity with no heating element exposed to water. Easily connects to water and drain Line. Unit to include low water, high water, overtemp warning lights and auto shut off feature. No water filtration or treatment required. No scheduled de-liming or maintenance. Holds 4 each full size 12 x 20 x 4" steamtable pans. Standard digital or manual controls with independent timer. ¾" water connection in back of unit for automatic water fill. Water drain in front. U.L. and NSF approved. Energy Star qualified. AMP draw not to exceed 42.0 at 208v, 3 phase. Left hand hinge doors.

Bid price to include stainless steel stand with pan slides and installation of steamer on stand, leveling of unit.

Warranty: Two year warranty, all parts and labor must be included in the unit price.

Approved Brand: Accutemp E62083E150SGL ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 27 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

27F SAP Number: 6000134

Item Name: CONVECTION STEAMER, TWO COMPARTMENT ELECTRIC STEAM GENERATOR. 6 PAN CAPACITY

Description: Stainless steel pressure-less steamer with two twin atmospheric electric independent. Steam generators rated at a minimum of **24 KW** each complete with electric low water cut-off. Heat up time to be minimum of ten minutes or less from a cold start. Unit shall allow operator to delime both steam generators through access port in each cavity without tools or service call from service agency. **Unit to include 'Delime' indicator light.**

Cavities and cabinet base stainless steel construction. Doors to be stainless steel, insulated, and provided with one-piece replaceable seal. Doors to have hidden magnetic door switch cutting power to blower and reducing power to generator when door is opened. 60 minute mechanical timer. Unit to include "Ready" or equivalent indicator light. Complete with automatic blow down when unit is turned off. Capacity for six 12" x 20" x 2-1/2" deep pans. Four stainless steel legs with level adjustment. Controls easily accessible from front or sides. Dual cold water connection provided so that steam generator is on a separate line from condenser.

National Sanitation Foundation (NSF) and Underwriter's Laboratories (UL) approved

Note to installers:

Plumbing requirements: Unit requires two 1/2" IPS cold water supply lines. 1-1/2" O.D. free venting drain.

Filter: OptiPure QTI-2 dual cartridge water treatment systme with two quik-twist cartridges reduces sediment to .5 micron and reduces chlorine, taste, and odor at a flow rate of 4.5 gpm for 45,000 gallons. Helps protect against scale & chlorine. NSF Certified.

Electrical requirements: Unit requires 208V, three phase. Unit must fit on existing 60 amp breaker in schools.

Warranty: Two year warranty, all parts and labor must be included in the unit price. Unit price must include uncrating, set-in place, Remove cartons, level, factory start up. Service manuals, parts lists and wiring diagrams must accompany each delivered unit.

Approved Brands: Groen Hyper Steam Model HY-6E ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 27 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

27G SAP Number: 6000135

Item Name: STEAMER, CONVECTION, TWO COMPARTMENT – GAS FIRED, NATURAL OR LP

Description: Stainless steel pressure-less steamer with two twin atmospheric independent gas steam generators **operating at 212F delivering 200,000 BTU or 3.7 HP.**

Standing pilot light with electronic spark ignition. Heat up time shall be a minimum of ten minutes from a cold start. Unit to have low water cut-off. Unit shall allow operator to de-lime both steam generators through access port in each cavity without tools or service call from service agency.

Cavities and cabinet base minimum 18 gauge 304 S/S stainless steel construction. Doors to be stainless steel, insulated, and provided with one-piece replaceable seal or gasket. Door to have hidden magnetic door switch cutting power to blower and reducing power to generator when door is opened. Unit to include "Ready" or equivalent indicator light. 60 minute mechanical timer. Complete with automatic blow down when unit is turned off. Capacity for six 12" x 20" x 2-1/2" deep pans. Four stainless steel legs with level adjustment. Controls easily accessible by pullout drawer or lift-off panel. Dual cold water connection necessary so that steam generators are on a separate line from condenser. NSF and UL Listed.

UNIT REQUIRES TWO ½" IPS COLD WATER SUPPLY LINES, 1-1/4" OD FREE VENTING AND ELECTRIC SERVICE NOT TO EXCEED 115 V., SINGLE PHASE, 4 AMP.

Filter: OptiPure QTI-2 dual cartridge water treatment systme with two quik-twist cartridges reduces sediment to .5 micron and reduces chlorine, taste, and odor at a flow rate of 4.5 gpm for 45,000 gallons. Helps protect against scale & chlorine. NSF Certified

GAS REQUIREMENTS: UNIT REQUIRES NATURAL OR LP VIA ½" NPT PIPE OR APPROVED EQUIVALENT. UNIT REQUIRES 115V, SINGLE PHASE, FOUR AMP ELECTRIC SERVICE.

Warranty: Two manufacturer's year warranty, all parts and labor must be included in the unit price.

Unit price must include uncrating, set-in place, level unit and factory start-up. Service manuals, parts lists and wiring diagrams must accompany each delivered unit.

Approved Brand: Groen Hyper Steam Model HY-6G ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 28 – TO BE AWARDED AS A GROUP

Item #

28A **SAP Number:** **6000097**
Item Name: **CART, FOOD – OUTDOOR, SECONDARY**
Description: 74-1/4" long x 31-3/4" wide x 94" high (**with umbrella**), weight 240 pounds. Polyethylene with two insulated compartments below for storage and three open compartments above to hold 3 full size pans 6" deep. To include cash drawer, removable umbrella 72" diameter, and a display panel to display menu. Work counter height is 36" with a see-through panel in front to help merchandise food. Casters are 8", four swivel and four brakes. Unit must be able to roll easily over concrete sidewalks. Manufacturer's standard warranty will apply.

Colors: Black, red, green, gray, **or blue**

Price must include inside delivery and complete operational setup.

Approved Brand: Cambro "Camcruiser" Model CVC724 or other brands meeting bid specifications

Item #

28B **SAP Number:** **6000098**
Item Name: **STAND, CASHIER FOR OUTDOOR FOOD CART**
Description: **28" wide x 28" deep x 39" high**, with five inch heavy duty casters (two fixed and two swivel with brakes), seamless one-piece polyethylene construction to include right and left tray rail. Manufacturer's standard warranty will apply.

Color: Black.

Price must include inside delivery and complete operational setup.

Approved Brands: Cambro Model ES28RL or other brands meeting bid specifications

Item #

28C **SAP Number:** **6000114**
Item Name: **CAMCART FOR FOOD PAN – CAPACITY 12 OR 16 PANS**
Description: Recessed corrosion-free stainless steel hardware with rubber gasket for air tight closing to seal in heat. 5" - 6" diameter casters. Exterior dimensions with casters to be approximately 28-1/2" W x 32-1/4" D x 45-1/2" H. Capacity for 12 each 12-3/4" x 20-7/8" x 4" deep or 16 each 12-3/4" x 20-7/8" x 2-1/2" deep food pans. Manufacturer's standard warranty will apply.

Approved Brand: Cambro Model UPC1200 or other brands meeting bid specifications

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 28 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

28D **SAP Number:** **6000115**
Item Name: **CAMCART FOR FOOD PAN – CAPACITY 13 PANS**
Description: Heavy-duty design with one compartment. Recessed corrosion-free stainless steel hardware with rubber gasket for air tight closing to seal in heat. 5" - 6" diameter casters. Exterior dimensions to be approximately 32" L x 21-1/2" W x 37-1/2" H. Capacity for 13 each 18" x 26" sheet pans. 13 Tray supports on 1-3/4" centers. Manufacturer's standard warranty will apply.

Approved Brand: Cambro Model 1826LTC or other brands meeting bid specifications

ITEM 28 – TO BE AWARDED AS A GROUP- CONTINUED

Item #

28E **SAP Number:** **6006233**
Item Name: **CART, CAMKIOSK, WITH UMBRELLA**
Description: 85 1/8" long X 33-1/2" wide x 70 1/2" high, Polyethylene exterior with foam insulation that will not crack, chip, bubble, or break. Two insulated food storage cabinets to maintain hot food hot, cold food cold. Insulated compartments below for storage and four pan wells at top with work space. To include removable umbrella 72" diameter, lockable cash drawer, and menu display. Work counter height is 36". Casters are 6", two swivel, and two with brakes. Unit must be able to roll easily over concrete sidewalks.
Manufacturer's standard warranty will apply.

Standard colors: **Green, black/ gray, navy blue, red.** Accessories to include 2 each 1/2 size camchillers. Cambro model CP1210 or Equivalent and 1 each well cover. Cambro model WCR120.

Price must include inside delivery and complete operational setup.

Approved Brand: Cambro "Camkiosk" Model KVC854C or other brands meeting bid specifications

Item #

28F **SAP Number:** **6001149**
Item Name: **CAMCART FOR FOOD PAN – CAPACITY 6 OR 8 PANS**
Description: Recessed corrosion-free stainless steel hardware with rubber gasket for air tight closing to seal in heat. 5" - 6" diameter casters. Exterior dimensions with casters to be approximately 20-1/2" W x 27-1/8" D x 45" H. Capacity for 6 each 12-3/4" x 20-7/8" x 4" deep or 8 each 12-3/4" x 20-7/8" x 2-1/2" deep food pans.

Manufacturer's standard warranty will apply.

Approved Brands: Cambro Model UPC600 or other brands meeting bid specifications

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 28 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

28G SAP Number: 6000091

Item Name: CAMCART FOR FOOD PAN – CAPACITY 16 OR 24 PANS

Description: Heavy-duty design with two separate cavities for cold and hot foods. Recessed corrosion-free stainless steel hardware with rubber gasket for air tight closing to seal in heat. 5" - 6" diameter casters. Exterior dimensions with casters to be approximately 28-1/8" W x **33-3/8"** D x 54" H. Capacity for 16 pans 12-3/4" x 20-7/8" x 4" deep or 24 pans 12-3/4" x 20-7/8" x 2-1/2" deep food pans.

Manufacturer's standard warranty will apply.

Approved Brand: Cambro Model UPC1600 or other brands meeting bid specifications

Item #

28H SAP Number: 6000120

Item Name: CADDIE, ICE WITH SLIDING LID (TALL)

Description: Polyethylene construction body with thick foam insulation to provide long lasting ice storage and easily transportable. Approximate exterior dimensions 23" x 34" x 37 -1/2" with storage capacity of 175 lbs. of ice. **Slant top sliding lids.** Recessed well and drain shelf and recessed handle for easy moving. No assembly required. Two 5" swivel casters, one brake and two rear easy wheels 8" – 10".

Manufacturer's standard warranty will apply. Colors: Black, blue, gray and **beige**.

Approved Brand: Cambro Model ICS175TB or other brands meeting bid specifications

Item #

28 I SAP Number: 6001219

Item Name: CABINET, HOT BULK FOOD HOLDING/TRANSPORT-LOW PROFILE

Description: Plastic-based thermoelectric cart designed for holding and transporting food outdoors. Holds hot food temperatures for minimum of two hours. Thermoelectric unit located on back of unit must be completely enclosed. Air temperature inside cabinet must hold at an even range of 150 – 165° Fahrenheit. 6' long cord with wrapping hook. Control panel has polycarbonate waterproof cover, on/off switch and temperature dial. Double wall polyethylene external construction will not dent, crack, bubble or rust. Aluminum louvers in back wall of cavity direct air flow for even heat. Six universal chrome plated tray rails. Capacity of 12 each 12" x 20" x 2-1/2' deep. Approximate dimensions 30" x 42" x 43" high. Includes two each 6" front swivel with brake casters and two 10" rear rigid casters. 110 v., max. amp. Draw 10, Nema 5-15P plug.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Price must include inside delivery and complete operational setup.

Approved Brand: Cambro Model CMBH1826LF or other brands meeting bid specifications

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 29 – TO BE AWARDED AS A GROUP

Item #

29A **SAP Number:** **6000085**
Item Name: **BAR, SALAD – FOUR PAN CAPACITY**
Description: Mobile insulated self service **five foot** food bar polyethylene seamless construction, complete unit to be insulated with polyurethane foam. Four full size pan capacity. Open Base. Casters to be five inch diameter, swivel with brakes including base plate for fastening N.S.F. approved, one piece full-length sneeze guard. Exterior dimensions: **69"** long x **42-1/2"** wide x **62-3/4"** high. Interior well dimensions: **52"** long x **21"** wide x **7-1/8"** deep. Manufacturer's standard warranty will apply. **Included in price are two each tray slide VBRR5.**

Approved Brand: Cambro "Food Bar" Model VBR5 or other brands meeting bid specifications

Item #

29B **SAP Number:** **6000086**
Item Name: **BAR, SALAD – FIVE PAN CAPACITY**
Description: Mobile insulated self service **six foot** food bar polyethylene seamless construction, complete unit to be insulated with polyurethane foam. Open Base. Casters to be five inch diameter, swivel with brakes including base plate for fastening N.S.F. approved, one piece full-length sneeze guard. Exterior dimensions: **82"** long x **42 1/2"** wide x **62-3/4"** high. Manufacturer's standard warranty will apply. **Included in price are two each tray slide VBRR6.**

Approved Brand: Cambro "Food Bar" Model VBR6 or other brands meeting bid specifications

Item #

29C **SAP Number:** **6000087**
Item Name: **BAR, SALAD – TABLE TOP**
Description: Mobile insulated self service food bar polyethylene seamless construction, complete unit to be insulated with polyurethane foam. Table top model. One piece full-length N.S.F. listed sneeze guard. To include drain plug. Manufacturer's standard warranty will apply. Exterior dimensions: **51"** long x **33-1/4"** high x **27"** deep.
Approved Brands: Cambro "Food Bar" Model 4FBRTT or other brands meeting bid specifications

Item #

29D **SAP Number:** **6002187**
Item Name: **RAIL, ACCESSORY FOR SALAD BAR – FIVE FEET**
Description: Made of durable lightweight polyethylene five foot long. Must match salad bars. Size: **63-1/2" L x 8" W x 1-1/2" D.** Height from floor **34-3/4"**. Manufacturer's standard warranty will apply.
Approved Brand: Cambro Model VBRR5 or other brands meeting bid specifications

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 29 – TO BE AWARDED AS A GROUP

Item #

29E SAP Number: 6002188
Item Name: RAIL, ACCESSORY FOR SALAD BAR – SIX FEET
Description: Made of durable lightweight polyethylene five foot long. Must match salad bars. Size: 70" L x 8" W x 1-1/2" D. Height from floor 34-3/4". Manufacturer's standard warranty will apply.
Approved Brand: Cambro Model VBRR6 or other brands meeting bid specifications

Item #

29F SAP Number: 6006234
Item Name: VERSA CART W/DUAL TRAY RAILS
Description: 52-3/4" wide x 32" deep x 43-3/4" high, with five inch heavy duty casters (two fixed and two swivel with brakes), seamless one-piece polyethylene construction to include dual tray rails. Manufacturer's standard warranty will apply. Ergonomic molded-in handles for easy maneuvering. Sneeze guards and tray slides fold down to fit through a standard 3' door. At least four colors to choose from, tray rails must be available in same colors as cart. Inside delivery, full assembly, set in place required.
Approved Brands: Cambro Model VCSWRHD or other brands meeting bid specifications

Item #

29G SAP Number: 6006235
Item Name: VERSA WORK TABLE – FIVE FEET
Description: Mobile insulated self-service food bar polyethylene seamless construction, complete unit to be insulated with polyurethane foam. Heavy duty casters to be five inch diameter, swivel with brakes including base plate for fastening. Ergonomic molded-in handles for easy maneuvering. Fits through a standard 3' door. Exterior dimensions: Approx. 69" long x 27" wide x 36-1/4" x 36-1/4" high. Interior well dimensions: Approx. 59-9/32" long x 21" wide x 7-1/8" deep. Top of well to bottom of sneeze guard approx. 10-7/8". Manufacturer's standard warranty will apply. Inside delivery, full assembly, set in place required. N.S.F. approved.
Approved Brand: Cambro Model VBRTD5 or other brands meeting bid specifications

SECTION 6 – BID SPECIFICATIONS
SERVING LINES - GROUP ITEM 30

Item #

30A SAP Number: 6001143

Item Name: TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE – 50"

Description: Unit to have fiberglass reinforced polyester (F.R.P.) molded with permanent color or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specification ASTM E-162. Body to be 50" long and 28" - 30" wide (top) and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Body constructed with internal support member fabricated of a minimum of 14 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with six inch stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and bottom surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. Internal framing "U" channel 3 1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS)** All electric wired to J-Box with grommet for easy access. Top shall be constructed of 14 gauge, Grade 18-8 stainless steel with a number four finish, welded, ground and polished. Top shall have three individual 12" x 20" die stamped openings for individual recessed electrically heated stainless steel hot food wells with three individual controls, each rated at 500 watts at 208 VAC. Wells pre-wired to a circuit breaker mounted in the control panel for overload protection. Dry/moist electric hot food wells to be bottom mounted and have 12" x 20" die stamped opening with 1/4" raised beaded edge. Provide access panel inside storage base for access to hot food wells from below counter top required. All hot food wells and elements need to be accessed without cutting hole in table. Each drain from hot well shall contain a union to facilitate ease of removal of hot wells. Drains to be 3/4" and pre-piped to a common manifold with a 1/4" turn ball valve as shut-off. Shut-off valve to be 6" from operator underneath unit. Full length open under storage constructed of 18 gauge stainless steel with coved vertical and horizontal corners. U.L. Listed for safety. U.L. Sanitation Certified or N.S.F. listed.
Electric: 208Volt, One or Three Phase.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brand: Colorpoint Model EF3-CPA-F or Delfield Model KH-3-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30B **SAP Number:** **6001114**

Item Name: **TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE – 60"**

Description: Unit to have fiberglass reinforced polyester (F.P.R.) molded with permanent color or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specification ASTM E-162. Body to be 60" long, 28" - 30" wide (top) and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Body constructed with internal support member fabricated of a minimum of 14 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with six inch stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)** All electric wired to J-Box with grommet for easy access.

Top shall be constructed of 14 gauge, Grade 18-8 stainless steel with a number four finish, welded, ground and polished. Top shall have four individual 12" x 20" die stamped openings for individual recessed electrically heated stainless steel hot food wells with drains and four individual controls, each rated at 500 watts at 208 VAC. Wells pre-wired to a circuit breaker mounted in the control panel for overload protection. Dry/moist electric hot food wells to be bottom mounted and have a 12" x 20" die stamped opening with 1/4" raised beaded edge. Provide access panel inside storage base for access to hot food wells from below counter top required. All hot food wells and elements need to be accessed without cutting hole in table. Each drain from hot well shall contain a union to facilitate ease of removal of hot wells. Drains to be 3/4" and prepiped to a common manifold with a 1/4" turn ball valve as shut-off. Shut-off valve to be six inch from operator underneath unit. Full length open under storage constructed of 18 gauge stainless steel with coved vertical and horizontal corners. U.L. Listed for safety. U.L. Sanitation Certified or N.S.F. listed.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model EF4-CPA-F, Delfield KH-4-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30C

SAP Number:

6000099

Item Name:

TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE – 74"

Description:

Unit to have fiberglass reinforced polyester (F.P.R.) molded with permanent color or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specification ASTM E-162. Body to be 74" long and 30" wide (top) and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Body constructed with internal support member fabricated of a minimum of 14 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with six inch stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)** All electric wired to J-Box with grommet for easy access.

Top shall be constructed of 14 gauge, Grade 18-8 stainless steel with a number four finish, welded, ground and polished. Top shall have five individual 12" x 20" die stamped openings for individual recessed electrically heated stainless steel hot food wells with drains and five individual controls, each rated at 500 watts at 208 VAC. All wells pre-wired to a circuit breaker mounted in the control panel for overload protection. Dry/moist electric hot food wells to be bottom mounted and have a 12" x 20" die stamped opening with 1/4" raised beaded edge. Provide access panel inside storage base for access to hot food wells from below counter top required. All hot food wells and elements need to be accessed without cutting hole in table. Each drain from hot well shall contain a union to facilitate ease of removal of hot well. Drains to be 3/4" and prepiped to a common manifold with a 1/4" turn ball valve as shut-off. Shut-off valve to be six inch from operator underneath unit. Full length open under storage constructed of 18 gauge stainless steel with coved vertical and horizontal corners. U.L. Listed for safety. U.L. Sanitation Certified or N.S.F. listed.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model EF5-CPA-F Delfield Model KH-5NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30D SAP Number: 6006239

Item Name: TABLE, ELECTRIC HOT FOOD SERVING, OPEN BASE – 96”

Description: Unit to have fiberglass reinforced polyester (F.R.P.) molded with permanent color or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specification ASTM E-162. Body to be **96”** long and 28" - 30" wide (top) and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Body constructed with internal support member fabricated of a minimum of 14 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with six inch stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and bottom surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. Internal framing "U" channel 3 1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)** All electric wired to J-Box with grommet for easy access. Top shall be constructed of 14 gauge, Grade 18-8 stainless steel with a number four finish, welded, ground and polished. Top shall have four individual 12" x 20" die stamped openings for individual recessed electrically heated stainless steel hot food wells with four individual controls, each rated at 900-1,000 watts at 208 VAC. Unit to have approximately 24" of flat top space with **42”** heat strip centered over flat top area and one hot food well. This space is to serve pizza. Wells pre-wired to a circuit breaker mounted in the control panel for overload protection. Dry/moist electric hot food wells to be bottom mounted and have 12" x 20" die stamped opening with 1/4" raised beaded edge. Provide access panel inside storage base for access to hot food wells from below counter top required. All hot food wells and elements need to be accessed without cutting hole in table. Each drain from hot well shall contain a union to facilitate ease of removal of hot wells. Drains to be 3/4" and pre-piped to a common manifold with a 1/4" turn ball valve as shut-off. Shut-off valve to be 6" from operator underneath unit. Full length open under storage constructed of 18 gauge stainless steel with coved vertical and horizontal corners. U.L. Listed for safety. U.L. Sanitation Certified or N.S.F. listed. Electric: 208Volt, One or Three Phase. Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brand:

Colorpoint Model EF4-CPA-F-MOD or Delfield Model KH-5 4 -NU-MB-MOD ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30E SAP Number: 6001117

Item Name: TABLE, ICE COOLED COLD – OPEN BASE – 30"

Description: Body to be seamless mold fiberglass with smooth exterior surfaces and rounded corners or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 28" - 30" wide x 30" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with six inch stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**

The ice cold pan to be 18 gauge stainless steel and six inch deep. Pan to be welded, watertight and fully insulated with urethane insulation and removable false bottom. To have full perimeter Formica breaker strip to separate the top from the cold pan. To have drain with extension to shut-off valve below base. Open under storage to be lined with 18 gauge stainless steel coved vertical and horizontal corners. With six inch stainless steel adjustable legs. Bid price to include adapter plate for 18" x 26" sheet pan. U.L. Listed and N.S.F.

Approved.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands:

Colorpoint Model 36-CFI-MOD Modified to 30" long, Delfield Model KCI-36-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30F **SAP Number:** **6001118**

Item Name: **TABLE, ICE COOLED COLD – OPEN BASE – 36"**

Description: Body to be seamless mold fiberglass with smooth exterior surfaces and rounded corners or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 28" - 30" wide x 36" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Cold pan to accommodate two 12" x 20" hotel pans or one 18" x 26" sheet pan. Body constructed with internal support members fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with six inch stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**

The ice cold pan to be 18 gauge stainless steel and six inch deep. Pan to be welded, watertight and fully insulated with urethane insulation and removable false bottom. To have full perimeter Formica breaker strip to separate the top from the cold pan. To have drain with extension to shut-off valve below base. Open under storage to be lined with 18 gauge stainless steel **coved vertical and horizontal corners**. With six inch stainless steel adjustable legs. Bid price to include adapter plate for 18" x 26" sheet pan. U.L. Listed and N.S.F. Approved.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 36-CFI-F Modified, Delfield Model KCI-36-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30G SAP Number: 6000109

Item Name: TABLE, ICE COOLED COLD – OPEN BASE – 50-51”

Description: Body to be constructed of fiberglass panels with vertical and horizontal stainless steel trim or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 34" wide x 50" - 51" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with 6" stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**
The ice cold pan to be 18 gauge stainless steel and 6" deep. Pan to be welded, watertight and fully insulated with urethane insulation and removable false bottom. To have full perimeter Formica breaker strip to separate the top from the cold pan. To have drain with extension to shut-off valve below base. Open under storage to be lined with 18 gauge stainless steel **coved vertical and horizontal corners**. With 6" stainless steel adjustable legs. U.L. Listed and N.S.F. Approved.
Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 50-CFI-MOD, Delfield Model KCI-50-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30H SAP Number: 6006236

Item Name: TABLE, ICE COOLED COLD – OPEN BASE – 60-61”

Description: Body to be constructed of fiberglass panels with vertical and horizontal stainless steel trim or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 30" wide x 60" - 61" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with 6" stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**
The ice cold pan to be 18 gauge stainless steel and 6" deep. Pan to be welded, watertight and fully insulated with urethane insulation and removable false bottom. To have full perimeter Formica breaker strip to separate the top from the cold pan. To have drain with extension to shut-off valve below base. Open under storage to be lined with 18 gauge stainless steel **coved vertical and horizontal corners**. With 6" stainless steel adjustable legs. U.L. Listed and N.S.F. Approved.
Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 60-CFI-F Delfield Model KCI-60-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30 I SAP Number: 6006237

Item Name: TABLE, ICE COOLED COLD – OPEN BASE – 66 3/8"

Description: Body to be constructed of fiberglass panels with vertical and horizontal stainless steel trim or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 30" wide x 66" – 67" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34" (Bid does not include tray rail). Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with 6" stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**
The ice cold pan to be 18 gauge stainless steel and 6" deep. Pan to be welded, watertight and fully insulated with urethane insulation and removable false bottom. To have full perimeter Formica breaker strip to separate the top from the cold pan. To have drain with extension to shut-off valve below base. Storage for 3 each 12" x 20" steamable pans in the cold pan and one 18" x 26" steel pan on the flat top. Open under storage to be lined with 18 gauge stainless steel **coved vertical and horizontal corners**. With 6" stainless steel adjustable legs. U.L. Listed and N.S.F. Approved.
Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 66-CFI-F MOD, Delfield Model KCI-66-NU-MB MOD ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30J SAP Number: 6006238

Item Name: TABLE, ICE COOLED COLD – OPEN BASE – 74 3/8"

Description: Body to be constructed of fiberglass panels with vertical and horizontal stainless steel trim or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 30" wide x 74" - 75" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34" (Bid does not include tray rail). Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with 6" stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**
The ice cold pan to be 18 gauge stainless steel and 6" deep. Pan to be welded, watertight and fully insulated with urethane insulation and removable false bottom. To have full perimeter Formica breaker strip to separate the top from the cold pan. To have drain with extension to shut-off valve below base. Storage for 3 each 12" x 20" steamable pans in the cold pan and one 18" x 26" steel pan on the flat top. Open under storage to be lined with 18 gauge stainless **steel coved vertical and horizontal corners**. With 6" stainless steel adjustable legs. U.L. Listed and N.S.F. Approved.
Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 74-CFI-F MOD, Delfield Model KCI-74-NU-MB MOD ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30K SAP Number: 6001122

Item Name: TABLE, SOLID TOP WITH OPEN BASE – 30" (SERVING LINE)

Description: Body to be seamless mold fiberglass with smooth exterior surfaces and rounded corners or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 28" - 30" wide x 30" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Provide with six inch stainless steel adjustable legs. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**
Open under storage to be lined with 18 gauge stainless steel with coved vertical and horizontal corners.
Warranty: Two year manufacturer's warranty, all parts and labor to be included in the unit price.

Approved Brands: Colorpoint Model 28-ST-MOD Modified, Delfield Model KC-28-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30L SAP Number: 6001119

Item Name: TABLE, SOLID TOP WITH OPEN BASE – 36" (SERVING LINE)

Description: Body to be seamless mold fiberglass with smooth exterior surfaces and rounded corners or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 28" - 30" wide x 36" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Provide with six inch stainless steel adjustable legs. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**
Open under storage to be lined with 18 gauge stainless steel with coved vertical and horizontal corners. An intermediate shelf shall have the rear and ends turned up and secured to interior liner.
Warranty: Two year manufacturer's warranty, all parts and labor to be included in the unit price.

Approved Brands: Colorpoint 36-ST-F, Delfield Model KC-36-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30M SAP Number: 6001146

Item Name: TABLE, SOLID TOP WITH OPEN BASE – 42” (SERVING LINE)

Description: Body to be constructed of fiberglass panels with vertical and horizontal stainless steel trim or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM-162. To be 38" - 30" wide x approx. 42" long. Must accommodate two each 18" x 26" bun pans sitting side by side. Available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Provide with six inch stainless steel adjustable legs. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**

Open under storage to be lined with 18 gauge stainless steel with coved vertical and horizontal corners. An intermediate shelf shall have the rear and ends turned up and secured to interior liner.

Warranty: Two year manufacturer's warranty, all parts and labor to be included in the unit price.

Approved Brands: Colorpoint Model 36ST-MOD, Delfield Model KC-36-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30N SAP Number: 6000100

Item Name: TABLE, SOLID TOP WITH OPEN BASE – 50" (SERVING LINE)

Description: Body to be seamless mold fiberglass with smooth exterior surfaces and rounded corners or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 28" - 30" wide x 50" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Provide with six inch stainless steel adjustable legs. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**
Open under storage to be lined with 18 gauge stainless steel with coved vertical and horizontal corners. An intermediate shelf shall have the rear and ends turned up and secured to interior liner.
Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 50-ST-F Delfield Model KC-50-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

300 SAP Number: 6001120

Item Name: TABLE, SOLID TOP WITH OPEN BASE – 60" (SERVING LINE)

Description: Body to be seamless mold fiberglass with smooth exterior surfaces and rounded corners or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 28" - 30" wide x 60" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Provide with six inch stainless steel adjustable legs. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1 ILLUSTRATIONS.)**
Open under storage to be lined with 18 gauge stainless steel with **coved vertical and horizontal corners**. An intermediate shelf shall have the rear and ends turned up and secured to interior liner.
Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 60-ST-F, Delfield Model KC-60-NU-MB ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30P **SAP Number:** **6001158 – NO LONGER IN USE**
30Q **SAP Number:** **6001121 – NO LONGER IN USE**

Item #

30R **SAP Number:** **6000112**
Item Name: **SLIDE, SOLID TRAY – 28”**
Description: 14 Gauge stainless steel with three inverted "V" ridges on surface. Ends and side turned down square with all corners fully welded, ground, and polished. Support brackets to be stainless steel. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal "U" frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system
(See Section 6.1 ILLUSTRATIONS.)
Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model 12” x 28”, Delfield Model A-28 ONLY

Item #

30S **SAP Number:** **6001157**
Item Name: **SLIDE, SOLID TRAY – 30”**
Description: 14 Gauge stainless steel with three inverted "V" ridges on surface. Ends and side turned down square with all corners fully welded, ground, and polished. Support brackets for tray rail stainless steel. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal "U" frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system.
(See Section 6.1 ILLUSTRATIONS.)
Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model 12” x 30”, Delfield Model A-30 ONLY

Item #

30T **SAP Number:** **6001124**
Item Name: **SLIDE, SOLID TRAY – 36”**
Description: 14 Gauge stainless steel with three inverted "V" ridges on surface. Ends and side turned down square with all corners fully welded, ground, and polished. Support brackets to be stainless steel. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal "U" frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system **(See Section 6.1 ILLUSTRATIONS.)**
Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model 12” x 36”, Delfield Model A-36 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30U **SAP Number:** **6001150**
Item Name: **SLIDE, SOLID TRAY – 42”**
Description: 14 Gauge stainless steel with three inverted "V" ridges on surface. Ends and side turned down square with all corners fully welded, ground, and polished. Support brackets for tray rail stainless steel. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal "U" frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system. **(See Section 6.1 ILLUSTRATIONS.)**
Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model 12" x 42", Delfield Model A-42 ONLY

Item #

30V **SAP Number:** **6000101**
Item Name: **SLIDE, SOLID TRAY – 50”**
Description: 14 Gauge stainless steel with three inverted "V" ridges on surface. Ends and side turned down square with all corners fully welded, ground, and polished. Support brackets to be stainless steel. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal "U" frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system **(See Section 6.1 ILLUSTRATIONS.)**
Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model 12" x 50", Delfield Model A-50 ONLY

Item #

30W **SAP Number:** **6000102**
Item Name: **SLIDE, SOLID TRAY – 60”**
Description: 14 Gauge stainless steel with three inverted "V" ridges on surface. Ends and side turned down square with all corners fully welded, ground, and polished. Support brackets for tray rail stainless steel. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal "U" frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system. **(See Section 6.1 ILLUSTRATIONS.)**
Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model 12" x 60", Delfield Model A-60 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30X **SAP Number:** **6001151**
Item Name: **SLIDE, SOLID TRAY – 66”**
Description: 14 Gauge stainless steel with three inverted "V" ridges on surface. Ends and side turned down square with all corners fully welded, ground, and polished. Support brackets to be stainless steel. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal "U" frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system **(See Section 6.1 ILLUSTRATIONS.)**
Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model 12" x 66", Delfield Model A-66 ONLY

Item #

30Y **SAP Number:** **6000103**
Item Name: **SLIDE, SOLID TRAY – 74”**
Description: 14 Gauge stainless steel with three inverted "V" ridges on surface. Ends and side turned down square with all corners fully welded, ground, and polished. Support brackets for tray rail stainless steel. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal "U" frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system. **(See Section 6.1 ILLUSTRATIONS.)**
Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model 12" x 74", Delfield Model A-74 ONLY

Item #

30Z **SAP Number:** **6000116**
Item Name: **BOARD, CUTTING – 50” (SERVING LINE)**
Description: Constructed of 14 gauge stainless steel, eight inch wide with edges turned down square on all corners fully welded, ground, and polished. Complete with stainless steel fold down bracket. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal "U" frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system. **(See Section 6.1 ILLUSTRATIONS.)**
Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model Option 8" x 50" , Delfield Model E-50 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30AA SAP Number: 6001125

Item Name: BOARD, CUTTING – 60” (SERVING LINE)

Description: Constructed of 14 gauge stainless steel, eight inch wide with edges turned down square on all corners fully welded, ground, and polished. Complete with stainless steel fold down bracket. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal “U” frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system. **(See Section 6.1 ILLUSTRATIONS.)**

Manufacturer’s standard warranty will apply.

Approved Brands: Colorpoint Model Option 8” x 60”, Delfield Model E-60 ONLY

Item #

30BB SAP Number: 6001126

Item Name: BOARD, CUTTING – 74” (SERVING LINE)

Description: Constructed of 14 gauge stainless steel, eight inch wide with edges turned down square on all corners fully welded, ground, and polished. Complete with stainless steel fold down bracket. Tray slide bracket mounted through fiberglass body and secures to vertical section of internal “U” frame. Brackets must have adjustment screw to allow for proper alignment of tray slide front edge to maintain continuity of tray slide system. **(See Attachment B)**

Manufacturer’s standard warranty will apply.

Approved Brands: Colorpoint Model Option 8” x 74”, Delfield Model E-74 ONLY

Item #

30CC SAP Number: 6001152

Item Name: PROTECTOR, SLOPED FRONT FOOD – 50” (SERVING LINE)

Description: Shall have an 18 gauge stainless steel top serving shelf with all edges turned down square and all corners fully welded, ground, and polished. Ends sloped front glass to be 1/4" polished plate glass with one inch bottom clearance. All glass to be bound in stainless steel channel to prevent chipping. Manufacturer’s standard warranty will apply.

Approved Brands: Colorpoint Option 50", Delfield G-50 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30DD **SAP Number:** **6001131**
Item Name: **PROTECTOR, SLOPED FRONT FOOD – 60” (SERVING LINE)**
Description: Shall have an 18 gauge stainless steel top serving shelf with all edges turned down square and all corners fully welded, ground, and polished. Ends sloped front glass to be 1/4" polished plate glass with one inch bottom clearance. All glass to be bound in stainless steel channel to prevent chipping. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 60", Delfield G-60 ONLY

Item #

30EE **SAP Number:** **6001132**
Item Name: **PROTECTOR, SLOPED FRONT FOOD – 74” (SERVING LINE)**
Description: Shall have an 18 gauge stainless steel top serving shelf with all edges turned down square and all corners fully welded, ground, and polished. Ends sloped front glass to be 1/4" polished plate glass with one inch bottom clearance. All glass to be bound in stainless steel channel to prevent chipping. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 74", Delfield G-74 ONLY

Item #

30FF **SAP Number:** **6001153**
Item Name: **PROTECTOR, SINGLE SERVICE BUFFET, 30” (SERVING LINE)**
Description: Shall have a Plexiglas sneeze guard along one side with Plexiglas enclosures. A removable top cap shelf of 16 gauge stainless steel with sides turned down square and all corners fully welded, ground, and polished. Unit to be mounted on one inch stainless steel tubular supports. Shield to have adjustable height from five inch opening to eight inch opening in increments of one inch without the use of tools. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 30", Delfield KS-28 ONLY

Item #

30GG **SAP Number:** **6001154**
Item Name: **PROTECTOR, SINGLE SERVICE BUFFET, 36” (SERVING LINE)**
Description: Shall have a Plexiglas sneeze guard along one side with Plexiglas enclosures. A removable top cap shelf of 16 gauge stainless steel with sides turned down square and all corners fully welded, ground, and polished. Unit to be mounted on one inch stainless steel tubular supports. Shield to have adjustable height from five inch opening to eight inch opening in increments of one inch without the use of tools. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 36", Delfield KS-36 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30HH SAP Number: 6001133

Item Name: PROTECTOR, SINGLE SERVICE BUFFET, 42" (SERVING LINE)

Description: Shall have a Plexiglas sneeze guard along one side with Plexiglas enclosures. A removable top cap shelf of 16 gauge stainless steel with sides turned down square and all corners fully welded, ground, and polished. Unit to be mounted on one inch stainless steel tubular supports. Shield to have adjustable height from five inch opening to eight inch opening in increments of one inch without the use of tools. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 42", Delfield KS-42 ONLY

Item #

30 II SAP Number: 6001134

Item Name: PROTECTOR, SINGLE SERVICE BUFFET, 50" (SERVING LINE)

Description: Shall have a Plexiglas sneeze guard along one side with Plexiglas enclosures. A removable top cap shelf of 16 gauge stainless steel with sides turned down square and all corners fully welded, ground, and polished. Unit to be mounted on one inch stainless steel tubular supports. Shield to have adjustable height from five inch opening to eight inch opening in increments of one inch without the use of tools. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 50", Delfield KS-50 ONLY

Item #

30JJ SAP Number: 6001135

Item Name: PROTECTOR, SINGLE SERVICE BUFFET, 60" (SERVING LINE)

Description: Shall have a Plexiglas sneeze guard along one side with Plexiglas enclosures. A removable top cap shelf of 16 gauge stainless steel with sides turned down square and all corners fully welded, ground, and polished. Unit to be mounted on one inch stainless steel tubular supports. Shield to have adjustable height from five inch opening to eight inch opening in increments of one inch without the use of tools. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 60" Delfield KS-60 ONLY

Item #

30KK SAP Number: 6001155

Item Name: PROTECTOR, SINGLE SERVICE BUFFET, 66" (SERVING LINE)

Description: Shall have a Plexiglas sneeze guard along one side with Plexiglas enclosures. A removable top cap shelf of 16 gauge stainless steel with sides turned down square and all corners fully welded, ground, and polished. Unit to be mounted on one inch stainless steel tubular supports. Shield to have adjustable height from five inch opening to eight inch opening in increments of one inch without the use of tools. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 66", Delfield KS-66 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30LL SAP Number: 6001136

Item Name: PROTECTOR, SINGLE SERVICE BUFFET, 74" (SERVING LINE)

Description: Shall have a Plexiglas sneeze guard along one side with Plexiglas enclosures. A removable top cap shelf of 16 gauge stainless steel with sides turned down square and all corners fully welded, ground, and polished. Unit to be mounted on one inch stainless steel tubular supports. Shield to have adjustable height from five inch opening to eight inch opening in increments of one inch without the use of tools. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 74" Delfield KS-74 ONLY

Item #

30MM SAP Number: 6001156

Item Name: DISPLAY, TWO TIER – 30" (SERVING LINE)

Description: With sloped front stand shall have 1-1/4" square stainless steel tubing with stainless steel cap and base. Shelves to be 1/4" polished plate glass resting on a horizontal stainless steel framework welded to the uprights. The display sneeze guard to be mounted on adjustable stainless steel brackets. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 30", Delfield H-30 ONLY

Item #

30NN SAP Number: 6001127

Item Name: DISPLAY, TWO TIER – 36" (SERVING LINE)

Description: With sloped front stand shall have 1-1/4" square stainless steel tubing with stainless steel cap and base. Shelves to be 1/4" polished plate glass resting on a horizontal stainless steel framework welded to the uprights. The display sneeze guard to be mounted on adjustable stainless steel brackets. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 36", Delfield H-36 ONLY

Item #

30OO SAP Number: 6001147

Item Name: DISPLAY, TWO TIER – 42" (SERVING LINE)

Description: With sloped front stand shall have 1-1/4" square stainless steel tubing with stainless steel cap and base. Shelves to be 1/4" polished plate glass resting on a horizontal stainless steel framework welded to the uprights. The display sneeze guard to be mounted on adjustable stainless steel brackets. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 42", Delfield H-42 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30PP **SAP Number:** **6000104**
Item Name: **DISPLAY, TWO TIER – 50" (SERVING LINE)**
Description: With sloped front stand shall have 1-1/4" square stainless steel tubing with stainless steel cap and base. Shelves to be 1/4" polished plate glass resting on a horizontal stainless steel framework welded to the uprights. The display sneeze guard to be mounted on adjustable stainless steel brackets. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 50", Delfield H-50 ONLY

Item #

30QQ **SAP Number:** **6000105**
Item Name: **DISPLAY, TWO TIER – 60" (SERVING LINE)**
Description: With sloped front stand shall have 1-1/4" square stainless steel tubing with stainless steel cap and base. Shelves to be 1/4" polished plate glass resting on a horizontal stainless steel framework welded to the uprights. The display sneeze guard to be mounted on adjustable stainless steel brackets. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 60", Delfield H-60 MOD ONLY

Item #

30RR **SAP Number:** **6001159**
Item Name: **DISPLAY, TWO TIER – 66" (SERVING LINE)**
Description: With sloped front stand shall have 1-1/4" square stainless steel tubing with stainless steel cap and base. Shelves to be 1/4" polished plate glass resting on a horizontal stainless steel framework welded to the uprights. The display sneeze guard to be mounted on adjustable stainless steel brackets. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 66, Delfield H-60 MOD ONLY

Item #

30SS **SAP Number:** **6000106**
Item Name: **DISPLAY, TWO TIER – 74" (SERVING LINE)**
Description: With sloped front stand shall have 1-1/4" square stainless steel tubing with stainless steel cap and base. Shelves to be 1/4" polished plate glass resting on a horizontal stainless steel framework welded to the uprights. The display sneeze guard to be mounted on adjustable stainless steel brackets. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 74", Delfield H-74 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30TT	SAP Number:	6001164 – NO LONGER IN USE
30UU	SAP Number:	6001137 – NO LONGER IN USE
30V V	SAP Number:	6001160 – NO LONGER IN USE
30W W	SAP Number:	6001138 – NO LONGER IN USE
30XX	SAP Number:	6001139 – NO LONGER IN USE
30YY	SAP Number:	6001161 – NO LONGER IN USE
30ZZ	SAP Number:	6001140 – NO LONGER IN USE

Item #

30AAA	SAP Number:	6000108
	Item Name:	LOCKS, LINE UP – SERVING LINE
	Description:	To be barrel bolt and key slot design with cam locking action. Locks to be placed on opposing corners for maximum versatility. Manufacturer's standard warranty will apply.
		Approved Brands: Colorpoint Option AA, Delfield "F" ONLY

Item #

30BBB	SAP Number:	6001129
	Item Name:	OUTLET, CONVENIENCE – SERVING LINE
	Description:	Flush mount type, to be 120 VAC prewired and fused as required. Receptacle to be recessed in stainless steel housing on a body surface. Manufacturer's standard warranty will apply.
		Approved Brands: Colorpoint Option DD, Delfield "Q" ONLY

Item #

30CCC	SAP Number:	6001130
	Item Name:	SHELF, END DROP – SERVING LINE
	Description:	To be 16 gauge stainless steel 30" x 12" wide with edges turned down square and all corners fully welded, ground, and polished. Support brackets to be stainless steel. Manufacturer's standard warranty will apply.
		Approved Brands: Colorpoint Option FF, Delfield "U" ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30DDD SAP Number: 6001128

Item Name: STRIP, HEAT LAMP – 60” (SERVING LINE)

Description: With lights shall have food safe incandescent lamps built into the heat lamp housing and wired to a separate ON/OFF switch as required. This heat lamp is to be mounted to the top tier of Option I. Lamp and light to be Hatco #GRAL or other brands meeting bid specifications. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 60", Delfield M-60 ONLY

Item #

30EEE SAP Number: 6000107

Item Name: STRIP, HEAT LAMP – 74” (SERVING LINE)

Description: With lights shall have food safe incandescent lamps built into the heat lamp housing and wired to a separate ON/OFF switch as required. This heat lamp is to be mounted to the top tier of Option I. Lamp and light to be Hatco #GRAL or other brands meeting bid specifications. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 74", Delfield M-74 ONLY

Item #

30FFF SAP Number: 6001162

Item Name: BULB, HEAT LAMP – 60” (SERVING LINE)

Description: Food safe bullet type to be secured to the underside of the top cap of buffet shields. Bulb holder to have porcelain socket and stainless steel conical bulb protector. Each lamp is individually wired to ON/OFF switch. Complete with four each 40 watt incandescent bulbs. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 60", Delfield MB-4 ONLY

Item #

30GGG SAP Number: 6001163

Item Name: BULB, HEAT LAMP – 74” (SERVING LINE)

Description: Food safe bullet type to be secured to the underside of the top cap of buffet shields. Bulb holder to have porcelain socket and stainless steel conical bulb protector. Each lamp is individually wired to ON/OFF switch. Complete with four each 40 watt incandescent bulbs. Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Option 74", Delfield MB-5 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30HHH SAP Number: 6000118

Item Name: COLOR, CUSTOM UPGRADE – SERVING LINE

Description: Manufacturer's standard warranty will apply.

Approved Brands: Colorpoint Model CC-0001, Delfield Model "Custom Color" ONLY

Item #

30III SAP Number: 6001142 – NOT IN USE

Item #

30JJJ SAP Number: 6000110

Item Name: STAND, CASHIER – SERVING LINE (28" LONG)

Description: Body to be seamless mold fiberglass reinforced polyester (F.R.P.) with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 28" - 30" wide x 28" long. Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Complete with optional locking cash drawer. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. (See Section 6.1-ILLUSTRATIONS) Unit to have 4" diameter, ball bearing, swivel type casters to be non-marking and with brakes on two of four wheels. Casters mounted with exterior and interior bracing for maximum stress relief. NSF and UL listed.

Warranty: Two year warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model K-28-CSE-F, Delfield Model KCS-30 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30KKK SAP Number: 6006240

Item Name: STAND, CASHIER – SERVING LINE (36" LONG)

Description: Body to be seamless mold fiberglass reinforced polyester (F.R.P.) with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be **28" - 30" wide x 36" long**. Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Complete with optional locking cash drawer. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. (See Section 6.1-ILLUSTRATIONS) Unit to have 4" diameter, ball bearing, swivel type casters to be non-marking and with brakes on two of four wheels. Casters mounted with exterior and interior bracing for maximum stress relief. NSF and UL listed.

Warranty: Two year warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model K-36-CSE-F, Delfield Model KCS-36 ONLY

Item #

30LLL SAP Number: 6006241

Item Name: STAND, CASHIER – SERVING LINE (42" LONG)

Description: Body to be seamless mold fiberglass reinforced polyester (F.R.P.) with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be **28" - 30" wide x 42" long**. Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Complete with optional locking cash drawer. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. (See Section 6.1-ILLUSTRATIONS) Unit to have 4" diameter, ball bearing, swivel type casters to be non-marking and with brakes on two of four wheels. Casters mounted with exterior and interior bracing for maximum stress relief. NSF and UL listed.

Warranty: Two year warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 50-CSE-F-MOD Delfield Model KCS-42 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30MMM SAP Number:

6006242

Item Name:

REFRIGERATED COLD TABLE – OPEN BASE – 50-51"

Description:

Body to be constructed of fiberglass panels with vertical and horizontal stainless steel trim or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be **34" wide x 50" - 51" long and available in 34", 35", and 36" heights**. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with 6" stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1-ILLUSTRATIONS)**

Mechanical cold pan to be 18 gauge stainless steel fully welded construction with 1/4" coved corners. The cold pan shall be pitched to a 1" drain which is extended to a valve below the base. All cold pans shall be furnished with urethane insulation on bottom and all four sides of pan. The pan shall be fully separated from the counter top by a full perimeter breaker strip. To accommodate a 6" deep full size pan. Temperature is maintained by a static air system utilizing 1/2" copper coils attached to the liner bottom and sides to a level 1" above food pans. To have a fully hermetic condensing unit operating on R-134A refrigerant. Food pans shall be supported by full length removable brackets located 3" below top. To have drain with extension to shut-off valve below base. Open under storage to be lined with 18 gauge stainless steel coved vertical and horizontal corners. With 6" stainless steel adjustable legs. U.L. Listed and N.S.F. Approved.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 50-CFMX-F, Delfield Model KCSC-50B ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

Item #

30NNN SAP Number:

6006243

Item Name:

REFRIGERATED COLD TABLE – OPEN BASE – 60-61”

Description:

Body to be constructed of fiberglass panels with vertical and horizontal stainless steel trim or 18-8 type 304 stainless steel with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be 34" wide x 50" - 51" long and available in 34", 35", and 36" heights. Body constructed to accommodate tray rail at heights of 32", 33", and 34". (Bid does not include tray rail.) Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Body constructed with internal support member fabricated of a minimum of 12 gauge galvaneal channel to securely fasten tray rail support brackets. Provide with 6" stainless steel adjustable legs. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. **(See Section 6.1-ILLUSTRATIONS)**

Mechanical cold pan to be 18 gauge stainless steel fully welded construction with 1/4" coved corners. The cold pan shall be pitched to a 1" drain which is extended to a valve below the base. All cold pans shall be furnished with urethane insulation on bottom and all four sides of pan. The pan shall be fully separated from the counter top by a full perimeter breaker strip. To accommodate a 6" deep full size pan. Temperature is maintained by a static air system utilizing 1/2" copper coils attached to the liner bottom and sides to a level 1" above food pans. To have a fully hermetic condensing unit operating on R-134A refrigerant. Food pans shall be supported by full length removable brackets located 3" below top. To have drain with extension to shut-off valve below base. Open under storage to be lined with 18 gauge stainless steel coved vertical and horizontal corners. With 6" stainless steel adjustable legs. U.L. Listed and N.S.F. Approved.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model 60-CFMX-F, Delfield Model KCSC-60 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)
SERVING LINES - ITEM 30 – TO BE AWARDED AS A GROUP

30 000 SAP Number: **Need new #**

Item Name: **STAND, CASHIER – SERVING LINE (50" LONG)**

Description: Body to be seamless mold fiberglass reinforced polyester (F.R.P.) with smooth exterior surfaces and rounded corners. All fiberglass to be flame retardant per specifications ASTM E-162. To be **28" - 30" wide x 50" long**. Top to be fabricated from 14 gauge stainless steel with square turndown on all sides and corners fully welded, ground, and polished with #4 finish. Complete with optional locking cash drawer. Internal framing is to be 4-1/2" wide, galvaneal channel, shall be mounted vertically on front and rear surfaces and across the interior bottom to form a "U" shaped channel frame. "U" frame mounted at leg attachment location. "U" channel to be 3-1/2" – 4-1/2" wide on operators side. Exterior 20 gauge stainless steel channel mounted between bottom of fiberglass body and legs to provide maximum stress relief. (See Section 6.1-ILLUSTRATIONS) Unit to have 4" diameter, ball bearing, swivel type casters to be non-marking and with brakes on two of four wheels. Casters mounted with exterior and interior bracing for maximum stress relief. NSF and UL listed.

Warranty: Two year warranty, all parts and labor must be included in the unit price.

Approved Brands: Colorpoint Model K-50-CSE-F, Delfield Model KCS-50 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 31 – TO BE AWARDED AS A GROUP

Item #

31A **SAP Number:** **6000815**
Item Name: **SCALE, DIGITAL DOUGH – HEAVY DUTY SUBMERSIBLE 10# CAPACITY**
Description: Self-calibrating, all stainless steel body. NSF approved. Operates on batteries or UL/CE approved AC power supply. Power cord included. With Platform. Water-tight battery compartment. Approx. 6" x 6-3/4" one piece platform with corrosion protection. Weighs in pounds and ounces up to 10 lbs. and oz. increments of .1 oz. to 1/8 oz. Adjustable leveling feet.
Warranty: One year, all parts and labor to be included in the unit price.

Approved Brand: Edlund "Poseidon" Model WSC-10 with platform ONLY

Item #

31B **SAP Number:** **6004408**
Item Name: **SCALE, DIGITAL DOUGH – HEAVY DUTY SUBMERSIBLE 20# CAPACITY**
Description: Self-calibrating, all stainless steel body. NSF approved. Operates on batteries or UL/CE approved AC power supply. Power cord included. To include platform. Water-tight battery compartment. Approx. 7" x 8-3/4" one piece platform with corrosion protection. Weighs in pounds and ounces up to 20 lbs. and oz. increments of .1 oz. to 1/8 oz. Adjustable leveling feet.
Warranty: One year, all parts and labor to be included in the unit price.

Approved Brand: Edlund "Poseidon" Model WSC-20OP ONLY

Item #

32 **SAP Number:** **6000818**
Item Name: **SCALE, 25 POUND PORTION**
Description: Constructed of heavy duty stainless steel inside and out to resist rusting. Measures up to 25 pounds in two ounce increments and larger one pound increments (metric not acceptable). Scale must be able to provide fast and accurate readings, and scale must show measurements in both ounces and pounds. Large fixed dial must be recessed with removable lexan face plate, and dial must contain large black numbers on a white surface with colored pointer. Diameter of dial to be approximately 8-1/2". **Platform, internal housing, and springs mechanism all made of stainless steel.** Minimum 7" x 8-3/4" platform. Must have easy-to-turn adjusting but to calibrate scale.
Warranty: One year warranty, all parts and labor to be included in the unit price.

Approved Brand: Edlund Model RM-25 or other brands meeting bid specifications

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item #

33 SAP Number: 6000130

Item Name: SLICER, TWO SPEED AUTOMATIC 12"-13"

Description: ½ HP motor, stainless steel knife. Unit to have completely smooth surface with no cracks or crevices that could harbor food products and no exposed bolt gears or screws. Unit must be NSF approved, U.L. or ETL listed. Microban antimicrobial additive built into the external plastic components to inhibit growth of bacteria and mold. Motor has permanently lubricated ball bearings and is totally enclosed, integral with slicer. Switch shall be moisture protected toggle or touch pad type. Easy to clean, two to four removable parts. Carriage slide rod must be designed to resist rusting and withstand high humidity; electroless nickel coating or equivalent. Stainless steel carriage system tilting and removable without need for tools. Non-removable stainless steel knife ring guard to protect knife during cleaning and operation. No volt interlock release. Top mounted Barazon (or equivalent) knife sharpener that is removable and washable with lifetime guarantee. Knife speed 350-400 RPM. Poly V-Belt or gear driven system, no computers or electronic boards. Electrical 115-120/60/1, maximum 7 amps. Minimum 6 foot, three wire power supply cord and plug.

Bid price must include two-year manufacturer's warranty, parts and labor from date of installation.

Price to also include: Uncrate, set-in-place and demonstration for each order.

Approved Brands: Globe Model S13A and Hobart Model HS7N ONLY

Item #

34 SAP Number: 6007000

Item Name: FOOD PROCESSOR

Description: Commercial grade food cutter. Continuous feed with automatic start/stop function, single speed 350 rpm, ¾ HP motor. Capacity to process 800-950 lbs./hr. Removable hinged feed hopper lid with magnetic safety lock, dual feed openings with safety pusher, disk ejection system. HD motor with poly-v-belt, polished cast aluminum feed assembly and stainless steel housing. Motor has thermal protection. Food processor can slice, dice, shred, grate and julienne products. Machine base made with stainless steel. Feed assembly made of aluminum. ON/OFF switch is rear mounted and shielded. Approx. dimensions: 23.25"H x 8.5"W x 18.25"D. 115/60/1. Amp draw not to exceed 12.5. To include 6 foot electric cord and plug. To include the following attachments:

SLICER S-5 slicer plate, 3/16", SLICER S-11 slicer plate, 3/8", SHRED-SH7 Shredder 7/16", SLICER-J2X2 Julienne, DICE-D11 3/8".
Warranty 1-year parts and labor.

Approved Brand: BERKEL M3000-7 Only.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 35 – TO BE AWARDED AS A GROUP

Item #

35A **SAP Number:** **6001082**
Item Name: **MIXER, 30 QUART**
Description: 3/4 H. P. (minimum), electrical 115/60/1 with three wire ground cord and a six foot cord with plug and thermal overload protection. AMP Draw not to exceed 12.0 for 15 AMP Circuit (must not exceed 12 AMPS with cord and NEMA 5-15P). Transmission for unit to be gear driven, constant mesh and internally ventilated or variable speed belt drive. Three fixed speeds; low, intermediate and high. Motor to have permanently lubricated ball bearings and totally enclosed. Bowl-lift to be spring-balanced that locks automatically at top or bottom, adjustable to assure proper clearance between bowl and beater. Unit to be gray powder coat on top of corrosion resistant primer. Floor model, three speed or variable speed, to be equipped with a 15 minute (minimum) timed mixing control which automatically shuts off machine in any speed after set time has elapsed. Stainless steel wire bowl guard. Marked on and off switch. Smooth finish - no hard to clean projections or crevices. Non-Slip rubber or stainless steel feet pads installed to prevent rust. Required Equipment: (1) 30-quart stainless steel bowl, (1) "B" flat beater, (1) "D" wire whip and stainless steel bowl guard or stainless steel screen, cord and plug must be shipped with order and included into the unit price. NSF and U.L. Approved/Listed. Warranty: Two year manufacturer's warranty, all parts and labor, must be included in the unit price. Inside delivery and set-up required

Approved Brands: Hobart Model HL300, Varimixer W30A ONLY

Item #

35B **SAP Number:** **6001083**
Item Name: **BOWL, STAINLESS STEEL FOR 30 QUART MIXER**
Description: Must be compatible and be the same brand as Item 35A.

Approved Brands: Hobart, Varimixer ONLY

ITEM 35 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

35C **SAP Number:** **6001084**
Item Name: **BEATER, FLAT "B" FOR 30 QUART MIXER**
Description: Must be compatible and be the same brand as Item 35A.

Approved Brands: Hobart, Varimixer ONLY

Item #

35D **SAP Number:** **6001085**
Item Name: **HOOK, DOUGH FOR 30 QUART MIXER**
Description: Must be compatible and be the same brand as Item 35A.

Approved Brands: Hobart, Varimixer ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 35 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

35E **SAP Number:** **6001086**
Item Name: **WHIP, "D" WIRE LOOP FOR 30 QUART MIXER**
Description: Must be compatible and be the same brand as **Item 35A**.

Approved Brands: Hobart, Varimixer ONLY

Item #

35F **SAP Number:** **6001087**
Item Name: **DOLLY, BOWL TRUCK FOR 30 QUART MIXER**
Description: Must be compatible and be the same brand as **Item 35A**. Assists in moving bowls from mixer stand. Unit price must include demonstration at school and two year warranty on parts and labor from date of installation at school.

Approved Brands: Hobart, Varimixer ONLY

Item #

36A **SAP Number:** **6001088**
Item Name: **MIXER, 40 QUART**
Description: 1-1/2 H.P. or 2 H.P. (minimum), electrical 208/60/1, single phase or 3-phase floor model, three-speed mixer or variable speed with thermal overload protection. Bowl-lift hand operated, self-locking in up or down position with bowl height sensing. Three positive speeds; low, intermediate and high. Gear driven constant mesh transmission or variable speed belt drive. Motor to have permanently lubricated anti-friction ball bearings. Unit to be gray polyurethane enamel or powder coat on top of corrosion resistant primer. To be equipped with a 15 minute (minimum) timed mixing control which automatically shuts off machine in any speed after set time has elapsed. Stainless steel wire bowl guard. Guard lifts or swings to disengage motor. "Start - Stop" push buttons. Smooth finish, no hard to clean projections or crevices. Stainless steel feet or PVC feet pads, or rubber feet installed to prevent rust. Required Equipment: (1) 40-quart stainless steel bowl, (1) "B" flat beater, (1) "D" wire whip, (1) dough hook and stainless steel bowl guard or stainless steel screen, cord and plug must be shipped with order and included into the unit price. NSF and U.L. listed.
Warranty: Two year manufacturer's warranty, all parts and labor, must be included in the unit price. Inside delivery and set-up required

Approved Brands: Hobart Model HL400, Varimixer Model W40A, Globe Model SP40 ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 36 – TO BE AWARDED AS A GROUP

Item #

36B **SAP Number:** **6001083**
Item Name: **BOWL, STAINLESS STEEL FOR 40 QUART MIXER**
Description: Must be compatible and be the same brand as **Item 36A.**

Approved Brands: Hobart, Varimixer, Globe ONLY.

Item #

36C **SAP Number:** **6001090**
Item Name: **BEATER, FLAT “B” FOR 40 QUART MIXER**
Description: Must be compatible and be the same brand as **Item 36A.**

Approved Brands: Hobart, Varimixer, Globe ONLY.

Item #

36D **SAP Number:** **6001092**
Item Name: **HOOK, DOUGH FOR 40 QUART MIXER**
Description: Must be compatible and be the same brand as **Item 36A.**

Approved Brands: Hobart, Varimixer, Globe ONLY.

Item #

36E **SAP Number:** **6001091**
Item Name: **WHIP, “D” WIRE LOOP FOR 40 QUART MIXER**
Description: Must be compatible and be the same brand as **Item 36A.**

Approved Brands: Hobart, Varimixer, Globe ONLY.

Item #

36F **SAP Number:** **6004630**
Item Name: **DOLLY, BOWL TRUCK FOR 40 QUART MIXER**
Description: Must be compatible and be the same brand as **Item 36A.** Assists in moving bowls from mixer stand. **Unit price must include demonstration at school and two year warranty on parts and labor from date of installation at school.**

Approved Brands: Hobart, Varimixer, Globe ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 37 – TO BE AWARDED AS A GROUP

Item #

37A **SAP Number:** **6001094**
Item Name: **MIXER, 60 QUART**
Description: 2.7 H.P. (minimum), electrical (208/60/3 or 1) single phase or three phase, floor model, three to four speed mixer, or variable speed mixer with thermal overload protection. Transmission for unit to be gear driven, constant mesh or variable speed belt drive. Motor to have permanently lubricated ball bearings and totally enclosed motor. Stainless steel wire bowl guard. Guard disengages motor to lift or swing open. Unit to be gray polyurethane enamel on top of corrosion resistant primer. To be equipped with a 15 minute (minimum) timed mixing control which automatically shuts off machine in any speed after set time has elapsed. "Start - Stop" push buttons. Stainless steel feet or PVC feet pads, or rubber feet installed to prevent rust. Smooth finish, no hard to clean projections or crevices. Standard Accessory Package: (1) 60-quart stainless steel bowl, (1) "B" flat beater, (1) "D" wire whip, (1) dough hook and stainless steel bowl guard or stainless steel screen, cord and plug must be shipped with order and be included into the unit price. **NSF and U.L. Approved/Listed. Warranty: Two year manufacturer's warranty, all parts and labor, must be included in the unit price.** Inside delivery and set-up required

Approved Brands: Hobart Model HL-600, Varimixer Model W60A, Globe Model SP60 ONLY.

Item #

37B **SAP Number:** **6001095**
Item Name: **BOWL, STAINLESS STEEL FOR 60 QUART MIXER**
Description: Must be compatible and be the same brand as Item 37A.

Approved Brands: Hobart, Varimixer, Globe ONLY.

ITEM 37 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

37C **SAP Number:** **6001096**
Item Name: **BEATER, FLAT "B" FOR 60 QUART MIXER**
Description: Must be compatible and be the same brand as Item 37A.

Approved Brands: Hobart, Varimixer, Globe ONLY.

Item #

37D **SAP Number:** **6001097**
Item Name: **HOOK, DOUGH FOR 60 QUART MIXER**
Description: Must be compatible and be the same brand as Item 37A.

Approved Brands: Hobart, Varimixer, Globe ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 37 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

37E **SAP Number:** **6001098**
Item Name: **WHIP, “D” WIRE LOOP FOR 60 QUART MIXER**
Description: Must be compatible and be the same brand as Item 37A.

 Approved Brands: Hobart, Varimixer, Globe ONLY.

Item #

37F **SAP Number:** **6001099**
Item Name: **DOLLY, BOWL TRUCK FOR 60 QUART MIXER**
Award Type: **TO BE AWARDED AS PART OF GROUP ITEM**
Description: Must be compatible and be the same brand as Item 37A. Assists in moving bowls from mixer stand. **Unit price must include demonstration at school and two year warranty on parts and labor from date of installation at school.**

 Approved Brands: Hobart, Varimixer, Globe ONLY.

Item #

38 **SAP Number:** **6002181**
Item Name: **CABINET, NARROW WARMING – DOUBLE COMPARTMENT**
Description: Reach-in cabinet constructed with stainless steel exterior and stainless doors with magnetic latch Each compartment has a simple control with on/off power switch; up and down arrow buttons, heat indicator light, temperature display buttons, and digital display. Include four chrome plated side racks and one set of heavy duty casters, 2 rigid and 2 with brakes.
 Halo heat controlled uniform heat source that surrounds food for better appearance and taste. Two individually controlled insulated warming components. Width not to exceed 24”.
 Electrical requirements 120 V. 1 PH
 Exterior dimensions approx. 76” high x 24” width and 32-11/16 depth.

 Approved Brand: Alto-Shaam Model 1000-UP ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item #

39 SAP Number: 6006180

Item Name: HEATED HOLDING & HUMIDIFIED CABINET – DUTCH DOORS

Description: Fully insulated and welded base frame construction with two doors. 20 gauge stainless steel polished exterior and 22 gauge interior with easy-to-clean coved corners. Welded tubular base frame shall be 1" square, heavy gauge stainless steel tubing, with 10-gauge stainless steel reinforcing stress plate at corners. Insulation to be UG-26 High gauge density fiberglass throughout or fiberglass insulation of .23 K-factor at 75° Fahrenheit. Flush mounted stainless steel insulated doors. High temperature gasket sealed gasket. Each door shall have two heavy-duty edgemounted die cast hinges. Magnetic door latch and positive closing. High and latch mountings reinforced with stainless steel backing plates. Maintenance free tire casters, two rigid and two swivel with brake. Caster plate secured to a 10 gauge stainless steel reinforcing steel plate via welded in place stainless steel studs. Built in humidified holding system to include two separate long life nickel-chromium alloy heating elements per cavity; separate adjustable controls for each function. One control for the interior air temperature and one to control interior air moisture. 12" x 20" stainless steel reservoir shall be removable for ease of cleaning/sanitation. Hi-temp self-lubricated protected fan-cooled blower motor for moist air distribution. Controls shall be up-front recessed and eye-level. Thermostat from 90 to 190°. Welded stainless steel tray slides fully adjustable and removable designed for bottom tray support. Provide 16 pairs of tray/pan slides on 3" spacing. 120 volts single phase. Nema 5-15P 3 wire grounded 10 foot long power cord and plug, side mounted. Amp draw not to exceed 16.0. Front and recessed control panel with separate set, air moisture, and air temperature controls. Maximum dimensions 29" W x 32" D x 73" H. Include 5" heavy-duty neoprene casters, two swivel, two with brakes. Stainless steel wire universal angle racks to support sheet pans or steam table pans from underside with capacity for minimum of eight (8) each 18" x 26" sheet pans per cavity. Built-in humidity system with removable humidity pan. Total capacity of sixteen (16) 18" x 26" sheet pans per unit (3" spacing).
Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price. Price must include inside delivery and complete operational set-up and demonstration. Energy Star Approved.

Approved Brand: FWE MTU-12 with Dutch doors ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 40 – TO BE AWARDED AS A GROUP

Item #

40A SAP Number: 6006220

Item Name: BOILERLESS COMBI OVER STEAMER – ELECTRIC 208V

Description: All stainless steel exterior & interior, also top and sides. Unit fully insulated. Precision Humidity Control automatically adjusts after setting temperature. One control knob to control temperature and humidity. Multiple cooking capabilities including baking, steaming, rethermalization, and defrost. Visual recall display of actual temperature and humidity. No pre-programming required. Flashing door lights and audible alarm system to alert user when cooking cycle is finished. Auto-reversing fan with electrical braking system on fan motor. Halogen lighting built into the door. Cool to touch and energy efficient heat reflective tempered glass door. Large LED displays for temperature, time and humidity controls. Standard rack guides with five (5) stainless steel wire racks. Capacity for (7) racks for a total of (7) 18" x 26" pans if needed. Unit to be securely bolted to stainless steel stand w/stainless steel legs.
Unit to include Hallow Carbon Filter system CB30K-System
Electric requirements: Total amp draw not to exceed 55 at 208 v., 3 phase. UL Listed.
Minimum two (2) year parts and labor warranty.
Price to include freight, inside delivery, set in place, Level, remove packing materials, parts manual, factory start-up, factory demonstration.

Approved Brands: Vulcan ABC7E-208 ONLY

Item #

40B SAP Number: 6006221

Item Name: BOILERLESS COMBI OVEN STEAMER – ELECTRIC 408V

Description: Same as 40A above except 480 v., 3 phase.

Approved Brands: Vulcan ABC7E-480 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 41 – TO BE AWARDED AS A GROUP

Item #

41A **SAP Number:** **6000808**
Item Name: **AUTOMATIC ICE MAKING MACHINE, 232 LBS. MINIMUM**
Description: Modular air cooled ice maker, ARI standard minimum of **232 lbs.** at 90° air and 70° water. **Medium** ice cube size – 7/8" x 7/8" x 7/8", or **crescent cube size 1-1/2" x 1-1/8" x 1/2"**. Corrosion-resistant stainless steel exterior or DuraTech exterior. **Front or side located air filter**. 115/60/1 electric requirements only. Max. fuse size 15 amps. Unit to be 22" or 30" wide. Air cooled. Complete with factory approved water filter. **Refrigerant R404-A.**
WARRANTY: 3 year parts and labor on all components; 5-7 year parts & labor on evaporator; 5 year parts on compressor, condenser. **UL and NSF listed or approved.**
Note: Unit price shall include installation including hook up to existing plumbing lines so that unit is operational. Price includes freight, inside delivery & set in place, level, removal of packing materials and tape.
MUST BE ENERGY STAR RATED
Approved Brands:
Scotsman C0322MA-1A, Hoshizaki KM 350MAJ, or Manitowoc IT0450, ONLY.

Item #

41B **SAP Number:** **6000805**
Item Name: **BIN – 360 LBS. MINIMUM**
Description: Holds minimum 360 lbs. To be compatible with Item **41 A**. To have minimum storage capacity of 360 lbs. Front door and sides of bin to be stainless steel, or polyethylene, or **Dura Tech** exterior. 6" adjustable legs. Foamed-in-place polyurethane insulation. Non-corrosive polyliner. NSF and UL listed.
WARRANTY: 3 year parts and labor.

Approved Brands:
Scotsman B322S, Hoshizaki B-300SF, Manitowoc D400 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 42 – TO BE AWARDED AS A GROUP

Item #

42A SAP Number: 6000803

Item Name: AUTOMATIC ICE MAKING MACHINE, 350 LBS. MINIMUM

Description: (330 lbs.) Modular air cooled ice maker, ARI standard minimum of **350 lbs.** at 90° air and 70° water. Medium ice cube size – 7/8" x 7/8" x 7/8". Corrosion-resistant stainless steel exterior. Side or front located air filter. 115/60/1 electric requirements only. 30" wide. Air cooled. Complete with factory approved water filter. **WARRANTY:** 3 year parts and labor on all components; 5-7 year parts & labor on evaporator; 5 year parts on compressor, condenser. **UL and NSF approved**

Note: Unit price shall include installation including hook up to existing plumbing lines so that unit is operational. Price includes freight, inside delivery & set in place, level, removal of packing materials and tape.

MUST BE ENERGY STAR RATED

Approved Brands:

Scotsman C0530MA-1A, Manitowac It0500, Ice-O-Matic CIM 0436A ONLY.

Item #

42B SAP Number: 6000804

Item Name: BIN, 500 LBS. MINIMUM

Description: To be compatible with Item A. Holds minimum 500 lbs. Front door and sides of bin to be stainless steel or polyethylene exterior. 6" adjustable legs. Foamed-in-place polyurethane insulation. Non-corrosive polyliner. NSF and UL listed.
WARRANTY: 3 year parts and labor.

Approved Brands:

Scotsman B530P, Ice-O-Matic B55, Manitowac D570 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 43 – TO BE AWARDED AS A GROUP

Note: Item group 43 are Serving Line pieces intended for Elementary Schools. All items in this group will have approx. 29" high tray slides, approx. 29" high utility counters and cold tables with the height on the hot well units and cashier stands raised to approx. 35" high. All utility counters and hot tables will have a single tier sneeze-guard, all cold tables will have a double tier sneeze guard. Hot table must include J-Box in base easily accessible to electricians and to include access cut-out or open space in bottom of base. Cashier stands must include a shelf approx. 16" aff. Colors of units must be available on front and back of all pieces in the group and available in all colors in the Nevamar and Pionite, Groups or Ashland Maxguard Group. Installation includes cleaning of units, level, removal of tape, precision lined up tray slides and distance from the wall which will be approx. 38" – 48". If bidding Delfield – the dealer must cut the sneeze-guards flush with the ends of the units so that they are not a safety issue for students. If shipments are delayed more than 2 weeks in the summer from the initial ship date so that the equipment misses the start of school in August, the manufacturer or dealer must provide loaner units until the 'late' equipment arrives. Warranty shall be full two (2) year parts and labor, and full three (3) year parts and labor warranty of tray slides.

Item #

43A	SAP Number:	6006204
	Item Name:	HOT WELL
	Description:	60" x 34" x 35" unit. To include; four (4) individually controlled wells, counter protector with stainless steel top, 14 gauge stainless steel server work board, flat tray slide, modified counter and tray slide height per plan. Construction to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. 12" x 20" top openings with raised die-stamped perimeters. Body frame to be all welded construction of steel with exposed corners to be 1 ¼" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Unit shipped with 8' - cord & plug installed. Unit comes standard with thermostatic controls. Each controls has a lighted on/off switch that allows turning off of each well. Controls and elements mounted behind removable front panel for easy access to changing elements, element boxes or controls through easy to remove access panel. Individual food wells wired to common junction box(es). Each unit supplied with UL listed power cord. Concealed locking mechanism with easy to use spring-activated catch. 208/240/60/1 22amps.

Approved Brands: Randell Model # RAN HTD-4S, or Delfield SH-4-NU ONLY

Item #

43B	SAP Number:	6006205
	Item Name:	UTILITY COUNTER 72" x 34" x 31"
	Description:	72" x 34" x 31" unit. To include; 1ea. single tier deck mounted overshef 18" deep with 60" heat lamp mounted as shown on plan, adjustable food guard, flat tray slide, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Unit provided with a stainless steel work surface. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch.

Approved Brand: Randell Model # RAN UTILITY M-72, or Delfield SC-74-NU ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 43 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

43C SAP Number: 6006206
Item Name: ICE COLD PAN 60" x 34" x 31"
Description: 60" x 34" x 31" unit. To include; 1ea. double tier deck mounted overshef 18" deep with adjustable food guards, flat tray slide, perforated pan insert, modified cold pan depth per plan, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Unit fitted with 6" deep, ice cooled display cold pan. Interior of pan to be one piece, continuously welded construction of 18 gauge stainless steel. Interior fitted with 1" drain at one end. Drain nipple supplied with ball valve and lever extension to cabinet exterior on enclosed base units- drain lines run to accessible area. 1" high perforated, stainless steel bottom strainer plates provided. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Cold pan insulated with high density (CFC free) polyurethane, foamed in place. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch.

Approved Brand: Randell Model # RAN COLD M-60, or Delfield SCI-60-NU ONLY

Item #

43D SAP Number: 6006207
Item Name: CASHIER STAND 48" x 34" x 35"
Description: 48" x 34" x 35" unit. To include; flat tray slide, ferruled utility drop dimension per plan, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Unit provided with a stainless steel work surface. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch

Approved Brand: Randell Model # RAN CAM-48, or Delfield SCS-50 ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 43 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

43E **SAP Number:** **6006208**
Item Name: **CASHIER STAND 40" x 34" x 35"**
Description: 40" x 34" x 35" unit. To include; flat tray slide, ferruled utility drop dimension per plan, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Unit provided with a stainless steel work surface. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch.

Approved Brands: Randell Model # RAN CAM-40, or Delfield SCS-36 ONLY

Item #

43F **SAP Number:** **6006980**
Item Name: **UTILITY COUNTER 66" x 34" x 31"**
Description: 66" x 34" x 31" unit. To include; 1ea. single tier deck mounted overself 18" deep with 60" heat lamp mounted as shown on plan, adjustable food guard, flat tray slide, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Unit provided with a stainless steel work surface. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch.

Approved Brands: Randell Model # RAN Utility M-66, or Delfield SC-74-NU ONLY

Item #

43G **SAP Number:** **6006981**
Item Name: **UTILITY COUNTER 60" x 34" x 31"**
Description: 60" x 34" x 31" unit. To include; 1ea. single tier deck mounted over shelf 18" deep with 54" heat lamp mounted as shown on plan, adjustable food guard, flat tray slide, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Unit provided with a stainless steel work surface. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch.

Approved Brands: Randell Model # RAN Utility M-60, or Delfield SC-60-NU ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 43 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

43H **SAP Number:** **6006982**
Item Name: **UTILITY COUNTER 54" x 34" x 31"**
Description: 54" x 34" x 31" unit. To include; 1ea. single tier deck mounted overshef 18" deep with 48" heat lamp mounted as shown on plan, adjustable food guard, flat tray slide, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Unit provided with a stainless steel work surface. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch.

Approved Brands: Randell Model # RAN Utility M-54, or Delfield SC-50-NU ONLY

Item #

43 I **SAP Number:** **6006983**
Item Name: **ICE COLD PAN 80" x 34" x 31"**
Description: 80" x 34" x 31" unit. To include; 1ea. double tier deck mounted overshef 18" deep with adjustable food guards, flat tray slide, perforated pan insert, modified cold pan depth per plan, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Unit fitted with 6" deep, ice cooled display cold pan. Interior of pan to be one piece, continuously welded construction of 18 gauge stainless steel. Interior fitted with 1" drain at one end. Drain nipple supplied with ball valve and lever extension to cabinet exterior on enclosed base units- drain lines run to accessible area. 1" high perforated, stainless steel bottom strainer plates provided. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Cold pan insulated with high density (CFC free) polyurethane, foamed in place. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch.

Approved Brands: Randell Model # RAN Cold M-80, or Delfield SCI-74-NU ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 43 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

43J SAP Number: 6006984

Item Name: CASHIER STAND 36" x 34" x 35"

Description: 36" x 34" x 35" unit. To include; flat tray slide, ferruled utility drop dimension per plan, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Unit provided with a stainless steel work surface. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch.

Approved Brands: Randell Model # RAN CAM-36, or Delfield SCS-36 ONLY.

Item #

43K SAP Number: 6006985

Item Name: UTILITY COUNTER 50" x 34" x 31"

Description: 50" x 34" x 31" unit. To include; 1ea. single tier deck mounted overself 18" deep with 48" heat lamp mounted as shown on plan, adjustable food guard, flat tray slide, modified counter and tray slide height per plan. Construction; top to be one piece of die-formed 14 gauge stainless steel with 1 ½", 900 nosing on all sides. Body frame to be all welded construction of steel with exposed corners to be 1 ½" stainless steel. All corners welded and polished. Body ends and panels to be plastic laminate with galvanized steel backing (specify laminate color). Body ends and panels to be removable to allow the changing of colors. Unit provided with a stainless steel work surface. Unit to be equipped with 4 adjustable legs that are recessed inside of toe area. Concealed locking mechanism with easy to use spring-activated catch.

Approved Brands: Randell Model # RAN Utility M-50, or Delfield SCS-50-NU ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 44 – TO BE AWARDED AS A GROUP

Item #

44A SAP Number: 6006183

Item Name: 5' COOK'S TABLE W/POT RACK

Description: See Illustration 44A / 44B.

Note: For all custom made cook's tables, a complete drawing, illustrating the following information, but not limited to dimensions, sizes, types of materials, and accessories, must be furnished for evaluation purposes. Failure to furnish complete drawing will result in disqualification of bid item.

To be 60" long x 30" wide x 36" high. To be constructed of 14 gauge series 300 stainless steel, under shelf to be 10" off floor and constructed of 16 gauge series 300 stainless steel. Top and undershelf to have rounded corners; no backsplash. Stainless steel tubular legs with adjustable flanges bullet feet.

Complete with stainless steel drawer, stainless steel pot rack, utensil rack and overshelf. Drawer 20"-22" x 20" x 5", removable, set into stainless steel frame with roller ball bearing slides. Pot rack to be of semi-circular design approx. 60" long, furnished with 1-5/8" diameter 12 gauge tubular stainless steel supports extending through overshelf and tabletop and fastened securely to undershelf. Top of pot rack to be four (4) feet above table. Pot rack (table-mounted, rear or splash mounted) must include a minimum of eighteen pothooks. Utensil rack to have a minimum of 9 hooks. Overshelf included is to be constructed of 15-gauge stainless steel approximately 18" above tabletop and 24" below top of pan rack. Overshelf to be 60" long x 10" wide with stainless steel uprights of shelf, rear mounted. Also furnish pan rack with stainless steel crossbar approximately 10" below the top. Rear mounting provision.

Unit price to include freight, inside delivery, complete assembly & set in place at school.

Approved Brands: Duke, Custom Stainless, or SPG International, ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 44 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

44B SAP Number: 6006184

Item Name: 6' COOK'S TABLE W/POT RACK

Description: See Illustration 44A / 44B.

Note: For all custom made cook's tables, a complete drawing, illustrating the following information, but not limited to dimensions, sizes, types of materials, and accessories, must be furnished for evaluation purposes. Failure to furnish complete drawing will result in disqualification of bid item.

To be 72" long x 30" wide x 36" high. To be constructed of 14 gauge series 300 stainless steel, undershelf to be 10" off floor and constructed of 16 gauge series 300 stainless steel. Top and undershelf to have rounded corners; no backsplash. Stainless steel tubular with adjustable flanges bullet feet.

Complete with stainless steel drawer, stainless steel pot rack, utensil rack and overshelf.

Drawer 20"-22" x 20" x 5", removable, set into stainless steel frame with roller ball bearing slides. Pot rack to be of semi-circular design approx. 72" long, furnished with 1-5/8" diameter 12 gauge tubular stainless steel supports extending through overshelf and tabletop and fastened securely to undershelf. Top of pot rack to be four (4) feet above table. Pot rack (table-mounted, rear or splash mounted) must include a minimum of eighteen pothooks. Utensil rack to have a minimum of 9 hooks. The overshelf is to be constructed of 15-gauge stainless steel approximately 18" above tabletop and 24" below top of pot rack. Overshelf to be 72" long x 10" wide with stainless steel upright of shelf, rear mounted. Also furnish pan rack with stainless steel crossbar approximately 10" below the top. Rear mounting provision.

Unit price to include freight, inside delivery, complete assembly & set in place at school.

Approved Brands: Duke, Custom Stainless, or SPG International ONLY

44C SAP Number: 600NEW#

Item Name: 5' COOK'S TABLE NO POT RACK

Description:

Note: For all custom made cook's tables, a complete drawing, illustrating the following information, but not limited to dimensions, sizes, types of materials, and accessories, must be furnished for evaluation purposes. Failure to furnish complete drawing will result in disqualification of bid item.

To be 60" long x 30" wide x 36" high. To be constructed of 14 gauge series 300 stainless steel, under shelf to be 10" off floor and constructed of 16 gauge series 300 stainless steel. Top and undershelf to have rounded corners; no backsplash. Stainless steel tubular legs with adjustable flanges bullet feet.

Complete with stainless steel drawer, stainless steel pot rack, utensil rack and overshelf.

Drawer 20"-22" x 20" x 5", removable, set into stainless steel frame with roller ball bearing slides. Overshelf included is to be constructed of 15- gauge stainless steel approximately 18" above tabletop. Overshelf to be 60" long x 10" wide with stainless steel uprights of shelf, rear mounted.

Unit price to include freight, inside delivery, complete assembly, removal of paper, & set in place at school.

Approved Brands: Duke, Custom Stainless, or SPG International, ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

44D SAP Number: 600NEW

Item Name: 6' COOK'S TABLE NO POT RACK

Description: **Note:** For all custom made cook's tables, a complete drawing, illustrating the following information, but not limited to dimensions, sizes, types of materials, and accessories, must be furnished for evaluation purposes. Failure to furnish complete drawing will result in disqualification of bid item.

To be 72" long x 30" wide x 36" high. To be constructed of 14 gauge series 300 stainless steel, undershelf to be 10" off floor and constructed of 16 gauge series 300 stainless steel. Top and undershelf to have rounded corners; no backsplash. Stainless steel tubular with adjustable flanges bullet feet.

Complete with stainless steel drawer, stainless steel pot rack, utensil rack and overshelf. Drawer 20"-22" x 20" x 5", removable, set into stainless steel frame with roller ball bearing slides. The overshelf is to be constructed of 15-gauge stainless steel approximately 18" above tabletop and 24" below top of pot rack. Overshelf to be 72" long x 10" wide with stainless steel upright of shelf, rear mounted.

Unit price to include freight, inside delivery, complete assembly & set in place at school.

Approved Brands: Duke, Custom Stainless, or SPG International ONLY

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

Item #

45 SAP Number: SAP# 6006261

**Item Name: CONVECTION STEAMER, TWO COMPARTMENT ELECTRIC STEAM GENERATOR.
6 PAN CAPACITY**

Description: Stainless steel pressure-less steamer with two twin atmospheric electric independent. Steam generators rated at a minimum of **24 KW** each complete with electric low water cut-off. Heat up time to be minimum of ten minutes or less from a cold start. Unit shall allow operator to delime both steam generators through access port in each cavity without tools or service call from service agency. **Delime indicator light required.**
Cavities and cabinet base stainless steel construction. Doors to be stainless steel, insulated, and provided with one-piece replaceable seal. Doors to have hidden magnetic door switch cutting power to blower and reducing power to generator when door is opened. 60 minute mechanical timer. Unit to include "Ready" or equivalent indicator light. Complete with automatic blow down when unit is turned off. Capacity for six 12" x 20" x 2-1/2" deep pans. Four stainless steel legs with level adjustment. Controls easily accessible from front or sides. Dual cold water connection provided so that steam generator is on a separate line from condenser.
National Sanitation Foundation (NSF) and Underwriter's Laboratories (UL) **listed**. Note to installers: Plumbing requirements: Unit requires two 1/2" **IPS cold water supply lines**, 1-1/2" O.D. free venting drain.

Filter: OptiPure QTI-2 dual cartridge water treatment system with two quik-twist cartridges reduces sediment to .5 micron and reduces chlorine, taste, and odor at a flow rate of 4.5 gpm for 45,000 gallons. Helps protect against scale & chlorine. NSF Certified.

Electrical requirements: **Unit requires 480V, three phase.** Unit must fit on existing 60 amp breaker in schools. **Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.**

Installation: Unit price must include inside delivery, uncrating, set in place, remove cartons and tape, installation of shelves and accessories, level, factory start up, disposal of packaging materials and training. Service manuals, parts lists and wiring diagrams must accompany each delivered unit. Final electrical, plumbing and gas connections will be done by SBBC Personnel.

Approved Brand: Groen Hyper Steam Model HY-6E 480V, three phase ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 46 – TO BE AWARDED AS A GROUP

Item #

46A SAP Number: SAP #6006251

Item Name: COMBITHERM, CTP7-20E, ELECTRIC 208V

Description: Alto-Shaam Combitherm® CT PROformance™ counter-top model CTP7-20E electric Combi-Oven with self-contained boiler, designed with EcoSmart® technology for reduced energy and water consumption. Includes operational modes for steam, convection, a combination of steam and convection heat, and retherm. Oven is to be constructed of 18 gauge stainless steel interior cavity. Oven includes an attached retractable hand shower spray hose with safety shutoff interlock system and a backflow preventer. PROtouch™ control features includes a cool-down function, automatic cleaning function, recipe programming, two power levels, 0-100% humidity levels, auto-reversing fan with five (5) fan speeds, multi-shelf timers, and sleep mode. Oven includes USB port, HACCP data access, and four (4) adjustable stainless steel legs. Each oven is to accommodate up to seven (7) full-size sheet pans or fourteen (14) full-size hotel pans (GN 1/1), include standard right-hand door hinging, seven (7) non-tilt support rails, and four (4) stainless steel shelves.
Interior Dimensions: (HxWxD) 23-1/4" x 24-1/4" x 32-3/4" (590mm x 616mm x 832mm);
Exterior Dimensions: (HxWxD) 37-13/16" x 43-3/4" x 46-3/16" (961mm x 1111mm x 1173mm)

Water Requirements: ONE (1) TREATED WATER INLET: 3/4" NPT* ONE (1) UNTREATED WATER INLET: 3/4" NPT* LINE PRESSURE: 30 to 90 psi 2.1 to 6.3 bar
Water Drain: 1-1/2" (40mm) CONNECTION WITH A 2" (51mm) MINIMUM AIR GAP INSTALLED AS CLOSE TO THE OVEN AS POSSIBLE. MATERIALS MUST WITHSTAND TEMPERATURES UP TO 200°F (93°C). Can Manifold off of one 3/4" line.

PRICE INCLUDES STATIONARY STAINLESS STEEL STAND WITH PAN SLIDES AND SHELF. ALTO SHAAM #5016084.

Filter: OptiPure QTI-2 dual cartridge water treatment systme with two quik-twist cartridges reduces sediment to .5 micron and reduces chlorine, taste, and odor at a flow rate of 4.5 gpm for 45,000 gallons. Helps protect against scale & chlorine. NSF Certified.

Electrical Requirements: (NO CORD, NO PLUG, DEDICATED CIRCUIT REQUIRED) DO NOT CONNECT TO A G.F.I. OUTLET: **208-240V/50/60/3-ph**, 45.7-52.7 amps, 16.5-21.9kw, 4-3 AWG

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price. Installation: Unit price must include inside delivery, uncrating, set in place, remove cartons and tape, installation of shelves and accessories, level, factory start up, disposal of packaging materials and training. Service manuals, parts lists and wiring diagrams must accompany each delivered unit. Final electrical, plumbing and gas connections will be done by SBBC Personnel.

Approved Brand: Alto-Shaam Model CTP7-20E ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 46 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

46B SAP Number: SAP #6006252

Item Name: COMBITHERM, CTP7-20E, ELECTRIC 480V

Description: Alto-Shaam Combitherm® CT PROformance™ counter-top model CTP7-20E electric Combi-Oven with self-contained boiler, designed with EcoSmart® technology for reduced energy and water consumption. Includes operational modes for steam, convection, a combination of steam and convection heat, and retherm. Oven is to be constructed of 18 gauge stainless steel interior cavity. Oven includes an attached retractable hand shower spray hose with safety shutoff interlock system and a backflow preventer. PROtouch™ control features includes a cool-down function, automatic cleaning function, recipe programming, two power levels, 0-100% humidity levels, auto-reversing fan with five (5) fan speeds, multi-shelf timers, and sleep mode. Oven includes USB port, HACCP data access, and four (4) adjustable stainless steel legs. Each oven is to accommodate up to seven (7) full-size sheet pans or fourteen (14) full-size hotel pans (GN 1/1), include standard right-hand door hinging, seven (7) non-tilt support rails, and four (4) stainless steel shelves.
Interior Dimensions: (HxWxD) 23-1/4" x 24-1/4" x 32-3/4" (590mm x 616mm x 832mm);
Exterior Dimensions: (HxWxD) 37-13/16" x 43-3/4" x 46-3/16" (961mm x 1111mm x 1173mm)
Water Requirements: ONE (1) TREATED WATER INLET: 3/4" NPT* ONE (1) UNTREATED WATER INLET: 3/4" NPT* LINE PRESSURE: 30 to 90 psi 2.1 to 6.3 bar
Water Drain: 1-1/2" (40mm) CONNECTION WITH A 2" (51mm) MINIMUM AIR GAP INSTALLED AS CLOSE TO THE OVEN AS POSSIBLE. MATERIALS MUST WITHSTAND TEMPERATURES UP TO 200°F (93°C). Can Manifold off of one 3/4" line.

PRICE INCLUDES STATIONARY STAINLESS STEEL STAND WITH PAN SLIDES AND SHELF. ALTO SHAAM #5016084.

Filter: OptiPure QTI-2 dual cartridge water treatment systme with two quik-twist cartridges reduces sediment to .5 micron and reduces chlorine, taste, and odor at a flow rate of 4.5 gpm for 45,000 gallons. Helps protect against scale & chlorine. NSF Certified.

Electrical Requirements: (NO CORD, NO PLUG, DEDICATED CIRCUIT REQUIRED) DO NOT CONNECT TO A G.F.I. OUTLET: 480V/3-ph, 45.7-52.7 amps, 16.5-21.9kw, 4-3 AWG

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price. Installation: Unit price must include inside delivery, uncrating, set in place, remove cartons and tape, installation of shelves and accessories, level, factory start up, disposal of packaging materials and training. Service manuals, parts lists and wiring diagrams must accompany each delivered unit. Final electrical, plumbing and gas connections will be done by SBBC Personnel.

Approved Brand: Alto-Sham Model CTP7-20E ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 46 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

46C SAP Number: SAP #6006253

Item Name: COMBITHERM, CTP10-20E, ELECTRIC, FULL SIZE 208V

Description: Alto-Shaam Combitherm® CT PROformance™ counter-top model CTP10-20E electric Combi-Oven with self-contained boiler, designed with EcoSmart® technology for reduced energy and water consumption. Includes operational modes for steam, convection, a combination of steam and convection heat, and retherm. Oven is to be constructed of 18 gauge stainless steel interior cavity. Oven includes an attached retractable hand shower spray hose with safety shutoff interlock system and a backflow preventer. PROtouch™ control features includes a cool-down function, automatic cleaning function, recipe programming, two power levels, 0-100% humidity levels, auto-reversing fan with five (5) fan speeds, multi-shelf timers, and sleep mode. Oven includes USB port, HACCP data access, and four (4) adjustable stainless steel legs. Each oven is to accommodate up to ten (10) full-size sheet pans or twenty (20) full-size hotel pans (GN 1/1), include standard right-hand door hinging, ten (10) non-tilt support rails, and five (5) stainless steel shelves.

Interior Dimensions: (HxWxD) 31-1/2" x 24-1/4" x 32-3/4" (800mm x 616mm x 832mm);
Exterior Dimensions: (HxWxD) 45-11/16" x 43-3/4" x 46-3/16" (1160mm x 1111mm x 1173mm)

Water Requirements: ONE (1) TREATED WATER INLET: 3/4" NPT* ONE (1) UNTREATED WATER INLET: 3/4" NPT* LINE PRESSURE: 30 to 90 psi 2.1 to 6.3 bar

Water Drain: 1-1/2" (40mm) CONNECTION WITH A 2" (51mm) MINIMUM AIR GAP INSTALLED AS CLOSE TO THE OVEN AS POSSIBLE. MATERIALS MUST WITHSTAND TEMPERATURES UP TO 200°F (93°C). Can Manifold off of one 3/4" line.

PRICE INCLUDES STATIONARY STAINLESS STEEL STAND WITH PAN SLIDES AND SHELF. ALTO SHAAM #5016084.

Filter: OptiPure QTI-2 dual cartridge water treatment systme with two quik-twist cartridges reduces sediment to .5 micron and reduces chlorine, taste, and odor at a flow rate of 4.5 gpm for 45,000 gallons. Helps protect against scale & chlorine. NSF Certified.

Electrical Requirements: (NO CORD, NO PLUG, DEDICATED CIRCUIT REQUIRED) DO NOT CONNECT TO A G.F.I. OUTLET: 208-240V/50/60/3-ph, 68.8-79.4 amps, 24.8-33kw, 2-1AWG

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price. Installation: Unit price must include inside delivery, uncrating, set in place, remove cartons and tape, installation of shelves and accessories, level, factory start up, disposal of packaging materials and training. Service manuals, parts lists and wiring diagrams must accompany each delivered unit. Final electrical, plumbing and gas connections will be done by SBBC Personnel.

Approved Brand: Alto-Shaam Model CTP10-20E ONLY.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 46 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

46D SAP Number: SAP #6006254

Item Name: COMBITHERM, CTP10-20E, ELECTRIC, FULL SIZE 480V

Description: Alto-Shaam Combitherm® CT PROformance™ counter-top model CTP10-20E electric Combi-Oven with self-contained boiler, designed with EcoSmart® technology for reduced energy and water consumption. Includes operational modes for steam, convection, a combination of steam and convection heat, and retherm. Oven is to be constructed of 18 gauge stainless steel interior cavity. Oven includes an attached retractable hand shower spray hose with safety shutoff interlock system and a backflow preventer. PROtouch™ control features includes a cool-down function, automatic cleaning function, recipe programming, two power levels, 0-100% humidity levels, auto-reversing fan with five (5) fan speeds, multi-shelf timers, and sleep mode. Oven includes USB port, HACCP data access, and four (4) adjustable stainless steel legs. Each oven is to accommodate up to ten (10) full-size sheet pans or twenty (20) full-size hotel pans (GN 1/1), include standard right-hand door hinging, ten (10) non-tilt support rails, and five (5) stainless steel shelves.
Interior Dimensions: (HxWxD) 31-1/2" x 24-1/4" x 32-3/4" (800mm x 616mm x 832mm);
Exterior Dimensions: (HxWxD) 45-11/16" x 43-3/4" x 46-3/16" (1160mm x 1111mm x 1173mm)

Water Requirements: ONE (1) TREATED WATER INLET: 3/4" NPT* ONE (1) UNTREATED WATER INLET: 3/4" NPT* LINE PRESSURE: 30 to 90 psi 2.1 to 6.3 bar
Water Drain: 1-1/2" (40mm) CONNECTION WITH A 2" (51mm) MINIMUM AIR GAP INSTALLED AS CLOSE TO THE OVEN AS POSSIBLE. MATERIALS MUST WITHSTAND TEMPERATURES UP TO 200°F (93°C). Can Manifold off of one 3/4" line.

PRICE INCLUDES STATIONARY STAINLESS STEEL STAND WITH PAN SLIDES AND SHELF. ALTO SHAAM #5016084.

Filter: OptiPure QTI-2 dual cartridge water treatment systme with two quik-twist cartridges reduces sediment to .5 micron and reduces chlorine, taste, and odor at a flow rate of 4.5 gpm for 45,000 gallons. Helps protect against scale & chlorine. NSF Certified.

Electrical Requirements: (NO CORD, NO PLUG, DEDICATED CIRCUIT REQUIRED) DO NOT CONNECT TO A G.F.I. OUTLET: 480V/3-ph, 68.8-79.4 amps, 24.8-33kw, 2-1AWG
Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price. Installation: Unit price must include inside delivery, uncrating, set in place, remove cartons and tape, installation of shelves and accessories, level, factory start up, disposal of packaging materials and training. Service manuals, parts lists and wiring diagrams must accompany each delivered unit. Final electrical, plumbing and gas connections will be done by SBBC Personnel.

Approved Brand: Alto-Sham Model CTP10-20E only.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 47 – TO BE AWARDED AS A GROUP

Item #

47A SAP Number: SAP #6006255

Item Name: SLIDING TOP MILK CASE DISPENSER – 10 CASE MIN. CAPACITY

Description: Minimum 10 case capacity. Dimensions not to exceed **58"x 35-1/2" x 36"**. Body to be seamless molded fiberglass with smooth exterior surfaces and rounded corners. To be constructed of four layers of continuous strand fiberglass mat with a 24 oz. layer of woven roving on the bottom for added strength. Fiber-glass to be flame retardant per ASTM E-162. Body interior to be reinforced at each end with 4" wide, 12 gauge galvanized channels welded to form integral "U" frame for maximum stress relief. Refrigerated interior to be a welded steel cabinet with a water tight liner, fully insulated and with a 1" brass drain extended below body to a shut off valve. Top to be 14 gauge stainless steel w/square turndown on all sides and corners fully welded, ground, and polished. To have #4 satin finish. Interior top to turn down into opening with integral ledges to support sliding lids. Lids shall be 18 gauge stainless steel double pan construction with s/s handles. Cabinet and lids are fully insulated with urethane insulation. Each milk crate to be held at proper height by two stainless steel self-leveling mechanisms, field adjustable w/out tools. Refrigeration shall maintain at 38° by a cold wall evaporator system, with an accessible expansion valve. Casters to be 4" diameter, ball bearing, swivel type with brakes on all wheels. Casters mounted thru 12 gauge channels for extra rigidity.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.

Installation: Unit price must include inside delivery, uncrating, set in place, remove cartons and tape, installation of shelves and accessories, level, factory start up, disposal of packaging materials and training. Service manuals, parts lists and wiring diagrams must accompany each delivered unit. Final electrical, plumbing and gas connections will be done by SBBC Personnel.

Approved Brand: Low Temp Colorpoint Model CPM-1310 or other brands meeting bid specifications.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)

ITEM 47 – TO BE AWARDED AS A GROUP - CONTINUED

Item #

47B SAP Number: SAP # 6006256

Item Name: SLIDING TOP MILK CASE DISPENSER-6 CASE MIN. CAPACITY

Description: Minimum 6 case capacity. Dimensions not to exceed 40" x 35-1/2" x 36"H.
Body to be seamless molded fiberglass with smooth exterior surfaces and rounded corners. To be constructed of four layers of continuous strand fiberglass mat with a 24 oz. layer of woven roving on the bottom for added strength. Fiber-glass to be flame retardant per ASTM E-162. Body interior to be reinforced at each end with 4" wide, 12 gauge galvanized channels welded to form integral "U" frame for maximum stress relief. Refrigerated interior to be a welded steel cabinet with a water tight liner, fully insulated and with a 1" brass drain extended below body to a shut off valve. Top to be 14 gauge stainless steel w/square turndown on all sides and corners fully welded, ground, and polished. To have #4 satin finish. Interior top to turn down into opening with integral ledges to support sliding lids. Lids shall be 18 gauge stainless steel double pan construction with s/s handles. Cabinet and lids are fully insulated with urethane insulation. Each milk crate to be held at proper height by two stainless steel self-leveling mechanism, field adjustable w/out tools. Refrigeration shall maintain at 38° by a cold wall evaporator system, with an accessible expansion valve. Casters to be 4" diameter, ball bearing, swivel type with brakes on all wheels. Casters mounted thru 12 gauge channels for extra rigidity.

Warranty: Two year manufacturer's warranty, all parts and labor must be included in the unit price.


Installation: Unit price must include inside delivery, uncrating, set in place, remove cartons and tape, installation of shelves and accessories, level, factory start up, disposal of packaging materials and training. Service manuals, parts lists and wiring diagrams must accompany each delivered unit. Final electrical, plumbing and gas connections will be done by SBBC Personnel.

Approved Brand: Low Temp Colorpoint Model CPM-1306 or other brands meeting bid specifications.

SECTION 6 – BID SPECIFICATIONS (CONTINUED)




SECTION 6.1 - ILLUSTRATIONS

BID ITEM 6A/6B





- NOTE:
1. ALL VISIBLE WELDS TO BE GROUND SMOOTH & POLISHED TO A MATCHING FINISH.
 2. ALL NON-VISIBLE WELDS TO BE GROUND SMOOTH & PAINTED
 3. ALL EDGES TO BE SMOOTH & FREE FROM BURRS

Item A





- NOTE:
1. ALL VISIBLE WELDS TO BE GROUND SMOOTH & POLISHED TO A MATCHING FINISH.
 2. ALL NON-VISIBLE WELDS TO BE GROUND SMOOTH & PAINTED
 3. ALL EDGES TO BE SMOOTH & FREE FROM BURRS

Item B




SECTION 6 – BID SPECIFICATIONS, (Continued)

BID ITEM 7A





*All stainless steel construction 304 Top 14 ga undershelf 18 ga
no casters no Drawers.*




SECTION 6 – BID SPECIFICATIONS, (Continued)

BID ITEM 7B





*All stainless steel construction 304 Top 14 ga undershelf 18 ga
no casters no Drawers.*




SECTION 6 – BID SPECIFICATIONS, (Continued)

BID ITEM 7C





*All stainless steel construction 304 14 Ga top 18 Ga shelf
With casters*




SECTION 6 – BID SPECIFICATIONS, (Continued)

BID ITEM 7D





*All stainless steel construction 304 14 Ga top 18 Ga shelf
With casters*




SECTION 6 – BID SPECIFICATIONS, (Continued)

BID ITEM 7E





*All stainless steel construction 304 14 Ga top 18 Ga shelf
With casters*




SECTION 6 – BID SPECIFICATIONS, (Continued)

BID ITEM 7F





*All stainless steel construction 304 14 Ga top 18 Ga shelf
With casters*




SECTION 6 – BID SPECIFICATIONS, (Continued)

BID ITEM 8




*All stainless steel construction 304 Top 14 ga undershelf 18 ga
no casters no Drawers.*



SECTION 6 – BID SPECIFICATIONS, (Continued)

BID ITEM 30


ATTACHMENT "A"



SECTION 6 – BID SPECIFICATIONS, (Continued)


BID ITEM 30

ATTACHMENT "B"



SECTION 6 – BID SPECIFICATIONS, (Continued)

BID ITEM 44A / 44B



SECTION 7, INSURANCE REQUIREMENTS

MINIMUM LIMITS OF INSURANCE REQUIREMENTS

1. **GENERAL LIABILITY:** Limits not less than \$1,000,000 per occurrence for Bodily Injury/ Property Damage; \$1,000,000 General Aggregate. Limits not less than \$1,000,000 for Products/Completed Operations Aggregate. Please indicate on certificate, "All policies are primary of all other valid and collectable coverage maintained by The School Board of Broward County, Florida" and "Certificate holder is named as an additional insured" in the description box on General Liability certificate.
2. **WORKER'S COMPENSATION:** Florida Statutory limits in accordance with Chapter 440; Employer's Liability limits not less than \$100,000/\$100,000/\$500,000 (each accident/disease-each employee/disease-policy limit).
3. **AUTO LIABILITY:** Owned, Non-Owned and Hired Auto Liability with Bodily Injury and Property Damage limits of not less than \$1,000,000 Combined Single Limit.
4. **ACCEPTABILITY OF INSURANCE CARRIERS:** The insurance policies shall be issued by companies qualified to do business in the State of Florida. The insurance companies must be rated at least A- VI by AM Best or Aa3 by Moody's Investor Service.
5. **VERIFICATION OF COVERAGE:** Proof of Insurance must be furnished within 15 days of execution of this Agreement. To streamline this process, SBBC has partnered with EXIGIS RiskWorks to collect and verify insurance documentation. All certificates (and any required documents) must be received and approved by SBBC before any work commences to permit Awardee time to remedy any deficiencies. Please verify your account information and provide contact details for your company's Insurance Agent via the link provided in the email upon award.
6. **REQUIRED CONDITIONS:** Liability policies must contain the following provisions. In addition, the following wording must be included on the Certificate of Insurance:
 - a) The School Board of Broward County, Florida, its members, officers, employees and agents are added as additional insured.
 - b) All liability policies are primary of all other valid and collectable coverage maintained by the School Board of Broward County, Florida.
 - c) Certificate Holder: The School Board of Broward County, Florida, c/o EXIGIS Risk Management Services, P. O. Box 4668-ECM, New York, New York 10163-4668
7. **CANCELLATION OF INSURANCE:** Vendors are prohibited from providing services under this Agreement with SBBC without the minimum required insurance coverage and must notify SBBC within two business days if required insurance is cancelled.
8. **The School Board of Broward County, Florida reserves the right to review, reject or accept any required policies of insurance, including limits, coverage's or endorsements, herein throughout the term of this contract.**

SECTION 8, SUPPLIER DIVERSITY OUTREACH PROGRAM (SDOP) AFFIRMATIVE PROCUREMENT INITIATIVES (API)

SUPPLIER DIVERSITY OUTREACH PROGRAM (SDOP): The SBBC has implemented a Supplier Diversity Outreach Program (SDOP) as part of the SBBC's competitive solicitation and contracting activity in accordance with School Board Policy 3330, Supplier Diversity Outreach Program and Guidelines. S/M/WBE is defined as an enterprise whose annual revenues and number of employees shall be no greater than fifty percent (50%) of the small business size standards for its industry(ies) as established by the U.S. Small Business Administration and meets significant business presence requirements as defined in Policy 3330. **SBBC Diversity Policy 1.5 & Supplier Diversity Outreach Policy 3330 can be seen at website URL: <http://www.broward.k12.fl.us/sbbcpolicies>.**

The Affirmative Procurement Initiative (API) implemented in this solicitation is: Voluntary M/WBE Distributorship Development Program:

In accordance with SBBC Policy No 3330, E.6.c, the GSC encourage manufacturers to establish authorized dealerships or distributorships with M/WBE suppliers of their products on a non-discriminatory basis.

The M/WBE distributorship shall perform a commercially useful function on behalf of the SBBC prior to exercising each additional option year under the contract or may accelerated payment terms of invoices for payment from the SBBC within fifteen (15) days of receipt of goods and invoices.

M/WBE firms utilized for this contract must be certified by the SBBC Supplier Diversity Outreach Program at the time the bid is due. For information on M/WBE Certification, contact the SBBC Supplier Diversity Outreach Program Office at 754-321-0550 or visit www.browardschools.com/sdop. The SBBC Supplier Diversity Outreach Program works to increase the participation of small, minority and women-owned business enterprises in construction and purchasing contracts. It is the intent of the School Board of Broward County to have a diverse group of vendors to participate in the procurement process. The current list of SBBC S/M/WBE-Certified firms can be viewed at: <http://www.broward.k12.fl.us/supply/sdop/vendorlist.html>

If a Proposer is M/WBE Certified by SBBC or intends to utilize M/WBE firms as a subcontractor on this contract, the M/WBE firms shall be certified by SBBC at the time of bid. It is the Proposer's responsibility to ensure it is compliant with these requirements and deadlines by contacting the PWS/SDOP to verify the Vendor's current Certification status or to obtain the applicable small business certification. A certified firm must provide a commercially useful function for a project and may not act as a broker. A certified firm which seeks to act as a broker or a Vendor that does not provide a commercially useful function on a project, shall be subject to removal or decertification by PWS/SDOP.

At the time of the bid, the Proposer shall identify all M/WBE firms (if any) which will be utilized by using the following forms: **M/WBE Subcontractor Participation Schedule** and **Statement of Intent (To Perform as an M/WBE Subcontractor)**. The Proposer should include in its solicitation submittal an **M/WBE Participation Good Faith Effort Form** and all the required supporting information **if the Proposer is unable to attain the M/WBE participation Goal WHEN APPLICABLE.**

ATTACHMENT A – S/M/WBE FORMS
The following forms are due (if applicable) at the time of Bid submittal:


1. FORM 00475 - PARTICIPATION SCHEDULE FORM

Document Link:

https://www.browardschools.com/cms/lib/FL01803656/Centricity/domain/12708/sdop%20files/sdop%20forms%20-%20policies/ParticipationSchedule_082017_Final.pdf

Document Preview:

Document Number 00475
Attachment _____

 **Procurement & Warehousing Services**
Supplier Diversity Outreach Program
Broward County Public Schools

**SMALL/MINORITY/WOMEN BUSINESS ENTERPRISE
SUBCONTRACTOR PARTICIPATION SCHEDULE**

DATE: _____

SOLICITATION INFORMATION						
Contract #:			Project Start Date:			
Project Name:						
Project Location:						
Bidder/Proposer:						
Address:						
Contact Person:		Email Address:		Phone #:		
ORGANIZATION STATUS						
Business Association	Business Name	Business Address	Business Phone #	Type of Work to be Performed	% of Work	\$ Amount
Prime Bidder/Proposer					%	\$
Non S/M/WBE Subcontractor					%	\$
S/M/WBE Subcontractor					%	\$


2. FORM 00470

Document Link:

https://www.browardschools.com/cms/lib/FL01803656/Centricity/domain/12708/sdop%20files/sdop%20forms%20-%20policies/00470%20StatementofIntent_082017_Final.pdf

Document Preview:

Document Number 00470
Attachment _____

 **Procurement & Warehousing Services**
Supplier Diversity Outreach Program
Broward County Public Schools

**STATEMENT OF INTENT TO PERFORM
AS AN S/M/WBE SUBCONTRACTOR**

SOLICITATION #: _____

CONTRACT #: _____

A signed *Statement of Intent to Perform as a Small/Minority/Women Business Enterprise (S/M/WBE) Subcontractor* form must be completed by the owner or authorized principal of each S/M/WBE firm listed in the *S/M/WBE Subcontractor Participation Schedule*.

STATEMENT OF INTENT			
The undersigned is certified as an S/M/WBE vendor by The School Board of Broward County, Florida's (SBBC) Supplier Diversity Outreach Program: <input type="checkbox"/> Yes <input type="checkbox"/> No			
(Name of S/M/WBE Subcontractor) agrees to perform work on the above contract as a (check one):			
<input type="checkbox"/> Individual	<input type="checkbox"/> Partnership	<input type="checkbox"/> Corporation	
The S/M/WBE subcontractor will enter into a formal agreement with _____ (Name of Bidder/Proposer) conditioned upon the Bidder/Proposer executing a contract with SBBC.			
DESCRIPTION OF WORK & VALUE			
Please provide the details and value of the work to be performed:			
Item No.	Type of Work	Agreed Upon Price	% of Work

3. FORM: 00485 UTILIZATION REPORT

Document Link:

https://www.browardschools.com/cms/lib/FL01803656/Centricity/domain/12708/sdop%20files/sdop%20forms%20-%20policies/00485%20SMWBEMonthlySubcontractorUtilizationReport%20082017_Finalv2.pdf

Document Preview:

Procurement & Warehousing Services Supplier Diversity Outreach Program Broward County Public Schools				S/M/WBE MONTHLY SUBCONTRACTOR UTILIZATION REPORT				
Project Name:				Contract Number and Work Order Number (if applicable):				
Report #:				Reporting Period:		S/M/WBE Contract Goal:		Contract Completion Date:
				to				
Prime Contractor Name:				Project Manager (PM) Name:				
Prime Contractor Street Address:								
Prime Contractor Phone #:		Prime Contractor Email Address:		PM Phone #:		PM Email Address:		
SECTION II - UTILIZATION INFORMATION								
Prime Contractor must list ALL Certified and non-certified subcontractors that will be utilized for the entire contract period. For assistance in completing this form, please call the Supplier Diversity Outreach Program at (754) 321-0505.								
ROLE	FEDERAL IDENTIFICATION NUMBER	BUSINESS NAME	S/M/WBE CERTIFIED BY SBBC (Y/N)	DESCRIPTION OF WORK	TOTAL PROJECT AMOUNT	AMOUNT PAID DURING REPORTING PERIOD	INVOICE #	TOTAL PAID TO DATE
PRIME CONTRACTOR					\$	\$		\$
SUBCONTRACTOR					\$	\$		\$
SUBCONTRACTOR					\$	\$		\$
SUBCONTRACTOR					\$	\$		\$

- SBBC Supplier Diversity Outreach Policy 3330 can be seen at website URL: https://www.browardschools.com/cms/lib/FL01803656/Centricity/Domain/12708/Policy_3330_Final_Adoption.pdf
- SDOP website with list of Certified S/M/WBE Vendors: <https://www.browardschools.com/Page/32119>

SECTION 9, FORMS AND ATTACHMENTS

Please fill out all attachments in the pages that follow.

Some attachments must be notarized.

ATTACHMENT 1, CONFLICT OF INTEREST

DISCLOSURE OF POTENTIAL CONFLICT OF INTEREST AND CONFLICTING EMPLOYMENT OR CONTRACTUAL RELATIONSHIP

In accordance with General Condition 11, each Bidder must disclose in its Bid, the names of any employees who are employed by Bidder who are also an employee of SBBC. Persons identified below may have obligations and restrictions applicable to them under Chapter 112, Florida Statutes.

Name of Bidder's Employee	SBBC Title or Position of Bidder's Employee	SBBC Department/ School of Bidder's Employee
_____	_____	_____
_____	_____	_____
_____	_____	_____

Check one of the following and sign:

- ☐ I hereby affirm that there are no known persons employed by Bidder who are also an employee of SBBC.
- ☐ I hereby affirm that all known persons who are employed by Bidder who are also an employee of SBBC have been identified above.

Signature

Company Name

03/28/13

ATTACHMENT 2, DRUG FREE WORKPLACE

THE SCHOOL BOARD OF BROWARD COUNTY, FLORIDA

SWORN STATEMENT PURSUANT TO SECTION 287.087, FLORIDA STATUTES, AS CURRENTLY ENACTED OR AS AMENDED FROM TIME TO TIME, ON PREFERENCE TO BUSINESSES WITH DRUG-FREE WORKPLACE PROGRAMS.

THIS FORM MUST BE SIGNED AND SWORN TO IN THE PRESENCE OF A NOTARY PUBLIC OR OTHER OFFICIAL AUTHORIZED TO ADMINISTER OATHS.

This sworn statement is submitted to The School Board of Broward County, Florida,

by _____
(Print individual's name and title)

for _____
(Print name of entity submitting sworn statement)

whose business address is _____

and (if applicable) its Federal Employer Identification Number (FEIN) is _____
(If the entity has no FEIN, include the Social Security Number of the individual signing this sworn statement: _____.)

I certify that I have established a drug-free workplace program and have complied with the following:

1. Published a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that shall be taken against employees for violations of such prohibition.
2. Informed employees about the dangers of drug abuse in the workplace, the business' policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation and employee assistance programs, and the penalties that may be imposed upon employees for drug abuse violations.
3. Given each employee engaged in providing the commodities or contractual services that are under bid a copy of the statement specified in subsection (1).
4. In the statement specified in subsection (1), notified the employees that, as a condition of working on the commodities or contractual services that are under bid, the employee shall abide by the terms of the statement and shall notify the employer of any conviction of, or plea of guilty or nolo contendere to, any violation of chapter 893 or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five days after such conviction.
5. Shall impose a sanction on, or require the satisfactory participation in a drug abuse assistance or rehabilitation program if such is available in the employee's community by, any employee who is so convicted.
6. Am making a good faith effort to continue to maintain a drug free workplace through implementation of this section.

(Signature)

Sworn to and subscribed before me this _____ day of _____, 20_____.

Personally known _____ or _____

Produced Identification _____ Notary Public – State of _____

My commission expires: _____

(Type of Identification)

Form #4530
3/93

(Printed, typed, or stamped commissioned name of notary public)

ATTACHMENT 3, BIDDER'S PREFERENCE
LEGAL OPINION OF BIDDING PREFERENCE (See Special Condition 7)

MUST BE COMPLETED BY ALL BIDDERS AND SUBMITTED WITH THEIR BID IN TIME FOR BID OPENING TO BE CONSIDERED FOR AWARD

Bidder (Firm) Name: _____

Identify the state in which the Bidder has its principal place of business: _____

Bidder's Signature: _____

INSTRUCTIONS: If your principal place of business above is located within the State of Florida, provide the information as indicated above and return this form with your bid response. No further action is required.

IF your principal place of business is outside of the State of Florida, the following must be completed by an attorney and returned with your bid response. Failure to submit and execute this form with bid, shall be considered to be non-responsive and bid rejected.

OPINION OF OUT-OF-STATE BIDDER'S ATTORNEY ON BIDDING PREFERENCES

(To be completed by the Attorney for an Out-of-State Bidder)

NOTICE: Section 287.084(2), Florida Statutes, provides that "a vendor whose principal place of business is outside this state must accompany any written bid, proposal, or reply documents with a written opinion of an attorney at law licensed to practice law in that foreign state, as to the preferences, if any or none, granted by the law of that state [or political subdivision thereof] to its own business entities whose principal places of business are in that foreign state in the letting of any or all public contracts." See also: Section 287.084(1), Florida Statutes.

LEGAL OPINION ABOUT STATE BIDDING PREFERENCES

(Please Select One)

_____ The Bidder's principal place of business is in the State of _____ and it is my legal opinion that the laws of that state **do not grant a preference** in the letting of any or all public contracts to business entities whose principal places of business are in that state.

_____ The Bidder's principal place of business is in the State of _____ and it is my legal opinion that the laws of that state **grant the following preference(s)** in the letting of any or all public contracts to business entities whose principal places of business are in that state: [Please describe applicable preference(s) and identify applicable state law(s)]:

LEGAL OPINION ABOUT POLITICAL SUBDIVISION BIDDING PREFERENCES

(Please Select One)

_____ The Bidder's principal place of business is in the political subdivision of _____ and it is my legal opinion that the laws of that political subdivision **do not grant a preference** in the letting of any or all public contracts to business entities whose principal places of business are in that political subdivision.

_____ The Bidder's principal place of business is in the political subdivision of _____ and it is my legal opinion that the laws of that political subdivision **grant the following preference(s)** in the letting of any or all public contracts to business entities whose principal places of business are in that political subdivision: [Please describe applicable preference(s) and identify applicable authority granting the preference(s)]:

Signature of out-of-state Bidder's attorney: _____

Printed name of out-of-state Bidder's attorney: _____

Address out-of-state Bidder's attorney: _____

Telephone number out-of-state Bidder's attorney: _____

E-Mail address out-of-state Bidder's attorney: _____

Attorney's state(s) of bar admission: _____

ATTACHMENT 4, W-9 FORM

See Special Condition 28

Please retrieve the latest version of the W-9 form from the IRS website listed below:

<https://www.irs.gov/pub/irs-pdf/fw9.pdf>

- This form can be filled out online and printed for signature. Only page one (1) needs to be returned

The W-9 form should also be accompanied by a printout of the bidder's corporation record as registered with the Division of Corporations, Florida Department of State which can be accessed at www.sunbiz.org or from the state the bidder is registered in.



ATTACHMENT 5, ACH FORM
[Click here for a fillable version of the form](#)

ACH Payment Agreement Form (ACH CREDITS)
The School Board of Broward County, Florida
(See General Condition 10)

VENDOR NAME	
--------------------	--

I(we) hereby authorize The School Board of Broward County to initiate automatic deposits (credits) to my account at the financial institution named below. Additionally, I authorize The School Board of Broward County to make the necessary debit entries/adjustments in the event that a credit entry is made in error.

Further, I agree not to hold The School Board of Broward County responsible for any delay or loss of funds due to incorrect or incomplete information supplied by me or by my financial institution or due to an error on the part of my financial institution in depositing funds to my account.

This agreement will remain in effect until The School Board of Broward County receives written notification of cancellation from me or my financial institution and that the origination of ACH transactions to my (our) account must comply with the provisions of U.S. law.

ACCOUNT INFORMATION		
Bank/Financial Institution Name:	Branch / State:	Routing Number:
Account Number: <div style="text-align: center;">Checking Savings</div>	Remittance Confirmation:	Federal Identification #: <div style="text-align: center;">Tax ID SS #</div>
FAX & EMAIL ADDRESS		
Fax Number:	Email Address:	Phone Number:

SIGNATURES		
Authorized Signature (Primary):	Business Title:	Date Signed:
Authorized Signature (Joint):	Business Title:	Date Signed:

Please attach a VOIDED check to verify bank details and routing number.

This completed form must be submitted via email to Purchasinghelpdesk@browardschools.com.

FOR PROCUREMENT SERVICES USE ONLY		
Vendor Account #:	Date Entered:	Initials:

ATTACHMENT 6, DEBARMENT

MUST BE COMPLETED BY ALL BIDDERS AND SUBMITTED WITH THEIR BID IN TIME FOR BID OPENING TO BE CONSIDERED FOR AWARD

See General Condition 45

**CERTIFICATION OF DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION
LOWER TIER TRANSACTIONS**

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 45 CFR 1183.35, Participants' responsibilities. The regulations were published as Part VII of the May 26, 1988 Federal Register (pages 19160-19211). Copies of the regulations may be obtained by going to this link: <http://www.gpo.gov/fdsys/granule/CFR-2011-title45-vol3/CFR-2011-title45-vol3-sec1183-35>

(BEFORE COMPLETING CERTIFICATION, READ INSTRUCTIONS ON THE NEXT PAGE)

- (1) The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any federal department or agency.
- (2) Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

Organization Name

ITB Number

Name(s) and Title(s) of Authorized Representative(s)

Signature(s)

Date


ATTACHMENT 6, INSTRUCTIONS FOR CERTIFICATION

1. By signing and submitting this proposal, the prospective lower tier participant is providing the certification set out below.
2. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the federal government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.
3. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
4. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations.
5. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
6. The prospective lower tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility, and Voluntary Exclusion-Lower Tier Covered Transactions," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
7. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the Non-procurement List (Telephone Number).
8. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
9. Except for transactions authorized under paragraph 5 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the federal government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

ATTACHMENT 7, LABEL

MAILING LABEL

Please print the mailing label below and affix it to your bid package to facilitate identification when SBBC receives your bid. Affix the mailing label below on the outside of your package even if you are utilizing UPS, FedEx or another carrier who prints the address information.



FROM: _____
(Bidder's Name)

TO:

The School Board of Broward County, Florida
Procurement and Warehousing Services
7720 West Oakland Park Boulevard, Suite 323
Sunrise, Florida 33351

ATTN: Larissa Seda
BID: FY20-026
CAFETERIA EQUIPMENT

SECTION 10, STATEMENT OF "NO BID"

If your company is not submitting a bid in response to this Invitation to Bid, please complete this Statement of "No Bid" Sheet and return, prior to the Bid Due Date established within, to:

The School Board of Broward County, Florida
Procurement and Warehousing Services
7720 West Oakland Park Boulevard, Suite 323
Sunrise, Florida 33351

This information shall help SBBC in the preparation of future Bids.

Bid Number: _____ Title: _____

Company Name: _____

Contact: _____

Address: _____

Telephone: _____ Facsimile: _____

√	Reasons for "NO Bid":
	Unable to comply with product or service specifications.
	Unable to comply with scope of work.
	Unable to quote on all items in the group.
	Insufficient time to respond to the Invitation to Bid.
	Unable to hold prices firm through the term of the contract period.
	Our schedule would not permit us to perform.
	Unable to meet delivery requirements.
	Unable to meet bond requirements.
	Unable to meet insurance requirements.
	Other (Specify below)

Comments:

Signature: _____ Date: _____

PREVIOUS BID'S TABULATION
AVAILABLE AS AN ADDITIONAL ATTACHMENT
FOR DOWNLOAD FROM DEMANDSTAR